

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

Rd/St Name	Certified Miles
-------------------	------------------------

=>Bear Trail Rd	1.74
---------------------------	-------------

AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Grundy Rd	Otter Lake Rd (0.10)	0.10 (528)	N	2	70	20	2002	4	0	0	202	202			E	000015		E	33	40	5		4	000	NON		00			2006	5	2005	
Grundy Rd (0.10)	Otter Lake Rd (1.74)	1.64 (8659)	N	2	35	20	1966	4	0	0	000	000			E	000015		E	33	40	5		4	000	NON		00			2006	4	2005	

=>Big Pine Ln	0.44
-------------------------	-------------

AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
W Silver Lake Rd	TN RD 27	0.32 (1690)	N	2	70	16	1997	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	7	2005	
TN RD 27	Termini	0.12 (634)	N	2	70	16	1997	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	7	2005	

=>Birch Ln	0.13
----------------------	-------------

AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
E Silver Lake Rd (1)	Termini	0.13 (686)	N	1	30	12	1966	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	3	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>Cloverbelt Rd		3.30																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH D (0.17)	CTH H (1.23)	1.06 (5596)	N	2	35	20	2002	4	0	0	202	202			E	000035		E	66	45	5		4	000	NON		00			2006	3	2005	
CTH D (1.23)	CTH H	2.00 (10560)	N	2	35	20	1966	4	0	0	000	000			E	000035		E	66	45	5		4	000	NON		00			2006	3	2005	
CTH H	Termini	0.24 (1267)	N	2	35	16	1966	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	4	2005	

=>Crane Foot Lake Rd		1.59																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Grundy Rd	Beaver Trail Rd (1.59)	1.59 (8395)	N	2	35	16	1980	4	0	0	000	000			E	000015		E	66	45	5		4	000	NON		00			2006	4	2005	

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>CTH H		8.01																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Meyers Rd (0.59)	Gerbick Lake Ln	0.72 (3802)	N	2	55	20	1989	4	0	0	203	203			T	000450	2004	E	66	30	4		3	000	NON		00			2006	5	2005	
Gerbick Lake Ln	Grundy Rd (0.13)	0.13 (686)	N	2	55	20	1989	4	0	0	203	203			A	000130		E	66	30	4		3	000	NON		00			2006	5	2005	
Gerbick Lake Ln (0.13)	Grundy Rd	0.37 (1954)	N	2	55	20	1966	4	0	0	202	202			A	000130		E	66	30	4		3	000	NON		00			2006	8	2005	
Grundy Rd	Cloverbelt Rd	0.74 (3907)	N	2	55	22	1974	4	0	0	204	204			E	000150		E	66	30	4		3	000	NON		00			2006	8	2005	
Cloverbelt Rd	CTH S	1.01 (5333)	N	2	55	22	1974	4	0	0	204	204			E	000150		E	66	30	4		3	000	NON		00			2006	8	2005	
CTH S	E Silver Lake Rd (2)	0.76 (4013)	N	2	55	22	1988	4	0	0	203	203			A	000075		E	66	45	4		3	000	NON		00			2006	4	2005	
E Silver Lake Rd (2)	S Silver Lake Rd (0.96)	0.96 (5069)	N	2	55	22	1988	4	0	0	203	203			A	000075		E	66	45	4		3	000	NON		00			2006	4	2005	
E Silver Lake Rd (2) (0.96)	S Silver Lake Rd	0.76 (4013)	N	2	55	22	1977	4	0	0	201	201			A	000075		E	66	45	4		3	000	NON		00			2006	4	2005	
S Silver Lake Rd	CTH H Fillet	1.02 (5386)	N	2	55	22	1977	4	0	0	201	201			A	000075		E	66	45	4		3	000	NON		00			2006	4	2005	
CTH H Fillet	CTH V	0.12 (634)	N	2	55	22	1977	4	0	0	201	201			A	000075		E	66	45	4		3	000	NON		00			2006	4	2005	
CTH V	Leach Rd	0.81 (4277)	N	2	55	24	2001	4	0	0	203	203			E	000075		E	66	45	4		3	000	NON		00			2006	8	2005	
Leach Rd	CTH V (0.61)	0.61 (3221)	N	2	55	24	2001	4	0	0	203	203			E	000075		E	66	45	4		3	000	NON		00			2006	8	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>CTH H Fillet		0.09																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH V	CTH H	0.09 (475)	N	2	55	24	1985	4	0	0	000	000			E	000015		E	50	45	4		3	000	NON		00			2006	8	2005	

=>CTH S		3.53																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	CTH V (0.91)	0.91 (4805)	N	2	55	22	1966	4	0	0	202	202			T	000220	2004	E	66	30	4		3	000	NON		00			2006	4	2005	
CTH H (0.91)	CTH V	1.09 (5755)	N	2	55	22	1974	4	0	0	105	105			T	000220	2004	E	66	30	4		3	000	NON		00			2006	3	2005	
CTH V	Skanawan Lake Rd	1.00 (5280)	N	2	55	20	1979	4	0	0	203	203			E	000230		E	66	30	4		3	000	NON		00			2006	6	2005	
Skanawan Lake Rd	Ramp (1)	0.46 (2448)	N	2	55	20	1979	4	0	0	203	203			T	000450	2004	E	66	30	4		3	000	NON		00			2006	6	2005	
Ramp (1)	USH 51	0.07 (350)	N	2	55	20	1979	4	0	0	203	203			E	000230		E	66	30	4		3	000	NON		00			2006	9	2005	

=>CTH V		1.57																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH S	W Silver Lake Rd	0.50 (2640)	N	2	55	24	2001	4	0	0	203	203			E	000075		E	66	45	4		3	000	NON		00			2006	8	2005	
W Silver Lake Rd	CTH H Fillet	0.83 (4382)	N	2	55	24	2001	4	0	0	203	203			E	000075		E	66	45	4		3	000	NON		00			2006	8	2005	
CTH H Fillet	CTH H	0.24 (1267)	N	2	55	24	2001	4	0	0	203	203			E	000075		E	66	45	4		3	000	NON		00			2006	8	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>David Rd		0.39																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Termini (0.39)	Grundy Rd	0.35 (1848)	N	2	35	16	1966	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	3	2005	
Grundy Rd	Peterson Rd	0.04 (211)	N	1	35	14	1966	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	3	2005	

=>Gerbick Lake Ln		0.30																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	Termini	0.30 (1584)	N	2	35	16	1989	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	3	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>Grundy Rd		6.28																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	Horni Rd	1.24 (6547)	N	2	57	20	1993	4	0	0	103	103			E	000035		E	50	45	5		4	000	NON		00			2006	7	2005	
Horni Rd	Bear Trail Rd (0.31)	0.31 (1637)	N	2	57	20	1993	4	0	0	103	103			E	000035		E	50	45	5		4	000	NON		00			2006	7	2005	
Horni Rd (0.31)	Bear Trail Rd (0.33)	0.02 (91)	N	2	70	20	2002	4	0	0	000	000			A	000050		E	50	45	5		4	000	NON		00			2006	3	2005	
Horni Rd (0.33)	Bear Trail Rd (0.41)	0.08 (437)	N	2	70	20	2002	4	0	0	202	202			A	000050		E	50	45	5		4	000	NON		00			2006	3	2005	
Horni Rd (0.41)	Bear Trail Rd	1.35 (7128)	N	2	35	24	1997	4	0	0	000	000			A	000050		E	50	45	5		4	000	NON		00			2006	3	2005	
Bear Trail Rd	Stevenson Rd	0.25 (1320)	N	2	70	20	2002	4	0	0	202	202			E	000035		E	50	40	5		4	000	NON		00			2006	8	2005	
Stevenson Rd	Crane Foot Lake Rd (1.60)	1.60 (8448)	N	2	35	18	1996	4	0	0	000	000			E	000035		E	50	45	5		4	000	NON		00			2006	3	2005	
Stevenson Rd (1.60)	Crane Foot Lake Rd (1.70)	0.10 (528)	N	2	70	18	1996	4	0	0	202	202			E	000035		E	50	45	5		4	000	NON		00			2006	4	2005	
Stevenson Rd (1.70)	Crane Foot Lake Rd	0.10 (528)	N	2	35	18	1996	4	0	0	000	000			E	000035		E	50	45	5		4	000	NON		00			2006	3	2005	
Crane Foot Lake Rd	Stevens Rd	0.12 (634)	N	2	35	18	1996	4	0	0	000	000			E	000035		E	50	45	5		4	000	NON		00			2006	3	2005	
Stevens Rd	David Rd	1.11 (5861)	N	2	35	18	1996	4	0	0	000	000			E	000035		E	50	45	5		4	000	NON		00			2006	3	2005	

=>Hilgy Ln		0.50																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
S Birch Rd	Termini	0.48 (2534)	N	2	70	20	2004				202	202				000000		E	66	45	5		4	000	NON		00			2006	9	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>Horni Rd		0.55																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Termini	Grundy Rd	0.55 (2904)	N	2	35	18	1996	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	4	2005	

=>Kyes Rd		0.78																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Crass Rd (0.38)	Termini	0.78 (4119)	N	2	35	20	1966	4	0	0	000	000			E	000015		E	33	45	5		4	000	NON		00			2006	4	2005	

=>Leach Rd		0.25																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	Termini	0.25 (1320)	N	2	35	24	1997	4	0	0	000	000			E	000010	1997	A	66	45	5		4	000	NON		00			2006	4	2005	

=>Peterson Rd		0.49																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
David Rd	Termini	0.49 (2587)	N	2	35	20	1997	4	0	0	000	000			E	000005		E	50	45	5		4	000	NON		00			2006	3	2005	

=>Popple Ln		0.49																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
W Silver Lake Rd	Termini	0.49 (2587)	N	2	70	16	1996	4	0	0	000	000			E	000020		E	50	45	5		4	000	NON		00			2006	7	2005	

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>E Silver Lake Rd (1)		0.28																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Birch Ln	Termini	0.28 (1478)	N	2	70	20	1974	4	0	0	000	000			E	000035		E	50	45	5		4	000	NON		00			2006	8	2005	

=>E Silver Lake Rd (2)																																	
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	E Silver Lake Rd (1)	0.56 (2957)	N	2	55	22	1970	4	0	0	104	104			E	000035		E	50	45	5		4	000	NON		00			2006	7	2005	

=>S Silver Lake Rd		0.79																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	Termini	0.79 (4171)	N	2	35	16	1969	4	0	0	000	000			E	000015		E	33	45	5		4	000	NON		00			2006	4	2005	

=>W Silver Lake Rd		0.64																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH V	Popple Ln	0.56 (2957)	N	2	70	22	2002	4	0	0	202	202			E	000035		E	50	45	5		4	000	NON		00			2006	8	2005	
Popple Ln	Big Pine Ln	0.04 (211)	N	2	70	22	2002	4	0	0	202	202			E	000035		E	50	45	5		4	000	NON		00			2006	8	2005	
Big Pine Ln	Termini	0.04 (211)	N	2	70	22	2002	4	0	0	202	202			E	000035		E	50	45	5		4	000	NON		00			2006	8	2005	

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>Skanawan Lake Rd		1.01																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Termini	CTH S (0.11)	0.11 (581)	N	2	55	20	1980	4	0	0	201	201			E	000035		E	33	45	5		4	000	NON		00			2006	7	2005	
Termini (0.11)	CTH S	0.90 (4752)	N	2	55	20	2001	4	0	0	203	203			E	000035		E	66	45	5		4	000	NON		00			2006	7	2005	

=>Stevenson Rd		1.49																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH H	Grundy Rd	1.49 (7867)	N	3	65	24	2004	4	0	0	202	201			E	000075		E	66	40	5		4	000	NON		00			2006	10	2005	

=>Stevens Rd		1.66																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Grundy Rd	Termini	1.66 (8765)	N	2	35	20	1999	4	0	0	000	000			E	000010	1997	A	66	45	5		4	000	NON		00			2006	2	2005	

=>Tamarack Rd		0.02																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
USH 51	Larson Rd (0.02)	0.02 (106)	N	2	35	20	1966	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	3	2005	

=>TN RD 27		0.05																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
Big Pine Ln	Termini	0.05 (264)	N	2	70	16	1997	4	0	0	000	000			E	000015		E	50	45	5		4	000	NON		00			2006	8	2005	

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing - (R-20)
1-1-2006 Certification

Town Of Skanawan (026)

=>S Twin Lakes Rd		0.23																															
AT RD/ST OFFSET MILES	TO ROAD NAME OFFSET MILES	LENGTH MILES (FEET)	OW	L	SURFACE			P	CURB		SHOULDER		MEDIAN		ADT			ROW		FC	RC	SC	O	U/A	NHS	H	AC	ALN		INV YR	PVT		SW
					Type	WD	YR		LT	RT	LT	RT	Type	WD	I	CNT	YR	I	W									H	V		R	YR	
CTH D (0.23)	Termini	0.23 (1215)	N	2	55	20	2000	4	0	0	202	202			E	000015		E	50	45	5		4	000	NON		00			2006	9	2005	