



TYPICAL SECTION



PLAN OF ENTRANCES



PROFILE OF ENTRANCES

GENERAL NOTES

UTILITY LOCATIONS SHOWN ON THE PLAN ARE APPROXIMATE AND THE EXACT LOCATIONS SHALL BE DETERMINED IN THE FIELD.

NO TREES OR SHRUBS ARE TO BE REMOVED UNLESS SUCH TREES OR SHRUBS HAVE FIRST BEEN INDICATED FOR REMOVAL BY THE ENGINEER IN THE FIELD.

EXACT SIZE & LOCATION OF ENTRANCES SHALL BE DETERMINED BY THE ENGINEER IN THE FIELD.

WHERE THE QUANTITY OF BASE OR SURFACE COURSE IS MEASURED FOR PAYMENT BY THE CUBIC YARD, THE DEPTH OF THICKNESS OF THE COURSE AS SHOWN ON THE PLANS IS APPROXIMATE AND THE ACTUAL THICKNESS WILL DEPEND UPON THE DISTRIBUTION OF THE MATERIAL AS DIRECTED BY THE ENGINEER.

WHEN PLACING NEW BITUMINOUS SURFACING ADJACENT TO EXISTING BITUMINOUS SURFACING, A SUFFICIENT AMOUNT OF THE EXISTING SURFACING SHALL BE REMOVED TO ALLOW THE NEW SURFACING TO FORM A BUTT JOINT FULL DEPTH OF THE MAT.

EROSION BALES TO BE PLACED AS DIRECTED BY THE ENGINEER.

SEED MIXTURE NO. 2 SHALL BE USED.

STANDARD ABBREVIATIONS

A.D.T.	AVERAGE DAILY TRAFFIC	NO.	NUMBER
BIT.	BITUMINOUS	PAV'T.	PAVEMENT
BM.	BENCH MARK	P.C.	POINT OF CURVATURE
C.	CENTERLINE	P.E.	PRIVATE ENTRANCE
C.P.	CULVERT PIPE	P.I.	POINT OF INTERSECTION
C.T.H.	COUNTY TRUNK HIGHWAY	PK	PARKER-KALON FASTENER
CWT.	HUNDREDWEIGHT	P.O.T.	POINT OF TANGENT
CU. YD.	CUBIC YARD	P.T.	POINT OF TANGENCY
D.	DIRECTIONAL SPLIT	R.	RADIUS
D.H.V.	DESIGN HOUR VOLUME	RD.	ROAD
EA.	EACH	REQ'D	REQUIRED
ELEV.	ELEVATION	SHG.	SHRINKAGE
EXC.	EXCAVATION	S _L	SURVEY LINE
F.P.	FENCE POST	SQ.	SQUARE
FT.	FOOT	STA.	STATION
IN.	INCH	SQ. YD.	SQUARE YARD
LB.	POUND	T.	PERCENT TRUCK TRAFFIC
LIN. FT.	LINEAR FOOT	TEL. PED.	TELEPHONE PEDESTAL
LOC.	LOCATION	TYP.	TYPICAL
L.S.	LUMP SUM	UNCL.	UNCLASSIFIED
MAX.	MAXIMUM	V.	DESIGN SPEED
MI.	MILE	V.C.	VERTICAL CURVE
M.P.H.	MILES PER HOUR	VAR.	VARIABLE
N.	NORTH		
NORM.	NORMAL		

APPLICABLE STANDARD DETAIL DRAWINGS

- 8E8-1 TYPICAL INSTALLATION OF EROSION BALS
- 8F1-8 APRON END WALLS FOR CULVERT PIPE AND PIPE ARCH
- 12A3-4 NAME PLATES (STRUCTURES)
- 14B2- CLASS "A" STEEL PLATE BEAM GUARD &
- 4A & B STEEL PLATE BEAM MEDIAN GUARD (TWO SHEETS)
- 15C1-6 CONSTRUCTION BARRICADES AND STANDARD SIGNS

UTILITIES

WISCONSIN PUBLIC SERVICE CORP.
300 EAST 2ND ST.
MERRILL, WI 54452

ATTENTION: MR. D. W. KOLL
TELEPHONE: (715) 536-5541

GLEASON TELEPHONE CO.
HAWKINS, WI 54530

ATTENTION: MR. WILMER AHRENHOLZ
TELEPHONE: (715) 585-6301