

STA. 6+95 RESTORE TWN. RD. APPR. LT.  
 1-30" X 32' CULT. PIPE-REMOVE  
 1-30" X 38' CMCP REQ'D.  
 TYPE "E" INTERSECTION

P.I. - 10+28.9  
 $\Delta$  - 8° 36' LT.  
 D - 1° 00'  
 T - 430.8  
 L - 860.0'  
 SE - 0.03'/FT.  
 TRANS. 200.0'

STA. 5+15 - 15+00 LT.  
 SOD DITCH REQ'D.  
 1642 SQ. YD.

STA. 14+95 LT.  
 TEMPORARY DITCH DAM REQ'D.  
 1 CU. YD. RIPRAP REQ'D.

STA. 15+00 - 25+00 LT.  
 15 SOD DITCH CHECKS REQ'D.

STA. 11+00 - 17+00 LT.  
 OBLITERATE OLD RD.  
 6.0 STA.


OFFTAKE DITCH LT.  
 STA. 31+00 - 35+00

DIST. DIVISION	PROJECT	SHEET NUMBER	TOTAL SHEETS
4	T 0189(2)	4	41
		50189(5)	3 21

STA. 5+00 - 35+00 LI & RT.  
 16 POSTS REQ'D. FOR R/W

STA. 26+26 RESTORE P.E. LT.  
 1-24" X 30' CMCP REQ'D.

STA. 31+00 - 35+00  
 OFFTAKE DITCH LT. 125 C.Y. WASTE  
 5 SOD DITCH CHECKS REQ'D.



STA. 5+15 BEGIN PROJECT TO189(2) & S0189(5)

STA. 9+00 RESTORE P.E. RT.

STA. 5+15 FOUR BRIDGE CORNERS LT. & RT.  
 STEEL PLATE BEAM GUARD REQ'D.  
 3 PANELS @ 2 TERMINALS AT  
 EACH CORNER - 162 LIN. FT.

STA. 7+15 WOODEN STAKE 48.0' RT.  
 RESTORE SECTION CORNER


P.I. - 30+39.2  
 $\Delta$  - 7° 48' RT.  
 D - 0° 45'  
 T - 520.8'  
 L - 1040.0'  
 SE - 0.02'/FT.  
 TRANS. - 200.0'

BENCH MARKS

NO.	STATION	DESCRIPTION	ELEV.
1	3+35	SPIKE IN TRUNK 24" WHITE PINE 35' RT.	800.00
1A	13+75	SPIKE IN ROOT 12" MAPLE 75' LT.	814.00
1B	22+40	SPIKE IN TRUNK 14" POPLAR 105' RT.	822.20
2	29+45	SPIKE IN ROOT 24" WHITE PINE 105' RT.	828.55

NET CENTERLINE LENGTH STA. 5+15 - 35+00 = 2985.0 LIN. FT.

C 39,141  
 F 28,966  
 SHG. 35 %



TWN. RD. PROFILE STA. 6+95 LT.

TWN. RD. PROFILE STA. 32+49 RT.

DATE: 5/1/00  
 DRAWN BY: J.S.K.  
 CHECKED BY: J.S.K.  
 SCALE: AS SHOWN  
 NO. 8576

DATE: 5/1/00  
 DRAWN BY: J.S.K.  
 CHECKED BY: J.S.K.  
 SCALE: AS SHOWN  
 NO. 8576