

T32N R7E

6 (157)	5 (155) (158)	4 (152) (153)	3 (151)	2	1
7 (158)	8 (154) 156	9 (152) (156)	10 156	11	12
18	17	16	15	14	13

TOWN LINE

Foot

0

274

950

1245

1312.6

1548

1630

2084

2643.9

2830

2920

3510

3735

4060

4135

4235

4394

4825

4960

5304

5324

T32N R7E

FBRT WEST BET 3-10
 TURNED RT SE. OFF BACK TAN 2° 10' 18.2'
 TO SEC COR STONE
 0 ENTER SWAMP
 274 LEAVE "
 950 ENTER "
 1245 LEAVE "
 1312.65 SET LOCATION POST AT 1/16 COR SOUTH 10.75'
 1548 POND
 1630 LEAVE POND
 2084 CREEK 1' WIDE FLOWS SOUTH.
 2643.4 SET 1/4 STONE SOUTH 20.8'
 PINE STUMP 20" S72° W 45.0'
 MOUNDED WITH STONE.
 2830 SWAMP
 2920 LEAVE SWAMP
 3510 SWAMP N-S
 3735 LEAVE SWAMP
 4060 SAME " BRS NORTH
 4135 LEAVE "
 4235 OPEN SWAMP
 4394 LEAVE "
 4825 ENTER OPEN SWAMP TO THE NORTH
 4960 LEAVE "
 5304.9 SET SEC CORS SOUTH 40.9 BY PROP.
 MEASUREMENT. AT N.W. EDGE OF OPEN
 WET SPOT 50' X 200' WHICH LIES SE-NW
 PINE STUMP 20" N28W 61.4
 MOUNDED WITH STONE.
 5324.8 END OF RANDOM.

T32N RTE

NORTH BET 3-4

TURNED NORTH OFF STA 5324.8 ON

RANDOM BET 3-10

380	OPEN SWAMP BRS EAST	2500
490	LEAVE "	2686.7
1310	SLOUGH - OPEN SWAMP TO THE EAST	3690
1440	ENTER SWAMP	2745
1684	LEAVE "	3000
2370	OPEN "	4775
2588	LEAVE " LAKE WEST 40'	4907.5
2605	SET $\frac{1}{4}$ STONE EAST 75.6' BY PROP. MEAS. WEST TO LAKE 116' SOUTH TO SWAMP 36' MOUNDED WITH STONE.	5322 5329.8
3530	E ROAD	0
4500	LAKE WEST (?)	395
5055	ENTER SWAMP	682
5115	LEAVE "	2420
5339.8	TURNED RT OFF FORD TAN $57^{\circ}50'$ 155.3' TO OLD SEC COR. STONE	2570 2621.0

SOUTH BET 9-10

TURNED OFF STA 5324.8 ON RANDOM BET 3-10

40.9	COR STONE EAST 19.9'	
185	OPEN SWAMP NW-SE	
495	LEAVE "	4054
700	LAKE 200' WEST. APPROX 200 X 400 N-S	
1300	NORTH END OF LAKE 95' WEST (200 X 600)	4066
1380	ENTER SWAMP.	4278
1550	LEAVE "	4485
1675	OPEN MARSH	4490
1880	LEAVE "	4846
2000	ENTER SWAMP	
2165	LEAVE "	4846

T32N R7E

2500 ENTER SWAMP

2686.7 SET $\frac{1}{4}$ STONE EAST ~~OFF~~ ~~22~~ 42.5'
AT EDGE OF SWAMP. (NORTH EDGE)

PINE STUMP 16" S86W 40.2'
MOUNDED WITH STONE.

2690 LEAVE SWAMP

2745 ENTER "

3000 LEAVE "

4775 ENTER SWAMP

4907.5 $\&$ RR TRACK

5322 $\&$ ROAD

5329.8 END RANDOM

WEST BET 4-9

0 : 5324.8 BET 3-10

395 SWAMP TO THE SOUTH

682 LEAVE SWAMP

2420 ENTER SWAMP

2570 LEAVE "

2621.05 SET $\frac{1}{4}$ STONE SOUTH 15.65'. STONE
SETS APPROX. MIDWAY IN FLATS BET TWO
HILLS AT EDGE OF SWAMP.

W. PINE 7" S74W 31.7

HEMLOCK 16" N67W 88.1

MOUNDED WITH STONE.

4054.4 OFF SET NORTH 88.0' TURNED 67° 40' BET
HUBS ON RANDOM FOR Δ OF LAKE.

4066 LAKE

4278.6 HUB ACROSS. LEAVE LAKE.

4485.8 SET FLAG FOR Δ

4490 ENTER SWAMPY END OF SAME LAKE.

4876.4 OFF SET NORTH FOR Δ ~~143~~ 141.3 TURNED
68° 36' BET HUBS ON RANDOM

4846.4 OFF SET NORTH 31.9' TO FOLLOW ROAD.

T32N R7E

5262.0 TURNED SOUTH 90°00 TO SEC COR. POST.
 22.3' SET STONE IN SWAMP.
 AS WITNESSED BY ORIGINAL BT. NE.
 MOUNDED WITH STONE
 TAMARAC 7" N89W 18.1
 NORTH TO & ROAD 21'
 " " LEAVE SWAMP 90'

00
 65
 440
 800
 944.5
 1005
 1882
 1952.

SOUTH BET 8-9

00 POST IN SWAMP
 362 LEAVE "
 847 ENTER "
~~1200~~¹²⁰² LEAVE "
 1625 SPRUCE "
 1975 LEAVE SPRUCE SWAMP.
 3350 ~~LEAVE~~ ENTER SWAMP
 2480 LEAVE "

1958
 2626
 2632

2718.4 SET 1/4 STONE EAST 15.5
 BOULDER 7x5.5' 6" ABOVE GROUND
 N18W 14' TO APPROX CENTER.
 ON NORTHWEST SIDE OF HILL.
 MOUNDED WITH STONE.

2850
 3240
 4330
 4580
 5040
 5151.1

5407.0 TURNED RT SE. OFF BACK TAN. 103.27'
 31.9' TO STONE IN ROAD SET BY
 PROP. MEAS. ALONG ROAD. STONE IS
 5" BELOW TOP OF ROAD
 PINE 13" S11 1/2° E. 21.2'
 117 EAST TO LEAVE SWAMP.

T32N R7E

NORTH BET 4-5

- 00 5262.0 BET 4-9.
- 65 LEAVE SWAMP
- 440 ENTER TAMARAC SWAMP.
- 800 LEAVE " "
- 944.5 SET FLAG FOR Δ
- 1005 TO LAKE.
- 1882 LEAVE LAKE.
- 1952.4 HUB FROM WHICH OFF SET EAST 174.1
AND TURNED $80^{\circ}12'$ BET HUBS FOR Δ
- 1958 \leftarrow ROAD E-W-N
- 2626 ROAD TURNS EAST
- 2632.1 SET $\frac{1}{4}$ STONE AS EVIDENCED BY FENCE
LINES AND ROAD. 2632.1 TURNED
RT OFF FORD TAN TO STONE $97^{\circ}30' 23.4'$
STONE SETS AT TOE OF CUT.
- 2850 ENTER SWAMP.
- 3240 LEAVE " "
- 4330 ENTER CRANBERRY MARSH
- 4580 LEAVE " "
- 5040 ENTER SWAMP
- 5151.1 TURNED RT. OFF FORD TAN. $30^{\circ}00'$ (N.E.)
 $222.2'$ (115 LEAVE SWAMP) TO SEC COR.
STONE AT EDGE OF TIMBER.

T32N R7E

WEST BET 9-10

BEGIN AT STA 5329.8 ON RANDOM
BET 9-10

1249 OFF SET NORTH 21.6'

1867 @ RR NE. SW.


1914.4 OFFSET NORTH 18.7'

2580.3 SET $\frac{1}{4}$ STONE NORTH 7.4' BY PROP.
MEAS. - OFFSET A LOCATION POST
NORTH 15' STONE SETS 10" BELOW
TOP OF ROAD.

4229.3 OFFSET N. 19.5'

5225.6 COR STONE AT $\frac{1}{4}$ ROAD NORTH 2.7'

5257.6 END RANDOM.

EAST BET 10-15 

BEGIN AT STA 5329.8 BET 9-10

450 LEAVE SWAMP - ALONG ROAD.

324.5 SET $\frac{1}{4}$ IN ROAD NORTH OFF RANDOM
17.6' 4" BELOW TOP OF ROAD.

OFFSET A LOCATION POST SOUTH
25'

3310 BEGINNING OF LOW LAND SOME WHAT
SWAMPY.

4944 LEAVE LOW LAND

5388.0 TURNED RT. OFF BACK TAN. $93^{\circ} 5'$
13.7' TO TOWN LINE STONE.

WEST BET 8-17

BEGIN STA 5257.6 ON RANDOM BET 9-10

2637.5 SET $\frac{1}{4}$ STONE NORTH OFF RANDOM 0.7'
AT $\frac{1}{4}$ OF ROAD. STONE 8" BELOW TOP
OF ROAD 18' SOUTH TO FENCE LINE

4067.3 OFFSET NORTH 24.7'

4725

5392.0

SET

ME

65

T32N R7E

4725 ENTER SWAMP.

5392.0 SET SEC CORNS 7, 8, 17, 18 AT $\frac{1}{2}$ OF ROAD AS EVIDENCED BY STAKE AND OLD LINE BLAZE. SET STONE 6" BELOW TOP OF ROAD. - OFFSET A LOCATION POST SOUTH 25' 136.0 SOUTH TO RR TRACK 190.7 WEST " " "

→ SET SEC CORNS 9-10, 15, 16 BY PROP MEASUREMENT ALONG ROAD. AT STA. 65.0 BET SECS. 10-15 AT EDGE OF CREEK

NORTH 12' TO TRAVEL-WAY OF ROAD EAST 323' TO CULVERT 24" DIA. CREEK FLOWS SOUTH THROUGH IT.

IDOM

SOUTH

T 9-10

0.7'

D

NE

T32N R7E

NORTH BET 7-8

BEGIN STA 5392.0 BET 8-17.

2652.85 SET 1/4 STONE WEST 8.25' ON SOUTH SIDE OF HILL. S71W 200' TO NEAREST EDGE OF CONCRETE BRIDGE IN FARM YARD. 9' X 14'

2803 CREEK FLOWS S.W. 2' WIDE.

3123 OFFSET WEST 23.5'

5306.5 TURNED LT. OFF BACK TAN. ON RANDOM 7-8 TO SEC COR S 5,6,7,8, AS EVIDENCED BY INTERSECTION OF ROADS 83° 47' 7.05' STONE 15 4" BELOW TOP OF ROAD

18.0 SE TO C OF TRAVEL WAY OF ROAD ON CURVE.

OFFSET A LOCATION POST NORTH 19.0'

PINE STUMP 24" N 1° W 20.8'

" " 24" S 74 W 25.2'

WEST BET 5-8

BEGIN AT STA 5262.0 ON RANDOM

BET 4-9

220 LEAVE SWAMP

1594.3 OFFSET NORTH 13.55'

1865 SPRUCE SWAMP

2600 LEAVE SPRUCE SWAMP

2793.3 TURNED RT OFF BACK TAN TO 1/4 POST AS EVIDENCED BY C OF ROAD AND FENCE LINE. 0° 38' 117.4' SET STONE 8" BELOW TOP OF ROAD AT C OF ROAD.

W PINE 8" S 42 E 44.6'

OFF SET A POST SOUTH.

5327.1 TURNED LT. OFF BACK TAN TO SEC COR AS EVIDENCED BY C OF ROADS.

270
475
607
1285
1320
2028
2200
2471.

2472
2780
3040
3315
3485
3785
3963.
0
64
700
1049

T32N R7E.

NORTH BET 5-6

BEGIN AT 5306.5 ON RANDOM BET

7-8

270 ENTER SWAMP

475 LEAVE "

607 E ROAD UNIMPROVED.

1285 SLOUGH HOLE

1320 LEAVE " "

2028 ENTER SWAMP E-W

2200 LEAVE "

247.5 TURNED RT OFF FORD. TAN $17^{\circ}42'$
198.6' TO POST IN SWAMP.SOUTH TO LEAVE SWAMP 80'
MOUNDED WITH STONE.

2472 ENTER SWAMP.

2780 LEAVE "

3040 ENTER "

3315 LEAVE "

3485 ENTER TAN. SWAMP.

3745 LEAVE " "

39633 TO FLAG AND EDGE \triangle ~~OFF~~ OF OPEN SWAMP.

6 LEAVE SWAMP

64 HUB AND OFFSET WEST $142.5'$ AND TURNED
 $72^{\circ}10'$ BET HUBS.

700 OPEN SWAMP.

1049.1 TURNED LT. OFF BACK TAN. TO SEC COR
STONE. $193.4'$ $69^{\circ}15'$