

T33N FSE

(167)	(167)	(168)	(168)	(168)	(168)	(168)
175 6	(170) 5	(171)	(172) 3	(175)	(176)	(179)
(171)	(171)	(173)	(172)	(175)	(176)	
(185) 7	(181) 8	(174) 9	(173) 10	(178) 11	(187) 12	(177)
(188)	(187)	(174)	(178)	(177)	(179)	
(186) 18	(187) 17	(179) 16	(180) 15	(188) 14	(182) 13	(177)
(192)	(189)	(189)	(180)	(181)	(182)	
(193) 19	(193) 20	(192) 21	(192) 22	(190) 23	(184) 24	(183)
(191)	(191)	(190)	(190)	(185)	(185)	
(194) 30	(196) 29	(193) 28	(199) 27	(201) 26	(203) 25	(183)
(196)	(194)	(200)	(200)	(202)	(203)	
(195) 31	(198) 32	(197) 33	(199) 34	(202) 35	(204) 36	(184)
(198)	(197)	(200)	(201)	(202)	(203)	

FEET

00

875

1076

2225

2562

4130

4225

5197

00

30

42

2670

460

532

T33N R5E

EAST BET 6-31

- 00 TURNED LT OFF BACK TAN TO ORIG COR
SEC. 1, 6, 31, 36 AS WITNESSED BY ORIG. BT.
33° 11' 82.2' AND SET STONE
NOTHING TO WITNESS - MOUNDED WITH
STONE.
- 875 ENTER SWAMP
1076 LEAVE "
- 2225 ENTER SPRUCE SWAMP
2562.3 TURNED RT. OFF FORD. TAN 29° 20' TO
¼ COR. AS WITNESSED BY ORIG. BT.
AND BLAZE LINE 29° 20' 22.5' (WOOD POST)
- 4130 CREEK FLOWS " SOUTH.
4225 LEAVE SWAMP.
5197.1 END. RANDOM.

EAST BET 5-32

- 00 5197.1 BET 6-31
- 30.6 SET SEC CORS 5, 6, 31, 32 IN DITCH OF
ROAD NORTH 15.9. (WEST DITCH LINE)
PINE STUMP 20" N71E 44.3'
LOCATION POST WEST 15'
DITCH OF OLD RR GRADE WEST 19.1'
- 42 & ROAD
2676.4 SET ¼ NORTH OFF RANDOM 42.8'
PINE STUMP 29" N22W 28.8'
MOUNDED WITH STONE.
AT N.W. EDGE OF WET SPOT.
- 4600 ENTER SWAMP.
5321.0 TURNED RT. OFF BACK TO POST AT
INTERSECTION OF OLD BLAZE LINES
91° 00' 69.7'
SET A CEDAR STAKE TO WET
FOR STONE. NOTHING TO WITNESS

T33N R5E

EAST BET 4-33.

TURNED $0^{\circ}30'$ TO NORTH OFF FORD TAN
AT STA 5321.0 BET 5-32. CONTINUING
IN SWAMP.

2631.7 SET $\frac{1}{4}$ STONE NORTH OFF RANDOM 72.44

MOUNDED WITH STONE

CEDAR STUMP 8" S36W 32.5'

CEDAR " 7" N81W 24.4'

4825. CREEK (ARMSTRONG) FLOWS SOUTH 2' WIDE

4900 LEAVE SWAMP.

5261.7 SET SEC CORS 3, 4, 32, 33 NORTH OFF

RANDOM 75.2' AT OLD ABANDONED ROAD

SET A LOCATION POST EAST AT

ROAD.

5280.2 END OF RANDOM.

EAST BET 3-34

BEGIN AT STA 5280.2 ON RANDOM BET 4-33.

128 & FIRE LANE NW-SE

346 ARMSTRONG CREEK 6' WIDE FLOWS NE.

444 LEAVE SAME " FLOWS NORTH

825 ENTER SWAMP.

2611.2 SET $\frac{1}{4}$ STONE NORTH 77.9' IN SOFT MUCK.

WILL BE HARD TO FIND BECAUSE OF

SWAMP GRASS.

SPRUCE 3" S43W 70.5.

5241.4 SET SEC CORS 2, 3, 34, 35 NORTH

80.7'. UPON DIGGING HOLE FOR STONE

UNEARTHED THE POINT OF AN OLD STAKE.

IN OPEN SWAMP 270' EAST TO LEAVE

SWAMP. MOUNDED WITH STONE.

5302.4 END RANDOM.

260

2555

3555.

1100

1875

262

136

2140

2757

285

4380

5308

T33N R5E.

EAST BET 2-35

BEGIN AT STA 5308.4 BET 3-34

260 LEAVE SWAMP
 2555.2 TURNED RT. OFF BACK TAN $99^{\circ} 19'$ 84.5'
 TO OLD $\frac{1}{4}$ POST SET STONE.
 MAPLE 14" N78E 96'
 MAPLE 14" S40W 120.8'
 25' WEST TO OLD LOGGING ROAD.
 BOULDER 5x7' NORTH 55W 23' TO CENTER
 3555.2' 00.0 TURNED $0^{\circ} 30'$ NORTH OFF FORD TAN TO
 FOLLOW SECTION LINE MORE CLOSELY.
 1100. ENTER SWAMP. N-S
 1875 LEAVE " N-S
 2626.5 TURNED RT OFF BACK TAN NE TO OLD
 CHARRED STAKE BLAZE LINE TO IT
 $101^{\circ} 42'$ 65.0' SET STONES
 MAPLE 9" S69W 30.1
 MOUNDED WITH STONE.

EAST BET 1-36

BEGIN AT STA 2626.5 BET 2-35

1360 FIRE LANE NNE - SS-W
 2140 ENTER SWAMP.
 2757 LEAVE "
 2856.5 TURNED RT. N.W. OFF BACK TAN TO
 $\frac{1}{4}$ POST $13^{\circ} 52'$ 206.1' BLAZE LINE
 TO THIS OLD STAKE MOUNDED WITH STONE
 CEDAR STUB 22" S89E 36.6'
 4380 ENTER SWAMP.
 5308.5 TURNED RT OFF BACK TAN $84^{\circ} 00'$ 21.8' TO
 OLD CORNER STAKE. BLAZE LINE TO IT.
 UPON DIGGING UNEARTHED POINT OF MUCH OLDED
 STAKE. BRACE STONE IN SWAMP WITH
 STAKES.
 SPRUCE 4" S70W 23.6'

TAN
 NUING
 72.44
 WIDE
 OFF
 AT
 4-33
 NE.
 MUCK.
 H
 STONE
 TAKE.
 LEAVE
 E.

T33N R5E

SOUTH BET 1-6 R5-R6

BEGIN AT STA 53.08.5 BET 1-36

1125 LEAVE SWAMP

2425 ENTER "

2610.3 SET A LOCATION POST FOR 1/4 COR EAST 2.6' IN SOFT WET SWAMP.

NOTHING TO WITNESS.

2850 CREEK 10' FLOWS EAST.

3040 LEAVE SWAMP.

5252.3 SET SEC COR STONE TO 1,6,7,12 EAST OFF STA 5252.3 7.55'

BLAZE LINE TO IT. AT WHAT APPEARS TO HAVE BEEN AN OLD CAMP SITE.

MAPLE 5" N10W 32.6'

" 8 S32W 51.5'

ELM 8" S26E 92.9'

ELM 5" N44E 68.2'

5276.2 END OF RANDOM.

SOUTH BET 5-6

BEGIN AT SEC COR. STONE 5,6,31,32

4594.2 SET 1/4 STONE EAST 40.4' AT WEST SHOULDER OF ROAD SET 10" BELOW TOP OF ROAD

CULVERT 12" SOUTH 28'

OFF SET A LOCATION POST WEST 10'

3445 CREEK 10' WIDE FLOWS S.E.

4900 ANGLE POINT IN ROAD 75' EAST

4606 1/2 ROAD N.E.-S.W.

5199.5 TURNED LT. OFF FORD. TAN TO ORIGINAL SEC COR. 5,6,7,8, AND SET STONE 88°26'

81.0' PIPE AND IRON ROD AND OLD STAKE AT PROPER DISTANCE FROM BT.

PINE STUMP SITE 7.0'

MOUNDING WITH STONE - LOW GROUND

T33N R5E

5-R6 EAST BET 5-8
 1-36 BEGINING AT STA 5199.5 TURNED 1° NORTH
 TO FOLLOW SECTION LINE MORE CLOSELY.
 2451 E AVERILL CREEK 8' WIDE. FLOWS SE.
 1/2 COR 2715.3 SET 1/4 STONE SOUTH 3.7' ON OLD N-S
 AMP. BLAZE LINE
 BALSAM 6" N85E 49.7
 MOUNDED WITH STONE.
 3510 ENTER MARSH
 1,7,12 4595 LEAVE "
 4720 ENTER DRY MARSH
 AT APPEAR 4830 CREEK DRY
 SITE 5349.6 SET SEC CORS. 4,5,8,9 SOUTH 4.3' AT
 CROSS BLAZE LINE AND OLD STAKE.
 TAMARAC STUMP 4' HIGH S5°E 28.8'
 5364.9 END RANDOM.

WEST BET 6-7
 BEGINING AT STA. 0.00 ON RANDOM ON
 LINE BET 5-8.
 0,31,32 200 E ROAD N-S.
 ST 2526.9 SET 1/4 STONE SOUTH 75.8 ON AN OLD
 FLOW RR. GRADE.
 NOTHING TO WITNESS MOUNDED WITH STONE
 5201.4 TURNED RT SE. OFF BACK TAN 82° 18'
 151.3 TO ORIGINAL CORNER. WITNESSED
 BY ORIGINAL BIRCH B.T. SET STONE
 COR TO SECS. 1,6,7,12 R5-R4.
 BIRCH 18" N57W 44.0'
 MAPLE 10" S68W 56.8'
 3° 26' STONE SETS AT EAST EDGE OF SCATTERED
 TIMBER. MOUNDED WITH STONE

T33N R5E

SOUTH BET 3-4

000 SEC. COR STONE
 215 CREEK (ARMSTRONG)
 245 LEAVE CREEK
 1190 DRY SWAMP.
 1270 LEAVE "
 3765 ENTER DRY SWAMP.
 2674.5 SET 1/4 STONE WEST 26.4' NOTHING TO
 WITNESS - MOUNDED WITH STONE.
 3910 LEAVE DRY SWAMP
 4010 ENTER " "
 5045 LEAVE " "
 5243.6 TURNED RT SW. 28° 9' OFF FORD TAN.
 112.0' TO ORIG. CORNER. SET STONE.
 3, 4, 7, 10
 ORIG PINE BT S49W - 16.6'
 PINE STUMP 14" N27W 33.8'
 " " 20" N50E 39.0'
 " " 11" S71E 37.5'

5364
 7015
 7978.
 1060
 000
 450
 223
 2732

EAST BET 3-10

000 10606.7 ON RANDOM LINE BET 4-9.
~~1828~~
~~128~~ E FIRE LANE N:S.
 3568.2 TURNED RT OFF FORD TAN S.E. 38° 35'
 120.8 TO ORIG 1/4 ORIG BT BRS. H. COLE
 (5-22-99) SET STONE AT EDGE OF
 SWAMP. MOUNDED WITH STONE
 ELM 9" N W 59.2
 REMOVED ORIGINAL BT TO LINCOLN COUNTY
 FAIR GROUND FOR EXHIBITION
 2670 ENTER SWAMP.
 4175 LEAVE "
 5264.2 END RANDOM. SET SEC COR STONE
 3, 3, 10, 11 EAST 53.5' AND SOUTH
 56.8' BY DOUBLE PROP. MEAS. NOTHING TO WITNESS

390
 480
 536

T.33N. R.5E.

EAST BET 4-9

5364.9 BEGING RANDOM AND CONTINUE STATIONING.

7015 LEAVE SWAMP

7978.9 SET $\frac{1}{4}$ STONE SOUTH 45.2'. SET STONE
HIGH AND MOUNDED WITH SAND. SEVERAL
ACRES OF PINE ABOUT 8" IN. IN DIA. NW 250'

PINE STUMP 15" N 65E. 12.0'

" " 18" S 13E 25.2'

10606.7 TURNED RT SE. OFF FORD TAN 89°06'
TO SEC COR STONE.

SOUTH BET 9-10

000 = STA 10606.7 ON RANDOM BET 4-9

450 LEAVE DRY SWAMP

2233 OLD LOGGING ROAD.

2732.3 TURNED RT NE. OFF BACK TAN TO ORIG.

$\frac{1}{4}$ COR. 88°30' 53.4

ORIG BT 24" N45W 33'

ELM 5" S48W 39.3

MAPLE 5" N87E 5.9.

N.W. OF OLD SAW MILL SITE.

MOUNDED WITH STONE.

3906 ENTER SWAMP

4800 LEAVE "

5366.3 TURNED RT N.E. OFF BACK TAN TO

OLD STAKE CORRECT DIST. TO CREEK

AND BLAZE LINE TO IT. (SET STONE
ACCORDINGLY.) 89°23' 81.0'

PINE STUMP 16" N60W 21.4'

" " 13" S76W 30.5'

MOUNDED WITH STONE.

TO

1.
E.

H. Cole

OF

UNTY

ONE

TH

TO WITH ESS

T.33N. R.5E.

WEST BET 9-10

000 STA 5366.3 ON RANDOM BET 9-10
 80 CREEK DRY.
 1205 SLOUGH HOLE.
 1440 LEAVE SLOUGH HOLE
 2566.0 SET $\frac{1}{4}$ STONE NORTH 41.7'
 MAPLE 6" N67E 67.7'
 PINE STUMP. 10" S19W 26.8'
 MOUNDED WITH STONE.
 5229.3 TURNED LT. N.E. OFF BACK TAN. TO
 VERY OLD SECTION COR STAKE 78°50'
 84.3' ORIG. BIRCH BT. TO IT. SET STONE
 TO COR 8, 9, 16, 17
 ELM 8" S62W 18.9'
 MAPLE 6" S17E 15.0'

SOUTH BET 4-5

000 IN SWAMP 1.1' EAST OF, AND 70.8' SOUTH
 OF SEC COR. POST.
 1635 LEAVE SWAMP.
 2541.9 SET $\frac{1}{4}$ STONE WEST 13.1'.
 MAPLE 11" S50W 36.0'
 SMALL MASHY HOLE BRS S40W 55'
 MOUNDED WITH STONE.
 5151.3 TURNED RT SW OFF FORD TAN TO COR.
 STONE 51°34' 32.0'

SOUTH BET 8-9

000 5369.9 ON RANDOM BET 5-8.
 2642.6 SET $\frac{1}{4}$ STONE EAST 11.7. NOTHING TO
 WITNESS. SET STONE HIGH AND MOUNDED
 WITH STONE.
 5272.6 TURNED LT. OFF FORD TAN 77°55' (SE.)
 TO ORIG COR. 39.4'

T.33N. R.5E.

SOUTH BET 1-6 RA-R5

000 TOWNSHIP CORNER STONE
 2646.0 TURNED RT SW. $80^{\circ}40'$ 19.1' OFF FORD.
 TAN. TO ORIGINAL $\frac{1}{4}$ COR (BT. STUMPS)
 MAPLE 8" S10W 31.9'
 " 7" S34E 26.0'
 MOUNDED WITH STONE AT EDGE OF
 TIMBER.

5293.8 TURNED RT OFF FORD TAN (S.W.) $81^{\circ}30'$
 46.2' TO ORIGINAL SEC COR. ORIGINAL
 BT EXISTS.

BIRCH 18 N57W 44.0'
 MAPLE 10 S68W 56.8
 MOUNDED WITH STONE AT EDGE OF
 SCATTERED TIMBER.

SOUTH BET 2-3

000 CORNER STONE IN SWAMP. (SPRUCE 6"-12 HIGH)
 835 LEAVE SWAMP.
 2666.7 SET $\frac{1}{4}$ STONE WEST 68.0'
 NOTHING NEAR TO WITNESS. POINT
 OF TIMBER EAST 200' MOUNDED WITH
 STONE.

5312.0 END OF RANDOM - STONE WEST 135.9'
 AND SOUTH 56.8'

EAST BET 2-11

000 = 5264.3 BET 3-10
 2721.9 SET $\frac{1}{4}$ STONE SOUTH 17.8'
 ELM 8 N2°E 23.1
 ELM 8 S75W 40.0
 MOUNDED WITH STONE.

4085 @ FIRE LANE N-S
 5179.3 END OF RANDOM SET SEC COR STONE
 TO 1, 2, 11, 12 21.0 EAST AND 21.3

T33N R5E

NORTH BY DOUBLE PROP MEAS.

NOTHING TO WITNESS - MOUNDED WITH STONE.

SOUTH BET 1-2

000 SEC COR STONE 1, 2, 35, 36, T33-T34

1175 ENTER SWAMP BRS NW-SE

2550 LEAVE " " "

2674.1 TURNED RT NE. OFF BACK TAN TO IRON STAKE MARKED $\frac{1}{4}$ 5. 45° 58' 54.7' AND SET STONE.

AT THE EDGE OF A SWAMP BRS. NW-SE ON THE SOUTH SIDE OF FIRE LANE.

NOTHING TO WITNESS - MOUNDED WITH STONE.

2691 & FIRE LANE NE-SW.

5185.8 END OF RANDOM. COR STONE SOUTH 101.0' AND WEST 28.5'

EAST BET 1-12

000 5179.3 BET 2-11.

670 ENTER SWAMP BRS N-S.

2856.4 SET $\frac{1}{4}$ STONE NORTH 43.0' TAMARAC STUMP 6" N70E 27.9' MOUNDED WITH STONE.

2970 LEAVE SWAMP

3935 ENTER "

4765 LEAVE "

5317.8 TURNED LT. OFF FORD TAN. (NE.) TO SEC. STONE. 19° 22' 195.0'

000
1125
1440
1585
2564

441
507
526

000
2635

308
527

T33N R5E

SOUTH BET 7-12 R5-R6

000 = 5276.2 BET 1-6.

1125 ENTER LOW GRASSY MEADOW.

1440 DRY CREEK 6' FLOWS SE.

1585 LEAVE LOW GRASSY MEADOW.

2565.0 TURNED LT. (SE) OFF FORD TAN TO ORIG.

 $\frac{1}{4}$ SEC. COR. WITNESSED BY BT. ANDSTAKE. IN SMALL LOW WET SPOT. $13^{\circ}12'$

54.6'

ELM NORTH 3' (6°)

ELM 8" S60W 19.1'

ELM 8" N15E 41.0'

4415 OLD LOGGING ROAD.

5070 " " "

5267.8 TURNED LT. OFF FORD TAN. $85^{\circ}51'$

5.9' TO ORIG. COR IDENTIFIED BY

LIVE ORIG. WITNESS. THEN OFF

SET RANDOM 4.8' EAST TO A VOID

CUTTING ORIG. BT. SET STONE.

7, 12, 13, 18

MAPLE 5" N22W 35.8'

" 9" N70E 65.6'

LIVE ORIG MAPLE BT. 22" S17W 17.6'

ORIG " " 23" S67 $\frac{1}{2}$ E 24.0'

MOUNDED WITH STONE.

SOUTH BET 13-18 R5-R6

000 = 5267.8 BET 7-12

2635.95 SET $\frac{1}{4}$ STONE WEST 33.7'

ASH 7" S69E 28.3'

ELM 8" S67W 34.9'

SW TO $\frac{1}{2}$ OF CREEK 50'

3080 CREEK 3' FLOWS SE.

5271.2 SET SEC COR STONE TO 13, 18, 19, 24

WEST 67.4'

T33N R5E

MAPLE 14" N18W 74.9'

MOUNDED WITH STONE

5330

5343

5271.7 END OF RANDOM.

SOUTH BET 10-11

000 = 5312.0 BET 2-3

2330 LOW GROUND

2685.3 SET 1/4 STONE WEST 185.0'

W. PINE STUMP 22" N80°E 8.2'

MOUNDED WITH STONE . SOUTH TO

000

& FIRE LANE 95.0

2652

2880 LEAVE LOW GROUND

2897 & FIRE LANE N.W.-S.E.

5304.3 END OF RANDOM. SET STONE CORNERS

3655

TO SECTIONS 10, 11, 14, 15 SOUTH 46.3' AND

4295

WEST 234.0'

5304

NOTHING TO WITNESS MOUNDED WITH STONE.

EAST BET 10-15

000

000 5366.3

1247

2715.7 SET 1/4 STONE SOUTH 11.0'

2656

NOTHING TO WITNESS MOUNDED WITH STONE

5350 SOUTH 23.0' TO COR. STONE

5353.4 END OF RANDOM.

3346

EAST BET 11-14

3520

3765

000 5353.4 BET 10-15

5302

1340 & FIRE LANE ON A CURVE

2400 & " " BRS 75° NE-SW.

2671.3 SET 1/4 STONE NORTH 26.2'

NOTHING TO WITNESS. MOUNDED WITH STONE.

NORTH TO & OF FIRE LANE 47' WSW.-ENE.

T33N R5E

5330 OLD ROAD N-S

5343.6 END OF RANDOM. SET SEC CORNS 11, 12,
13, 14. EAST 2.0' AND NORTH 75.5'CORNER SETS IN EAST RUT OF OLD
ROAD N-S FIXED ROAD TO GO AROUND
THE STONE.

MOUNDED WITH STONE.

EAST BET 12-13

000 = 5343.6 BET 11-14

2652.6 SET $\frac{1}{4}$ STONE NORTH 99.95NOTHING TO WITNESS MOUNDED WITH
STONE.

3655 OLD ROAD N-S

4295 " " " "

5304.7 TURNED RT NW OFF BACK TAN $89^{\circ} 15'$
120.4 TO ORIGINAL COR.

SOUTH BET 16-17

000 5272.6

1247 & FIRE LANE E-W

2656.6 SET $\frac{1}{4}$ STONE EAST 45.8'
PINE STUMP 18" N27E 44.2
MOUNDED WITH STONE.

3346 & AVERILL CREEK 12' FLOWS SE

3520 " " " EAST 30'

3765 LEAVE MARSH

5302.0 END RANDOM - SET COR. STONE SOUTH 2.9'
AND EAST 53.8' (16, 17, 20, 21)

ON FENCE LINE N-S

NOTHING TO WITNESS

STONE

T33N R5E

SOUTH BET 15-16

000 = 5366.3 BET 9-10
 643 ♀ FIRE LANE - 41' EAST OF BRIDGE
 1855 CREEK 3' WIDE DRY
 2206 LEAVE CREEK FLOWS SW.
 2360 CREEK FLOWS NW DRY.
 2653.5 SET 1/4 STONE EAST 104.7
 PINE STUMP 24" S46W 11.3
 MOUNDED WITH STONE.
 5297.0 TURNED LT OFF FORD TAN 85°35'
 128.8' TO ORIGINAL SEC. CORS. 15, 16,
 21, 22 AS WITNESSED BY ORIG BT.
 ORIG. PINE BT. 26" S30E 18.6
 OAK 8" N58E 82.2.
 MOUNDED WITH STONE.

000
 131
 2658.
 2937
 3115
 5251.

EAST BET 15-22

000 5297.0 ON RANDOM BET 15-16
 475 ENTER SWAMP
 1080 LEAVE "
 2780.2 SET 1/4 STONE SOUTH 30.1'
 BOULDER SOUTH 38' TO CENTER -
 7x7' 3' ABOVE GROUND
 MOUNDED WITH STONE.
 5414.1 TURNED RT (SE) OFF FORD TAN TO
 ORIGINAL SEC. CORS 14, 15, 22, 23
 69°55' 53.7'
 PINE STUMP 20" N73W 6.7
 MOUNDED WITH STONE.

000
 860
 2360
 2681.1
 3309
 3620
 4440
 4770
 4970
 5063
 5290.

T33N R5E

EAST BET 14-23

000 = 5414.1 BET 15-22

131 E FIRE LANE SSW NNE

2658.8 1/4 COR POST SOUTH 0.3' AND SET STONE.
AT N.E. COR OF A SMALL CIRCULAR
SWAMP 65' ACROSS.

ASH 8" SOUTH 65 W 62.5'
MOUNDED WITH STONE.

2937 ENTER SWAMP } OTHER SMALL SWAMPS NOT NOTED
3115 LEAVE " }

5251.5 END RANDOM SET COR STONE TO SECS.
13, 14, 23, 24 EAST 46.95' AND NORTH
94.7 AT EDGE OF SWAMP.

BOULDER 8' X 6' 3' ABOVE GROUND
MARKED B.O. (X) 18.2' N 62 W.

SOUTH BET 7-8

000 = 81.3 ON RANDOM BET 5-8

860 ENTER SWAMP.

2360 LEAVE "

2681.1 SET 1/4 STONE AT OLD IRON STAKE.
EAST OFF RANDOM 28.1'

W. PINE STUMP 22" N 76 E 49'
MOUNDED WITH STONE.

3309 E FIRE LANE NNW-SSE

3620 ENTER SWAMP

4440 LEAVE "

4770 ENTER SAME SWAMP

4970 LEAVE "

5063 E ROAD E-W

5290.2 END OF RANDOM SET SEC. COR S 7, 8,

17, 18 SOUTH 68.3' AND EAST 56.5'

PING STUMP 24" EAST 26.4'

" " 13" N 4° E 67.0'

WEST TO ROAD 43' MOUNDED WITH STONE.

T33N R5E

5393.6 SOUTH BET 13-14
 000 = 5993.6 BET 11-12
 385 OLD LOGGING ROAD SE NW
 640 ENTER SWAMP
 2288 TRUCK ROAD. E-W
 2735 LEAVE SWAMP.
 2765.4 TURNED LT OFF BACK TAN TO ORIG. COR.
 51°17' 169.4 MABLE BT. WITNESS AND OLD
 STAKE.
 CEDAR STUMP 8" S52 E 21.0'
 " " 13" S56 W 38.6
 MOUNDED WITH STONE.
 5302.7 SET SEC COR STONE WEST 183.7'
 AT EDGE OF SWAMP. 13, 14, 23, 24.
 BOULDER 8' X 6' 3' ABOVE GROUND
 MARKED WITH AN (X) AND B.O.
 5398.6 END OF RANDOM. 18.2' N62 W.

EAST BET 13-24
 000 5251.5 ON RANDOM BET 14-23.
 260 ENTER SWAMP.
 790 LEAVE "
 2689.8 SET 1/4 STONE NORTH 129.2'
 NOTHING TO WITNESS - MOUNDED
 WITH STONE.
 3470 ENTER SWAMP.
 3790 LEAVE "
 5183.8 TURNED LT. (NE) OFF FORD TAN TO
 CORNER STONE 47°41' 221.2'

000
 2513
 2517
 2634.8
 2970
 3735
 4850
 5244
 000
 20
 2020
 2666
 4053
 5306
 5313

T33N R5E

SOUTH BET 19-24 R5-R6

000 : 5271.7 ON RANDOM BET 18-13.

2513 OLD ROAD.

2517 ENTER SWAMP

2634.85 SET $\frac{1}{4}$ STONE WEST 101.65' NEAR CENTER
OF SWAMP.FINE STUMP 18" WEST (IN SWAMP) 80.6'
MOUNDED WITH STONE.

2970 LEAVE SWAMP

3735 ENTER "

4950 LEAVE "

5244.9 END OF RANDOM SET SEC CORRS. TO
19, 24, 25, 30, SOUTH 25.3' AND WEST
135.9 AT $\frac{1}{2}$ OF C.T.H. "E" SET STONE
12" BELOW TOP OF ROAD. SET A
LOCATION POST ~~***~~ NORTH 23.0' - NOTHING
TO WITNESS.

SOUTH BET 25-30 R5-R6

000 : 5244.9 BET 19-24

20 $\frac{1}{2}$ C.T.H. "E"

2026 CREEK 10' WIDE FLOWS EAST.

2666.1 SET $\frac{1}{4}$ STONE IN LOW SWAMPY AREA
WEST 170.2' NORTH TO LEAVE SWAMP. 68'

PINE STUMP 22" N63W 53.6'

4053 BOULDER 12' X 15' 4' ABOVE TOP OF GROUND.

5306.95 SET SEC CORRS 25, 30, 31, 36 WEST
204.55 - ON SOUTH SIDE OF HILL -
SOUTH TO SWAMP 78' - NOTHING TO
WITNESS. MOUNDED WITH STONE.

5313.4 END OF RANDOM

T33N R5E

SOUTH BET 31-36 R5-R6

000 = 5314.4 ON RANDOM BET 25-30

310 ENTER SWAMP E-W

420 LEAVE " " " 280

1300 TOP OF RIDGE E-W 2674.3

2500 E DRY CREEK 6' E-W

2653.1 OFF SET WEST 301.8' 2886.0

2634.4 SET 1/4 STONE WEST 238.9'

OAK 7" N 49E 17.2 2247

MAPLE 6" S 14W 33.6' 2653.1

MOUNDED WITH STONE

3815 DRY CREEK 5' E-W

5202.1 TURNED LT OFF FORD TAN 21° 21'

78.5' TO ORIGINAL TOWNSHIP CORNERS.

ORIGINA BT 1° NE 31.7'. STONE

SETS ON STEEP SLOPE. 000

HEMLOCK 15" S 40E 19.1 2305

CEDAR 22" N 64E 46.5' 2450

MOUNDED WITH STONE.

SOUTH BET 23-24

000 5398.6 BET 13-14 - OFFSET WEST 103.6, 2965

1543 LOW GROUND 3156.1

2547.4 SET 1/4 STONE WEST 158.8 AT EDGE OF SWAMP. 4184

PINE STUMP 18" N 53E 40.7' 5079.

" " 10" N 71W 50.6

MOUNDED WITH STONE. 000

3150 LEAVE LOW GROUND. 475

3815 ENTER SAME LOW GROUND. 1275

4240 LEAVE " " " 2660.

5174.6 TURNED RT (S.W.) OFF FORD TAN 86° 7'

237.8' TO SEC COR STONE.

SET 12" BELOW TOP OF ROAD. SET

LOCATION POST NORTH 20.0'

T33N R5E

BET 23-26

BEGINING AT $\frac{1}{4}$ SEC STONE AT INTERSECTION
OF ROADS. THEN EAST.

280 KELLY CREEK
2674.3 SET SEC CORN 23, 24, 25, 26 SOUTH
12.0 AT $\frac{1}{2}$ OF ROAD. 12" BELOW TOP.
2886.0 END RANDOM.

THEN WEST BEGINING AT $\frac{1}{4}$ STONE.
2247 RR GRADE.
2633.1 END RANDOM SET SEC COR STONE
10.2' WEST AT $\frac{1}{2}$ OF "E" 12" BELOW
TOP OF ROAD. 22, 23, 26, 27.
LOCATION POST NORTH 20'

EAST 24-25

000 2886.0 ON RANDOM BET 23-26
2305 CREEK FLOWS S.E.
2450.2 SET $\frac{1}{4}$ STONE NORT 7.5 AT $\frac{1}{2}$ CTH. "E"
8" BELOW TOP OF ROAD. SET A LOCATION
POST NORTH 20'

2965 CREEK FLOWS SOUTH.

3156.9 OFFSET NORTH 27.0'

4184.3 " " 29.7'

5079.1 TURNED LT. OFF FORD TO STONE IN
ROAD. $24^{\circ} 14'$ 36.2'

SOUTH BET 7-12 R4-R5

000 5293.8 ON RANDOM BET 1-6.

475 SWAMP BRG E-W

1275 LEAVE SWAMP.

2660.4 SET $\frac{1}{4}$ STONE WEST 75.9 ON AN
OLD BLAZE LINE

W. ASH 12" S20W 41.5'

ELM 6" N73E 28.4'

BIRCH ^{36"} NOT MARKED - NORTH 15'

T33N R5E

3910 ENTER SWAMP.

5154 & FIRE LANE.
END RANDOM.

~~5285.5 TURNED RT. (SW) OFF FORD TAN~~
~~77°02' 113.5' TO SEC CORN.~~

SET SEC COR STONE 7, 12, 13, 18,
SOUTH 29.5 AND WEST 106.1 AT THE
POINT OF AN OLD STAKE.

PINE STUMP 22" N E 30.3
IN SWAMPY LOW LAND.

SOUTH BET 13-18 R4-R5.

000 5285.5

686 LEAVE LOW GROUND

920 ENTER SWAMP.

1125 LEAVE "

1690 ENTER "

2684.1 SET 1/4 STONE WEST 136.25. - FELL
ON OLD BLAZE LINE.

ROOT OF PINE STUMP 26" S57W 33.3
MOUNDED WITH STONE.
SOUTH 80' TO SWAMP.

3320 LEAVE SWAMP

4960 ENTER "

5160 LEAVE "

5325.1 TURNED RT. OFF FORD TAN (S.W.) 85°17'
TO OLD STAKES (2) AND VERY OLD
BLAZE LINE. 167.0'

ASH 7" S50W 29.2'
HEMLOCK 8" N43W 38.2'
MAPLE 6" N76E 17.5'
MOUNDED WITH STONE.

000
575
780
2465
2598
3147
3580
5235
5280
5288.7
000
2751
3080
4875
5393.0
000
135
208
1250
1530
1630
2745.

T33N R5E

WEST BET 8-17

000 5272.6 BET 8-9
 575 AVERILL CREEK 14' FLOWS SOUTH
 780 LEAVE CREEK BOTTOMS.
 2465 & FIRE LANE N.W. - S.E.
 2598.2 SET $\frac{1}{4}$ STONE NORTH 1.85'
 W. PINE STUMP 18" S34E 28'
 MOUNDED WITH STONE.
 3147 LOW LAND
 3580 LEAVE LOW LAND
 5235.1 STONE COR. NORTH 12.0'
 5280 & FIRE LANE
 5288.2 END OF RANDOM.

SOUTH BET 11-12

000 5185.8 BET 1-2
 2751.6 SET $\frac{1}{4}$ STONE WEST 54.25'
 NOTHING TO WITNESS - MOUNDED
 WITH STONE.
 3080 CREEK 3' E-W
 4875 WOOD ROAD E-W
 5393.6 END RANDOM COR STONE SOUTH 8.7'
 WEST 81.0'

SOUTH 17-18

000 5290.2 BET 7-8
 135 & ROAD SSW - NNE.
 208 CULVERT WEST 3.1' (EAST END)
 1250 ENTER SWAMP.
 1530 LEAVE " - TOE RR FILL
 1632 & ROAD SSE - NNW.
 2745.8 SET $\frac{1}{4}$ STONE EAST 68.1
 MAPLE 9" NSE 33.2'
 " 5 S71W 5.2
 MOUNDED WITH STONE. - SET A LOCATION

T33N R5E

POST EAST AT ROAD 167'

5423.2 SET SEC COR STONE. 17, 18, 19, 20
EAST 79.8 AT TOE OF SLIGHT CHANGE
OF SLOPE. NOTHING TO WITNESS.
MOUNDED WITH STONE.

5472.4 END OF RANDOM. 3430

SOUTH BET 14-15 3790

000 5304.3 BET. 10-11 4380

200 OLD RR GRADE

897 & FIRE LANE NW SE 4905

1400 ENTER SWAMP 5180.

1575 LEAVE "

2488 SMALL "

2575 LEAVE "

4690 & FIRE LANE SSW NNW 000

5256.9 TURNED RT (SW) OFF FORD TAN. TO SEC 260

COR STONE. 67° 26' 312.8 640

855

WEST BET 7-18 2620

000 5288.2 BET 8-17 2663.

356 & OLD RR GRADE.

1281 & FIRE LANE WSW.-ENE.

1810 ENTER SWAMP

2500 LEAVE "

2580.5 SET 1/4 STONE SOUTH 83.9 2910

ELM 6" NSW 33.2 4484

BOULDER 7x12 4' ABOVE GROUND 5288.

N27W 100'

175' EAST TO SWAMP

5200 FIRE LANE

5263.0 TURNED RT. S.E. OFF BACK TAN TO

SEC COR. STONE.

T33N R5E

WEST BET 16-21

000 = 5297.0 BET 15-16
 2540.0 SET $\frac{1}{4}$ STONE NORTH 33.5
 PINE STUMP 14' S63W 9.1'
 " " 10" N32E 10.5'
 32' SW TO FUR FARM FENCE
 3430 MARSH
 3790 LEAVE MARSH
 4380 $\frac{1}{2}$ CREEK 20' WIDE 20' SOUTH OF GATE
 IN DAM.
 4905 ENTER SWAMP
 5180.5 TURNED RT. OFF FORD TAN. (N.W.) TO
 COR STONE 16, 17, 20, 21 70° 01' 81.8'

WEST BET 17-20

000 5180.5 BET 16-21
 260 LEAVE MARSH.
 640 ENTER SWAMP
 855 LEAVE "
 2620 ENTER "
 2663.2 SET $\frac{1}{4}$ STONE NORTH 62.75. AT EDGE
 OF SWAMP
 NOTHING TO WITNESS.
 WATER HOLE SOUTH 15'
 MOUNDED WITH STONE.
 2910 LEAVE SWAMP.
 4484 ROAD NNW-SSE.
 5288.4 END RANDOM, STONE SETS WEST 11.3
 AND NORTH 48.6'

T33N R5E

SOUTH BET 22-23

000 5414.1 BET 15-22
 265 E FIRE LANE
 448 E LOGGING ROAD
 2233.4 OFF SET WEST 51.6'
 2698. E PRIVATE ROAD.
 2731.5 SET 1/4 EAST 29.9'
 NOTHING TO WITNESS 38' NORTH
 TO OLD ROAD TO CAMP
 5389.7 TURNED RT SW. OFF FORD. TAN. 23° 48'
 24.8' TO COR STONE

WEST BET 22-27

000 5407.4 BET 23-26
 252 FIRE LANE TO NORTH
 2200.7 TURNED RT. OFF FORD. TAN. 4° 44'
 N.W. TO FOLLOW ROAD.
 2650.35 SET 1/4 COR STONE AT THE E
 OF "E", BURIED STONE 8" BELOW TOP
 OF ROAD.
 SET A LOCATION POST NORTH 22'
 5289.0 END OF RANDOM.

WEST BET 21-28

000 5289.0 BET 22-27.
 1547 AVERILL CREEK & BRIDGE.
 2633.1 SET 1/4 STONE AT E "E" AS
 WITNESSED BY IRON PIPE, AND E ROAD
 BALSAM 5" N 24W 36.2'
 W. PINE 5 1/2 S 2 E 43.2'
 SET A LOCATION POST N 24'.
 5302.9 END RANDOM. SET STONE AT E
 OF "E" NORTH 5' AND WEST 2.8'
 8" BELOW TOP OF ROAD
 OFFSET A LOCATION POST NORTH 25'

T33N R5E

WEST BET 20-29

000 5302.9 BET 21-28.

2656.3 TURNED LT (SW.) OFF FORD TAN TO
 INTERSECTION OF ROADS - TAKEN AS CORNER,
 $88^{\circ} 41' 11.1$ SET $\frac{1}{4}$ COR STONE 8" BELOW
 TOP OF ROAD. OFFSET A LOCATION
 POST NORTH 25'. THEN TURNED RANDOM
 LINE 2° SW TO FOLLOW ROAD MORE
 CLOSELY.

3210 OLD RR GRADE

5329.4 TURNED RT (N.W.) OFF FORD TAN, $88^{\circ} 8' 9.0$
 TO OFF SET PIPE. TURNED LT. (S.W.)
 TO SEC COR PIPE IN ROAD. $88^{\circ} 22' 16.2$

WEST BET 19-30

000 5329.4 BET 20-29

2732.8 TURNED LT. (N.E.) OFF BACK TAN.
 $51^{\circ} 47' 92.6$ TO PIPE IN ROAD.
 SET $\frac{1}{4}$ STONE 10" BELOW TOP OF
 ROAD. OFFSET A POST NORTH 22'

4450 RIVER 75' ACROSS.

4920.5 TURNED RT N.W. TO COR PIPE (8' TO
 RIVER 100' BEAVE RIVER) OFF FORD
 TAN $13^{\circ} 57' 311.9$ SET COR STONE
 19, 24, 25, 30, AT PIPE FENCE LINE
 TO IT.

127' SOUTH TO RIVER

BIRCH BT (OLD) SE 22.1

295' EAST TO RIVER.

T33N R5E

WEST BET 18-19

000 5288.4 BET 17-20

2435 CREEK 2' WIDE FLOWS N-S(?) DRY

2644.7 SET 1/4 STONE SOUTH 19.3'

ELM 8" N53W 163.5'

ELM 6" N4E 144.2'

MOUNDED WITH STONE.

5327.7 TURNED LT OFF FORD TAN. TO OLD
STAKE AND STONE. 86° 51' 87.8'

SOUTH BET 20-21

000 5302.0 BET 16-17

65 ENTER MARSH.

410 LEAVE "

2651.2 SET 1/4 STONE EAST 49.6' AT IRON
PIPE ON FUR FARM FENCE LINE.

PINE STUMP 24° N8E 42.8

5321.0 TURNED LT OFF FORD TAN 58° 20' 44.1'
TO STONE IN ROAD.

SOUTH BET 21-22

000 128.3 BET 15-22.

9.7 STONE EAST 0.3'

417 OLD ROAD.

2656.5 SET 1/4 STONE WEST 25.0'

ELM 4 1/2" N58E 25.4'

H. MAPLE 13 S42W 30.1'

MOUNDED WITH STONE.

3136 CREEK^{6'} AT FOOT OF RAPIDS5287.7 TURNED RT SW. OFF FORD TAN. 72° 47'
52.7' TO CORNER IN ROAD AS
WITNESSED BY BLAZE LINE AND ROAD. SET
STONE 8" BELOW TOP OF ROAD.

ELM 8" N4E 30.8'

MAPLE 6" S32E 38.2'

T33N R5E

SOUTH BET 19-20

000 5472.4 BET 17-18
 450 ENTER SWAMP.
 1100 LEAVE "
 2628.3 SET 1/4 STONE AT IRON PIPE WEST 1.8'
 4614 OLD RR GRADE. PINE STUMP 24" N38E 38.6'
 5316.9 TURNED LT. OFF FORD TAN (S.E.) 30° 55'
 24.7' TO PIPE COR. IN ROAD. AND
 SET STONE.
 " MAPLE 6" S40 1/2 E 58.7
 W. PINE 13" N80 W 124.1'
 OFF SET A POST NORTH 25'

SOUTH BET 19-24 R4-R5

000 5325.1 ON RANDOM BET 13-18
 2588.2 TURNED RT SW OFF FORD TAN. TO
 ORIGINAL COR. ORIGINAL BIRCH BT (ALIVE) TO
 WITNESS IT 67° 59' 201.6'
 4002 FENCE E-W. ELM 8" S21W 29.7'
 4921 " E-W MAPLE 4" N83E 19.8
 5097 ROAD E-W ORIG. BIR. 26" S45E 10.7'
 5316 FENCE E-W
 5320.1 TURNED LT OFF BACK TAN. 88° 46' 212.5'
 T. COR STONE

SOUTH BET 28-29

000 = 5321.0 BET 21-20
 24' ROAD (C.T.H. "E"
 1620 ENTER SWAMP
 1818 CREEK FLOWS SOUTH
 1920 LEAVE SWAMP.
 2357 ENTER TAMARAC SWAMP BRS. EAST
 2706.8 TURNED RT N.E. OFF BACK TAN. 88° 30'
 37.6' TO IRON PIPE
 PINE 10" SOUTH 90.4'

T33N R5E

SPRUCE 6" N47E 33.7'

MOUNDED WITH STONE

2900 LEAVE SWAMP

4140 ENTER "

4660 LEAVE "

5359.6 TURNED 78° 00' S.E. OFF FORD TAN. TO
PIPE CORNER 15.8' SET STONE IN PLACE

ELM 6" N60E 66.9'

PINE STUMP 15" S84E 41.2'

" " 16" N50W 18.8'

SOUTH 87' TO OLD RR GRADE SW-NE

MOUNDED WITH STONE

WEST BET 29-32

000 5359.6 BET 28-29

1942 OLD RR GRADE NNW

2676.5 SET $\frac{1}{4}$ STONE 8" BELOW TOP OF ROAD
AT $\frac{1}{2}$ OF C.T.H. "E" SOUTH 30.9'

2690 BLACK ASH SWAMP.

2920 LEAVE " "

5321.7 TURNED LT. SW. OFF FORD TAN. TO
COR AT EDGE OF RIVER OLD ORIGINAL BT.
TO IDENTIFY IT. 60° 05' 67.5'

MAPLE 9" N57E 22'

" 6" S22E 25.8'

~~WEST BET 29-32~~~~000 5359.6 BET~~

SOUTH BET 25-30 R4-5

000 = 5320.1 ON RANDOM BET 19-24

45 RIVER

108 LEAVE RIVER

2646.8 TURNED LT. NW OFF BACK TAN. 89° 30'
233.0' TO ORIGINAL COR. ORIGINAL

3467

4485

5291

000

564

1143

185

260

486

489

499

508

515

517

T33N R5E

BT STUMP - HEMLOCK S.E.

BIRCH 10" S77W 23.3'

HEMLOCK 8" N48W 24.5'

MOUNDED WITH STONE. - AT TIMBER LINE

3467 CREEK 2' WIDE FLOWS EAST

4485 ENTER SWAMP

5297.7 TURNED LT. NW OFF BACK TAN 88° 16' TO

CORNER 265.7 - VERY OLD PIPE. - SET STONE
IN SWAMP

SPRUCE 4" N78W 10.8

SPRUCE 5" N76E 15.0'

137' NORTH TO LEAVE SWAMP

SOUTH BET R4-5 SEC. 31-36

000 5297.7 BET 25-30

564 LEAVE SWAMP

1143 ENTER "

1855 LEAVE "

2601.1 TURNED RT. S.W. OFF FORD TAN. TO ORIGINAL

COR. HEMLOCK B.T. SW. PIPE IN PLACE

81° 18' 261.0 SET STONE

HEMLOCK 7" N57W 13.0'

MAPLE 5" S80E 15.9'

HEMLOCK 16" S36W 17.5'

4863 CREEK FLOWS EAST

4892 SAME CREEK FLOWS SW

4997 " "

5080 " "

5155.4 OFFSET WEST 213.6'

5171 ROAD BEFORE OFF SETTING

FROM 213.6' OFFSET TURNED LT S.W. OFF

END OF OFFSET OFF FORD TAN 64° 37'

139.8 TO PIPE CORNER. SET STONE.

12' EAST OF FIRE LANE (E)

T33N R5E

ELM 13" AT WEST EDGE OF CREEK

N 67° W 62.4

ELM 7" S 66° W 44.8'

W. PINE 6½" N 42° E 52.8'

WEST BET 30-31

000 5321 BET 29-32

0135 RIVER

93 LEAVE RIVER.

1025 ENTER SWAMP.

1310 LEAVE "

2675.5 ENTER SWAMP TURNED LT. SW. TO ¼

COR IRON PIPE 85° 46' 73.0' OFF FORD

TAN.

2872 LEAVE SWAMP.

4786 ENTER "

5097.8 TURNED LT. SW. OFF FORD TAN TO

STONE 50° 37' 120.8'

NORTH BET 29-30

000 5321.0 BET 29-32

550 EAST EDGE OF RIVER

740 LEAVE " " RIVER

855 ENTER RIVER

1410 LEAVE " ON WEST BANK

2255 TANGENT TO WEST EDGE OF RIVER

2607.2 IRON ¼ POST EAST 3.5' SET STONE,

ELM 12" S 58° E 55.5'

MOUNDED WITH STONE

122' EAST TO RIVER

2985 ENTER RIVER.

3078 LEAVE "

5253.4 TURNED RT. NE. OFF FORD TAN 88° 30'

34.3' TO STONE.

000

100

1095

2030

2490

2587

2840

3150

465

4955

5314

5314

000

981

1060

1110

1375

1408

1470

2125

224

T33N R5E

SOUTH BET 32-33

000 53.59.6 BET 28-29
 100 E OLD RR GRADE.
 1093 LEAVE FLAT (WET IN SPOTS) AREA
 2030 ENTER SWAMP
 2490 LEAVE "
 2587.2. TURNED LT SE. OFF FORD. TAN. TO ORIGINAL
 COR. 56° 51' 108.1' - SET STONE. -
 ON SOUTH SIDE OF RIDGE BRG E-W
 W. PINE 13" N59E 30.5'
 W. PINE 13" N38W 50.6'

2840 ENTER SWAMP
 3150 LEAVE "
 4650 (4650) ENTER SWAMP.
 4953 LEAVE "

5314.2 TURNED 87° 57' RT NE. OFF BACK TAN.
 TO OLD CORNER BT WITNESS NOT ORIGINAL
 115.4' SET STONE. FOUND VERY
 OLD STAKE UPON DIGGING IN THE WET
 GROUND.
 PINE STUMP 12" ~~N10E 32.5~~ S60W 31.0
 BIRCH 7" N28E 32.5'
 ON WEST EDGE OF OLD LOGGING ROAD - LOW - WET.

WEST BET 5-32 T32-33.

000 5314.2 BET 32-33.
 981 E RR TRACK
 1060 RIVER BOTTOMS
 1110 E OF CREEK 12' WIDE
 1379 ENTER NEW WOOD RIVER
 1408 LEAVE " " "
 1976 LEAVE BOTTOMS
 2125 ENTER SWAMP.
 2240 CREEK FLOWS NE 2' WIDE.

T33N R5E

2504.0 SET STONE SOUTH AT STA 2504.0 - 0.7'
 8" BELOW TOP OF ROAD AT INTERSECTION
 2864 ALONG ROAD - LEAVE SWAMP
 4412.1 OFFSET SOUTH 28.65'
 5139.1 SET STONE AT INTERSECTION OF FENCE LINE
 AND E ROAD NORTH 3.5' OF STA 5139.1
 8" BELOW TOP OF ROAD

5310
 000
 910
 126
 1870

WEST BET 6-31 T32-33

000 = 5139.1 BET 32-5
 2300 E CREEK 2' WIDE
 2667.8 (SET 1/4 STONE AT INTERSECTION OF
 ROADS 7" BELOW TOP OF ROAD) THEN TURNED
 RT. SE. OFF BACK TAN AT 2667.8 9.2'
 90° OFF SET A POST 25' NORTH OF STONE
 3428 CREEK FLOWS NORTH 1.0' WIDE
 3975 ROAD TO SOUTH.
 4722 CREEK FLOWS NORTH
 5265.3 TURNED LT. S.W. OFF FORD. TAN
 50° 22' 44.0' TO STONE
 192' NORTH TO E CREEK.

2213
 266
 481
 493
 5316

SOUTH BET 31-32

000 = STA 71.9 BET 30-31 IN RIVER
 905 LEAVE RIVER
 1410 ENTER SWAMP
 1600 LEAVE "
 2710.0 TURNED RT OFF BACK TAN 89° 27' (NE) TO
 OLD PIPE 152.3' WITNESS TO IT, SET STONE
 PINE STUMP N31E 38.6'
 3010 ENTER HAY MARSH
 3237 CREEK 3' WIDE
 3342 LEAVE HAY MARSH
 3873 ENTER SWAMP
 4260 LEAVE " BRS S.E.

000
 275
 492
 515
 526

T33N R5E

5310 TURNED LT. SE. OFF FORD TAN $82^{\circ}18'$
264.0 TO STONE IN ROAD

SOUTH BET 27-28

000 5287.7 BET 21-22

910.4 OFFSET 52.1 WEST TO SAVE TREE

1265 @ OLD RR GRADE

1870.3 OFFSET EAST 52.1 TO SAVE TREE

2213 @ CREEK 2' WIDE FLOWS WEST

2662.7 SET $\frac{1}{4}$ STONE WEST 70.45

BIRCH 12" $56^{\circ}W$ 34.2

ELM 16" $58^{\circ}E$ 42.0

MOUNDED WITH STONE

4812 RR MAIN TRACK ABANDONED

4932 " SIDE " "

5316.8 TURNED LT. NW OFF BACK TAN $85^{\circ}11'$
90.8' TO ORIGINAL CORNER.

MAPLE 12" $S60^{\circ}E$ 75.2'

BIRCH 9" $N85^{\circ}E$ 34.4

BIRCH 9" $N23^{\circ}W$ 31.2

LOW - WET

SOUTH BET 33-34

000 = 5316.8 BET 27-28 MAG VAR. $9^{\circ}45'E$

2750.4 TURNED LT. N.W. OFF BACK TAN $51^{\circ}9'$

238.8 TO ORIGINAL COR. SET STONE

Y. BIRCH 9" $S20^{\circ}W$ 14.9'

MOUNDED WITH STONE

4925 ENTER SWAMP

5150 LEAVE "

5266.3 TURNED LT. OFF BACK TAN TO IRON
PIPE CORNER $76^{\circ}53'$ 20.7'

PINE STUMP 17" $S88^{\circ}E$ 36.0'

PINE " 14" $N29^{\circ}W$ 32.1

MOUNDED WITH STONE.

T33N R5E

WEST BET. 28-33

000 = 5316.8 BET 27-28

195 LOGGING ROAD

1323 " "

2110 ENTER SWAMP BRS N-S 5387

2115 & LOGGING ROAD N-S

2283 LEAVE SWAMP

2645.8 TURNED LT. SW. OFF FORD. TAN. ^{SEE END OF MILE}
TO IRON PIPE 88°26' 52.4 (SET STONE)

3091 & RIVER (AVERILL CREEK) FLOW SOUTH 30' WIDE

4096 & CREEK 4' WIDE FLOWS SOUTH EAST 000

49103 TURNED RT. NW. TO STONE 1°17' 477.2 2643

¼ STONE SET AT IRON

MAPLE 6" N62W 28.2' 4410

MAPLE 7" S45W 13.5 FLAT WET GROUND 472

5087

5276

EAST BET 27-34

000 5316.8 BET 27-28

1080 LOGGING ROAD N.S. FROM CAMP

2541.85 SET ¼ STONE SOUTH 4.4'

MAPLE 6" EAST 19.2'

MAPLE 6" N45E 20.8' 000

IN SWAMP 262

4357 LOGGING ROAD Y

5174.3 SET STONE SOUTH 16.3'

DRAINAGE OF LAND (BRS NE-SW) NORTH 15'

MOUNDED WITH STONE

5204.6 END OF RANDOM 298

440

EAST BET 4-33

000 ' 000 BET 32-5. 5174

1650 ENTER ALDER SWAMP.

2058 & AVERILL CREEK 18' WIDE FLOWS SOUTH

2100 LEAVE ALDERS.

2748.9 TURNED LT OFF FORD. TAN 86°58' 24.0'

T33N R5E

TO IRON PIPE SET STONE IN PLACE
NOTHING TO WITNESS - AT TOE OF
SLOPE WHICH RISES TO THE EAST.
MOUNDED WITH STONE.

5387.3 TURNED LT. OFF FORD TAN NE 80°33' 40.1'
TO IRON PIPE. SET STONE IN PLACE
PINE STUMP 17" S88E 36.0'
" " 14" N29W 32.1

EAST BET 3-34 T32-33

000 - 5387.3 BET 4-33

2643.8 SET 1/2 STONE NORTH 61.5' NOTHING TO WITNESS
MOUNDED WITH STONE

4410 LOGGING ROAD N-S.

4720 " " " "

5087 CREEK 12' WIDE FLOWS SOUTH

5276.7 TURNED LT. N.E. OFF FORD TAN. TO OLD
CORNER STAKE 87°26' 83.6' (ROAD TO IT)
CHERRY 10" N56W 46.5'

SOUTH BET 26-27

000 = 5389.9 BET 22-23 (NORTH OF ROAD AND COR)

2622.1 SET STONE WEST 34.0' NORTH END OF
COMPASS NEEDLE POINTING 76° SE.

BASSWOOD 8" N48E NOT ALLOWING FOR
LOCAL ATTRACTION - REALLY S.E. 39.7'

MAPLE 6" SIZE 26.3' REALLY S.W.

2987 ROAD NE-SW

4405 & ROAD ESE WNW

~~5174.4 SET STONE WEST~~

5174.4 END RANDOM STONE IS SOUTH 47.05'
AND WEST 57.8

F MILE)

IDE

7.2

D

TH 15'

ITH

4.0'

T33N R5E

EAST BET 26-35

000 5204.6
 1018 $\frac{1}{2}$ OLD RR GRADE SE-NW
 1190 CREEK 12' FLOWS SOUTH
 2313 ENTER SWAMP
 2552 LEAVE "
 2773.4 NORTH 44.8 TO STONE $\frac{1}{4}$ 5" BELOW TOP
 OF ROAD ACCEPTED NEW ROAD AS BEING ON
 LINE.
 5302.5 TURNED RT. OFF BACK TAN. (N.W.) $55^{\circ}30'$
 119.8 TO OLD CHARRD STAKE STUMPS
 CORRESPOND TO ORIGINAL WITNESSES.
 NOTHING TO WITNESS. MOUNDE HIGH
 WITH STONES.

SOUTH BET 34-35

000 5174.4
 47.05' COR. STONE WEST 57.8'
 2646.4 SET $\frac{1}{4}$ STONE WEST 19.25'
 HEMLOCK 9" 57E 33.0
 MOUNDED WITH STONE.
 4940 LOGGING ROAD
 5085 CREEK 12' FLOWS WEST
 5245.7 CORNER EAST 19.3' STONE IN PLACE

EAST BET 2-35

000 5276.7 BET 3-34
 2652.7 $\frac{1}{4}$ NORTH 113.8 AT $\frac{1}{2}$ OF ROAD
 OFF SET A POST EAST.
 3925 ENTER SWAMP.
 4255 LEAVE "
 5286.5 FOUND OLD STAKE NORTH 144.4 AND
 EAST 5.3' SET STONE IN PLACE
 AT SOUTH EDGE OF SWAMP BRG NE-SW
 50' ACROSS AT STONE. NOTHING TO WITNESS

T33N R5E

EAST BET. 1-36 T33-32

000 5286.5 BET 2-35

5.3 COR STONE NORTH 144.4

2407.1 OFFSET NORTH 173.4

2600 CREEK ESE 6' WIDE

2644.3 POST FOR CORNER 1.6' NORTH (SEE END OF MILE)

2700 SAME CREEK FLOWS ENE. 6' WIDE

4644 CREEK 6' FLOWS S.E.

5240.6 TURNED LT OFF FORD. TAN 17° 16' (N.E.)

44.9 TO ORIGINAL TOWNSHIP CORNER (STONE IN PLACE)

1/4 STONE SET AT OLD STAKE 20' EAST

TO CREEK; 20 SOUTH TO CREEK

ASH 14" S70W 34.7'

MAPLE 5" N68E 23.5'

EAST BET 25-36

000 5302.5 BET 26-35

2647.4 SET 1/4 STONE NORTH 110.1 AT NORTH

EDGE OF SWAMP AND WEST EDGE OF

A THICK BLANKET OF STONE. NOTHING

TO WITNESS MOUNDED HIGH WITH STONES.

3640 RR GRADE (OLD) NE-SW

4330 ENTER SWAMP

4928 LEAVE "

5052.5 TURNED LT. OFF FORD TAN (NE) 21° 27'

333.1' TO STONE.

SOUTH BET 25-26

000 5174.6 BET 23; 24

21 & "E"

2400 LOCAL ATTRACTION 3 1/2° WEST

2656.85 SET STONE WEST 326.9'

NOTHING TO WITNESS - MOUNDED WITH STONE

OLD RR GRADE NORTH 88' ABOUT 60' WEST OF

CUT THROUGH SMALL HILL.

T33N R5E

3900 LOCAL ATTRACTION 5° WEST OLD RR GRADE E-W.

4590 ENTER SWAMP

4820 LEAVE "

5300.75 TURNED LT. (N.W.) OFF BACK TAN
 $89^{\circ}34'$ 416.6' TO STONE.

000
 975
 1150
 1324
 1445
 1655

SOUTH BET 35-36.

000 = 5300.75 ON RANDOM BET 25-26

1200 ENTER SWAMP E-W

1356 LEAVE " " "

2664.8 OFFSET WEST 282.3' THEN TURNED RT
 OFF FORD TAN (N.W.) TO ORIGINAL COR. $59^{\circ}45'$
 44.0'. BLAZE LINE TO IT FROM RECENT LOGGING.

3360 LOGGING ROAD

3775 LOW (HARDWOOD) WET

4000 LOGGING ROAD E.W

4650 LEAVE (HARDWOOD) WET

5283.7 END RANDOM TURNED LT. (NE) OFF BACK TAN
 $78^{\circ}49'$ 144.8 TO STONE.