

T.34N. R.8E.

	(78)	(79)	(66)								
(77)	6	(79)	5	(65)	4	(61)	3	(69)	2	(73)	1
	(80)	(81)	(67)	(60)	(70)	(73)					
(76)	7	(81)	8	(63)	9	(62)	10	(67)	11	(72)	12
	(75)	(74)	(63)	(66)	(70)	(71)					
(102)	18	(100)	17	(97)	16	(88)	15	(82)	14	(86)	13
	(101)	(98)	(91)	(89)	(87)	(88)					
¹⁰⁷ (102)	19	(101)	20	(98)	21	(90)	22	(83)	23	(85)	24
		(99)	(96)	(91)	(89)	(84)	(84)				
(106)	30	(105)	29	(98)	28	(96)	27	(93)	26	(92)	25
	(104)	107	(95)	(94)	(92)	(101)					
(103)	31	(102)	32	(99)	33	(95)	34	(94)	35	(93)	36

B.
B.
T.
11.0
25.0
40.07

40.8
42.30
47.30
53.50
72.70
80.66

23)

M

T34N R8E.

SOUTH BET 3-4.

BEGINING AT STA. 237.85 ON RANDOM
 BET 33-34. TURNED 0°45' WEST OF FORWARD
 TAN.

11.0 HIGHWAY "B" EAST 25' TO ϵ .

25.0 TOP OF HILL

40.07 SET $\frac{1}{4}$ STONE DUE WEST 63.7'
 TO REPLACE OLD STAKE WITNESSED
 BY OLD BT. NOT ORIGINAL.

SOUTH TO ~~SE~~ CREEK FLOWING WEST 51'
 PINE STUMP 24" S82W 23.18 LKS
 " STUMP 24" N36E 22.72 LKS

40.80 ϵ CREEK. FLOWS WEST 4' WIDE

42.30 ENTER SWAMP.

47.30 LEAVE SWAMP.

53.50 TOP OF HIGH HILL.

72.70 ENTER SWAMP.

80.66 TURNED LT. OFF BACK TAN. TO SEC
 CORS. 3, 4, 9, 10 AS EVIDENCED BY
 ORIGINAL BT., STAKE, AND BLAZE LINE...

FOUND POINT OF OLD STAKE WELL
 PRESERVED, UPON DIGGING. 90°10' 153.2'

CEDAR 6" N73E 15.0 LKS.

CEDAR 4" S55W 16.51 LKS

CEDAR 6" N24W 30.9 LKS.

OLD TAMARAC BT. 8" S4°E 24.8 LKS.

" " " 10" N4°W 48.8 LKS.

MOUNDED WITH SAND AND STONE.

T.34N. R.8E.

SOUTH BET. 9-10

BEGIN AT STA. 80.66 AND TURNED
RT OFF FORWARD TAN TO FOLLOW SEC LINE
MORE CLOSELY.

17.20 LEAVE SWAMP.

37.77 SET $\frac{1}{4}$ STONE 158.3 WEST (PROP. MEAS.)
BIRCH 4" S6E 63.03 LKS
BIRCH 3 $\frac{1}{2}$ " BEARING A WISC. WILD
LIFE REFUGE SIGN N.89E. 20 LKS.
NORTH TO SWAMP 75'
MOUNDED WITH STONE.

52.30 ROAD E-W.

59.50 TO LAKE (PERCH)

67.20 ACROSS BY OFF SETS

78.53 TURNED LT. TO SEC CORS. 9,10,15,16
88° 00' 163.5' OFF BACK TAN.

FOUND TWO POSTS - ONE AGREEING
WITH OLD BLAZED LINE MUCH OLDER
THAN THE STAKES, ACCEPTED AS
BEST EVIDENCE BECAUSE NO BT.
REMAINS (BLAZE LINE VERY STRAIGHT)
UPON DIGGING DISCOVERED POINT OF
A VERY OLD STAKE.

IRONWOOD 9" S54E 43.2 LKS
IRONWOOD 9" S5°W 61.06

WEST BET 9-16

BEGINNING AT STA. 78.53 ON RANDOM
BET 9-10. (ABOVE)

16.2
26.3
42.0
80.8
81.4
8
9
6.00
11.5
19.8
24.2

T34N R8E.

16.20 ENTER SWAMPY POND
 26.30 LEAVE " " (ACROSS BY OFF-SETS)
 42.00 SET $\frac{1}{4}$ STAKE NORTH OF RANDOM
 18.7'

HEMLOCK 22" N.5°W. 16.0 LKS.

HEMLOCK 20" S.33°E. 27.9 LKS.

SECTION 16 TIMBERED AT $\frac{1}{4}$ STONE.
 35' NORTH TO OLD BLAZE LINE. ASSUMED
 TO BE CRUISERS' BLAZE BECAUSE IT IS
 NOT STRAIGHT. NO B.T. REMAINS.

80.80 ENTER SWAMP.

81.43 TURNED LT. OFF BACK TAN TO
 SEC CORS. 8, 9, 17, 16 * 97°15' 32'
 AS EVIDENCED BY B.TS. - OLD STAKE -
 AND BLAZE LINE. UPON DIGGING
 UNEARTHED ANOTHER OLD STAKE PRESERVED
 IN THE WET SWAMP. STONE SETS
 IN SWAMP - 66' EAST TO LEAVE SWAMP
 MOUNDED WITH SAND.

HEMLOCK 10" S53E 78.8 LKS.

W PINE 14" S60W 41.51 LKS.

W PINE 5" N51W 80.8 LKS.

W PINE 13" N66E 47.58 LKS.

NORTH BET 8-9

BEGIN AT STA 81.43 ON RANDOM BET
 9-16 (SEE ABOVE) IN SWAMP.

6.06 POND

11.52 LEAVE POND AND SWAMP (ACROSS BY OFF SETS)

19.85 ENTER SWAMP

24.20 LEAVE SWAMP

T34N R8E

40.31 SET 1/4 STONE 6.9' WEST ON
 NORTH SIDE OF HILL (PROP. MEAS)
 W PINE STUMP 22" N55E 29.7 LKS.
 HEMLOCK 10" N86W 31.1 LKS

50.30 ENTER SWAMP

56.50 CREEK 1' WIDE FLOWS N.W.

79.80 LEAVE SWAMP

80.14 SET SEC CURS. AT INTERSECTION
 OF OLD BLAZE LINES. 9.8' WEST OFF
 RANDOM LINE. 10' SOUTH TO ENTER
 SWAMP. STONE SETS AT FOOT OF
 HILL.

W. PINE 7" S65E 74.9 LKS
 MAPLE 14" SWW 62.4 LKS.
 HEMLOCK 11" N66E 40.0 LKS.

WEST 4-9

BEGIN AT STA 80.66 ON RANDOM BET.

3-4 TURNED 88° 55' OFF BACK TAN.

8.85 LEAVE SWAMP

11.50 LARGE BOULDER 25' ACROSS 25'
 NORTH OF RANDOM LINE.

28.80 ENTER SWAMP. N-S.

33.35 LEAVE SWAMP NE-SW

41.98 SET 1/4 COR NORTH 47.55' BY PROP. MEAS.
 (SOUTH TO SWAMP 208')

44.20 ENTER SWAMP
 NOTHING WITNESS ED.
 BUILT TERRACE AND MOUNDED WITH STONE.

48.30 CREEK 2' WIDE FLOWS NORTH.

56.10 CREEK 3' WIDE FLOWS WSW

81.78 TURNED LT. OFF BACK TAN 84° 51'
 100.6' TO SEC CURS. 4, 5, 8, 9.

(SEE ABOVE)

CON
 8-9
 120.16
 135.0
 145.50
 156.80
 158.64
 B
 S
 W
 N
 TU
 ST
 5.12
 16.90
 37.70

T34N R8E

NORTH BET 4-5

CONTINUING SAME RANDOM LINE AS BET
8-9 ALSO SAME STATIONING.

120.16 TURNED LT. (N.W.) OFF FORWARD TAN
TO OLD STAKE PROPER DISTANCE AND
FAIR ALIGNMENT. $59^{\circ} 00'$ 9.1'

PINE STUMP 24" N50W 40.3 LKS.

ROOT OF PINE " 28" N32E 102.58 LKS.

WEST TO LEAVE SWAMP 22'

135.0 ENTER CEDAR SWAMP

145.50 LEAVE "

156.80 ENTER SWAMP

158.64 SET SEC CORE. 4, 5, 32, 33

WEST OFF RANDOM 46.5' AS EVIDENCED

BY ORIGINAL BT. (BIRCH NE) OLD
ROTTED OFF STAKE AT TRUE COR.

HEMLOCK 13" N81°E 19.2 LKS.

PINE STUMP 15" N5°W 28. LKS.

HEMLOCK 4" S27E 29.1 LKS.

HEMLOCK 8" S16W 60.0 LKS.

BRACED WITH SAND. - MOUNDED WITH
STONE.

WEST TO LEAVE SWAMP 85.6

NORTH " " 40.9

WEST BET 4-33

TURNED $87^{\circ} 45'$ OFF BACK TAN OFF
STA. 273.85 BET. 33-34.

5.12 ENTER SWAMP

16.90 LEAVE "

37.70 TAN TO RR. CURVE.

T34N R8E

- 39.95 TURNED RT. OFF BACK TAN. (SOUTH)
TO OLD CHARRED CEDAR $\frac{1}{4}$ POST
79° 00' 43.9 ROTTED BIRCH STUMPS
CORRESPOND TO B.T.S
W. PINE 6" S28⁹E 43.8 LKS.
W PINE 10" N27W 30.6 LKS.
NORTH TO SOUTH RAIL OF RR. TRACK 43.0'
- 57.90 ENTER SWAMP
- 63.10 CREEK 3' FLOWS NORTH
- 66.50 LEAVE SWAMP
- 72.75 ENTER SWAMP
- 77.50 LEAVE "
- 79.93 TO NORTH OF STONE 95.6
(SEE PAGE 65)

EAST BET 10-15

BEGINNING AT STA. 78.53 ON RANDOM BET
9-10 (SEE PAGE 62)

- 5.60 LAKE.
- 12.80 ACROSS BY TRIANGULATION.
- 5.806 SET MC 9.9' NORTH AT MEAN HIGH
WATER MARK 10' FROM PRESENT
LOW WATER MARK MOUNDED WITH
STONE.
- PINE STUMP 11" S46W 33.6 LKS
- 12.61 SET WOOD POST 15.2' NORTH ON
SEC. LINE 15.2' AT HIGH WATER
- 23.47 OFF SET NORTH 132.5' FOR TRIANGULATION
83° 49' BET. HUBS.
- 23.92 SET WOOD POST NORTH 22.3'
A SMALL BAY LIES NORTH OF LINE.
(WEST SHORE OF BOTEAU LAKE)

T.34N. R.8E.

- 41.63 SET MC ^{EAST} ~~EST~~ SHORE 33.5' NORTH
 MOUNDED WITH STONE 13.2
 PINE STUMP 24" N.45E 47.2 LK
 HAS 1/4 S BT INSCRIBED ON IT NOT
 ORIGINAL
- 53.60 E HIGHWAY "B"
 ROAD RUNNING EAST FROM "B" NORTH 47'
 78.01 TURNED NORTH 90°00' TO SEC. CORS.
 10-11-14-15. 56.4' IDENTIFIED
 BY INTERSECTION OF ROADS.
 SET STONE 6" BELOW TOP OF
 ROAD
 MAPLE 4 1/2" N 31E 41.2
 (INSCRIBED IN BARK)
 NORTH TO FENCE 17.3'
 NORTH BET 10-11
 BEGINNING AT STONE SEC. CORS. 10-11-14-15
 (SEE ABOVE)
- 34.90 TOP OF HIGH HILL.
- 39.48 TURNED RT. OFF FORWARD TAN.
 TO VERY OLD 1/4 POST. OLD ROTTED
 STUMP LIKELY TO BE OLD BT.
 Y. BIRCH 4" N 63E 40.3 LKS.
 MAPLE 5" S 71W 39.7 LKS.
 SWAMP NW 42.0'
- 49.40 ENTER SWAMP.
- 56.70 LEAVE "
- 79.8 TURNED LT. OFF BACK TAN. TO ORIGINAL
 SEC. COR 91° 20' 42.1' = NORTH 11' EAST 42.1'

IMPS

HIGH

H

LKS

GULATION

T34N R8E

UPON DIGGING TWO OTHER OLD STAKES
WERE UNEARTHED MOUNDED WITH SAND
AND STONE.

ASH 9"	S53E	58.5	LKS
ASH 4"	S55W	41.2	LKS
W BIRCH 2½"	N31W	38.0	LKS

WEST 58' TO LEAVE SWAMP.

EAST - BET. 10-3

BEGIN AT STA. 80.66 BET 3-4 (SEE PAGE 61)

31.7 LEAVE SWAMP N-S.
19.0 "B" NW-SE.
23.95 ENTER SWAMP
29.2 CREEK 1' WIDE FLOWS NORTH
36.8 LEAVE SWAMP
37.20 TURNED LT. OFF BACK TAN TO
OLD ¼ POST 19° 15' 16.6
PROPER DISTANCE FROM SWAMP. - AN
OLD BT. TO WITNESS NOT ORIGINAL
N. PINE 12" S50W 46.06 LKS.
MAPLE 3½" N31E 65.4 LKS.
AT EDGE OF SWAMP
52.30 ENTER SWAMP
54.60 LAKE SOUTH 25' APPROX. 1000' ACROSS
55.00 LEAVE SWAMP
73.50 ENTER SWAMP
78.73 FELL SOUTH OF SEC COR. 2,3,10,11
195.6' (SEE PAGE 67)

T.34N. RBE.

NORTH BET 2-3

BEGINING AT STA 79.80 ^{BET-10-11} AND ~~CONTIN~~ CONTINUING
NORTH (SEE PAGE 67)

17.30 LEAVE SWAMP E-W
33.80 ENTER SWAMP
38.50 LEAVE "
42.40 FIRE LAKE
39.32 SET $\frac{1}{4}$ COR EAST 39.7' AT
EDGE OF SWAMP (PROP. MEAS.)
ONLY LIKELY PLACE THAT ORIGINAL
COR. MIGHT HAVE BEEN. TAMARAC
STUMP S.E. MAY HAVE BEEN A B.T.
NEAR FENCE COR. NOTHING TO ESTABLISH
THE FENCE COR AS CORRECT. RESIDENT
UNCERTAIN OF ITS BEING CORRECT.
PINE 7" S64E 18.6 LKS.
PINE STUMP 17 N40W 134.09 LKS.
55.60 ENTER SWAMP. E-W
59.0 $\frac{1}{2}$ ROAD E-W.
59.90 LEAVE SWAMP
77.08 TURNED RT. OFF FORWARD TAN
25°59' 85.0' TO SEC. CORS. 2-3
34-35 (SEE PAGE 35)

EAST BET 2-11

BEGINING AT STA 79.80 BET 10-11 (SEE
PAGE 67)

8.13 CREEK 1' WIDE FLOWS NORTH
12.90 LEAVE SWAMP.
25.20 ENTER "
31.20 LEAVE "

T34N R8E

40.65 SET $\frac{1}{4}$ SEC. COR. SOUTH 60.4 (PROP. MEA.)
 HEMLOCK 26" S80E 79.4 LKS.
 ROOT OF PINE STUMP 48" N2W 29.5 LKS.
 AT N.W. EDGE OF A SWAMPY STRIP
 20' WIDE BRS. NE. SW.

48.90 E FIRE LANE SE-NW.

63.76 SET FLAG FOR TRIANGULATION ACROSS
 LAKE

72.30 TO LAKE.

79.39 STA. OF HUB ACROSS FOUND BY OFF
 SETTING SOUTH 255.5' TURNED 76° 04'

80.66 SET SEC. CORS. 1, 2, 11, 12 SOUTH
 121.9' (~~BY DOTT~~) AS EVIDENCED BY
 OLD STUMPS CORRESPONDING TO
 B.T. ONE STUMP PLAINLY MARKED AS
 ORIGINAL.

PINE STUMP (ORIGINAL) 12" N21W 25.1 LK.

PINE STUMP 18" N79E 22.7 LKS

PINE STUMP 18" S29E 23.3 LKS

PINE STUMP (ORIGINAL) 18" S67W 16.8 LKS

WEST TO LAKE 115' - MOUNDED WITH STONE.

EAST BET 11-14

BEGIN AT SEC. CORS. 10, 11, 14, 15

43.70 TURNED LT. OFF BACK TAN. 6° 10'

128.1 TO IRON STAKES AT END OF

ROAD IDENTIFIED BY RESIDENTS

BURIED STONE 15" BELOW TOP OF ROAD.

NORTH TO FENCE LINE 14.0'

SOUTH " " " 17.8

OAK 10" N37E 68.94 LKS.

T34N R8E

80.84 TURNED LT TO VERY OLD SEC. COR.
POST WITNESSED BY OLD B.T.

95° 04' 131.4'

MAPLE 3"	S52E	52.6	LKS.
MAPLE 4"	S55W	47.9	LKS.
MAPLE 3"	N37W	32.1	LKS.
MAPLE 4"	N63E	63.3	LKS.

(INSCRIBED IN BARK ONLY)

MOUNDED WITH STONE. STONE SETS
1/2 WAY UP SOUTH SIDE OF HILL.

EAST BET 12-13

CONTINUING THE ABOVE RANDOM LINE (11-14)
BUT TURNING SOUTH 1° TO RUN
MORE CLOSELY TO SEC. LINE.

17.38 ENTER SWAMP N-S.

26.20 CREEK 6' FLOWS N.E.

37.95 LEAVE SWAMP

38.30 TURNED RT OFF FORWARD TAN.
TO IDENTIFIED ORIGINAL 1/4 POST
B.T REMAINS. 45° 00' 137.7'

UPON DIGGING THE POINT OF ANOTHER OLD
STAKE WAS UNCOVERED.

PINE 4"	N 45° E	31.4	LKS.
SPRUCE 5"	S 7° E	17.9	LKS.

(INSCRIBED IN BARK ONLY)

NORTH TO LEAVE SWAMP 75'
MOUNDED WITH SAND AND STONE.

T.34 N. R.8 E.

52.70 ENTER SWAMP. SW-NE. 120.
 54.50 LAKE SOUTH 93' (SMALL)
 58.10 LEAVE SWAMP.
 59.80 FIRE LANE SE. N.W.
 70.90 CREEK FLOWS SE. 5' WIDE.
 75.17 TURNED RT. OFF FORWARD TAN.
 10° 21' 283.3 TO PIPE COR. WITH
 BRASS CAP PROPERLY MARKED. 124.
 PINE STUMP 30" N47E. 43.0 LK. 127.
 144.

NORTH BET 11-12

BEGIN AT STA 80.84 ON RANDOM BET 11-14 (SEE PAGE 71)

26.60 ENTER OPEN CIRCULAR SWAMP
 31.40 LEAVE " " "
 38.00 SET 1/4 COR. 7.9' EAST AT SOUTH EDGE
 OF SMALL SWAMP HOLE.

ASH 3" N83W 49.2 LKS.
 W BIRCH 2 1/2" S88E 20.6 LKS

MOUNDED WITH STONE.

50.70 ENTER SWAMP NW-SE.
 54.40 LEAVE " " "
 78.02 TO 4.3' ~~WE~~ WEST OF STONE
 (SEE PAGE 70)

EAST BET 1-12

CONTINUING RANDOM LINE AND STATIONING OF RANDOM BET. 2-11.

87.25 ENTER SWAMP
 113.10 LEAVE SWAMP.

120.

124.

127.

144.

159

10

11

12

126

137

155

158

118.

T.34N. R.8E.

120.41 SET $\frac{1}{4}$ STONE SOUTH 116.7
ON SOUTH SIDE OF HILL (BY
PROP. MEAS.) TERRACED AND MOUNDED
WITH STONE.

PINE STUMP	38"	S35 E	93.3	LKS.
PINE STUMP	70"	N86 E	76.2	LKS.

50' WEST TO ENTER SWAMP.

124.20 ENTER SWAMP N-S

127.50 LEAVE " N-S

144.10 ENTER " SE-N

ONLY 50' SOUTH OFF RANDOM LINE
TO LEAVE SWAMP.

159.69 TURNED LT. OFF BACK TAN.

122.6' 114°34' TO COR. ESTABLISHED

AUG. 1936 NO WITNESS. SETS

AT THE TOE OF HORSE SHOE

RIDGE (A) (OPEN END NORTH)

NORTH BET 1-2

CONTINUING RANDOM LINE AND STATIONING
OF RANDOM BET. 11-12.

102.20 ENTER SWAMP

114.20 LEAVE "

122.80 ENTER "

126.60 LEAVE "

137.10 ENTER "

155.80 CREEK

158.40 TURNED LT. OFF BACK TAN. TO
SEC. COR. 80°27' 16.1' (SEE
PAGE 40)

118.19 SET $\frac{1}{4}$ STONE (BY PROP. MEAS.)

T34N R8E

EAST OF RANDOM LINE 5.8' FENCE
LINE TOO FAR EAST.

PINE STUMP (ROOT) 32" N11E 21.2
" " " 32' S78W 73.3

MOUNDED WITH STONE. IN OPEN PASTURE.

WEST BET 8-17

BEGIN AT STA 81.43 ON RANDOM BET 9-16
(SEE PAGE 63) IN SWAMP

9.47 SWAMP NORTH OF RANDOM HIGH
LAND SOUTH OF LINE.

23.60 LEAVE SWAMP.

39.98 TURNED RT OF FORWARD TAN
97° 45' TO $\frac{1}{4}$ COR AS EVIDENCED
BY VERY OLD CHARRED STAKE AND
NEWER STAKE TO REPLACE IT.

ONLY SMALL ASPEN GROWTH AND NO STUMPS.
TO WITNESS STONE SETS HALF
WAY UP SLOPE OF HILL WHICH BRG. SW.-
N.E. - ON THE NORTH SIDE.

MOUNDED WITH STONE.

66.50 CREEK 4' FLOWS NORTH.

74.10 ENTER SWAMP. NW - SE.

78.70 LEAVE " NW - SE.

80.40 SET CORNS TO SECS. 7, 8, 17, 18
ON THE N-S SECTION LINE AS
EVIDENCED BY OLD BLAZE LINE. - AND
ON A STRAIGHT LINE BET NEAREST CORNS.

DISTANCE SOUTH TO CREEK VERY
NEARLY CORRECT. DISTANCE TO $\frac{1}{4}$
POST NORTH NEAR CORRECT.

T.34N. R.8E.

HEMLOCK STUMP	11"	N22 E	34.8 LK
PINE	"	N72 W	50.8 LKS
"	"	S21 E	55.0 LK
"	"	S8° W	83.1 LK

MOUNDED WITH STONE SWAMP 100' EAST.

WEST BET 7, 18

CONTINUING RANDOM BET. 8-17 ALSO THE SAME STATIONING. (SEE PAGE 74)

90.44 SET A FLAG SOUTH 250.2' FOR TRIANGULATION OF LAKE

91.20 TO THE LAKE

100.35 ON HUB ACROSS. TURNED 20° 00'

~~99.65~~ BET. HUB ON TAN. AND OFF SET FLAG.

99.65 TO WEST SHORE

105.50 ENTER SWAMP

106.80 POND

109.10 ACROSS POND BY OFF SETS

120.40 LEAVE SWAMP

120.58 SET $\frac{1}{4}$ STONE 5.1' SOUTH OFF RANDOM.

(BY PROP. MEAS.) NORTH AND SOUTH BLAZE LINE INDICATES ~~THE~~ ITS BEING CORRECT.

HEMLOCK STUMP		S85E	28.2
"	"	N7° W	50.1

MOUNDED WITH STONE.

145.10 ✓ OTTER LAKE 30' NORTH

156.90 ENTER SWAMP.

159.90 LEAVE SWAMP.

163.28 TURNED RT. OFF BACK TAN. (S.E.)

TO OLD STAKE BURNED OFF.

48° 30' 40.8'

T34 N R8E

SET CORS TO SECS. 7, 12, 13, 18

- Y. BIRCH 14" N36W 46.9 LKS.
- W PINE 7" S8W 99.4 LKS.
- W PINE 10" S13E 104.7 LKS.
- BALSAM 6" N83E 70.6 LKS.

SOUTH TO SWAMP 90. EAST TO SWAMP 95.

NORTH BET 7-12

BEGINNING AT STA. 163.28 ON RANDOM BET 7-18

- 7.58 ENTER SWAMP (EDGE OF LAKE)
- 9.70 LAKE (EAST EDGE OF) ABOUT 500' ACROSS.
- 16.20 LEAVE SWAMP
- 27.25 SET MC. ON SOUTH EDGE OF POINT IN OTTER LAKE. EAST 26.25' MOUNDED WITH STONE. (OLD STAKE
PINE 7" 540E 115.1 LKS
PINE STUMP 14" 551W 57.1 LKS
- AT THIS POINT)
- 77
~~28.24~~ SET A WOOD POST ON NORTH SHORE. 36.2' EAST. MOUNDED WITH STONE
HEMLOCK STUMP 7" N80W 11.6' LKS
PINE STUMP 26" N14E 36.6 LKS
- 34.10 OLD LOGGING CAMP ROAD. N.W. SE.
- 39.82 TURNED LT. OFF BACK TAN. TO ORIGINAL 1/4 COR. EVIDENCED BY ORIGINAL B.T. OLD STAKE TO IT.
Y. BIRCH 11" S12° E 7.8 LKS.
Y BIRCH 9" N72° W 58.5 LKS.
- AT S.W. EDGE OFF NARROW NECK OF SWAMP WHICH BRS. SE. NW. MOUNDED WITH STONE
- 40.00 ENTER SWAMP.
- 50.40 LEAVE SWAMP.
- 58.8 ENTER "
- 69.0 LEAVE. "
- 71.75 CREEK COMING FROM A SSW DIRECTION THEN

T.34N. R8E.

NORTH ALONG RANDOM LINE 280' THEN FLOWS
N.W.

79.52 TURNED LT. (EAST) TO VERY OLD CHARRED POST
STUMPES CORRESPOND TO ORIGINAL 21.8'(FT) 99°24'
PINE STUMP 22" S4°E 46.45 LKS
MOUNDED WITH A LARGE MOUND OF ROCKS.

NORTH BET 1-6

BEGIN AT STA 79.52 (ABOVE) ON RANDOM BET 7-12.

80.35 TURNED LT. OFF BACK TAN. 66°15' 50.8'
TO ORIGINAL 1/4 COR. ORIGINAL BT. TO VERIFY IT.
FENCE LINE TO IT.

MAPLE 18" N27W 19.18 LK.

PINE STUMP 12" N63E. 51.2 LKS.

MOUNDED WITH STONE - IN OPEN PASTURE. ON
FENCE LINE

60.0 ENTER SWAMP BRS. WEST.

62.50 LEAVE " " "

66.70 ENTER SAME SWAMP BRS. WEST.

70.60 CREEK (TAN. TO IT.)

73.20 TO & OFF CREEK FLOWS NW.

74.90 TO LEAVE SWAMP (N.E)

78.19 TURNED RT. OF BACK TAN. TO SEC.

CORS. 1,6,31,36 AS EVIDENCED BY
OLD POST, BLAZES AND FENCE LINES.

102°41' 63.2 CORS TO T35N - T35N
R8E, R7E.

W. BIRCH 6" N46E 13.6 LKS.

Y BIRCH 12" S76W 78.2 LKS.

PINE STUMP 12" N72W 14.7 LKS.

EAST BET. 6-31

STONE

T.34 N. R.8 E.

EAST BET 6-31

42.34 TURNED RT (N.W.) OFF BACK TAN $76^{\circ} 30'$
 16.6' TO ORIGINAL $\frac{1}{4}$ COR. AS EVIDENCED
 BY ORIGINAL B.T. OLD STAKE.

PINE STUMP 13 S $62^{\circ} E$ 39.7 LKS
 " " 14 N $25^{\circ} E$ 57.3 LKS.

68.50 E CREEK 9' FLOWS S.W (SAME
 CREEK AS CROSSED BET 6-12.

73.70 TAN. TO SAME CREEK

74.15 E SAME CREEK COMING FROM SE FLOWING
 WEST TO POINT OF TANGENCY THENCE N.W.

82.41 SET CORS 5, 6, 31, 32 MIDWAY BET.

$\frac{1}{4}$ CORS. NORTH 8.6' STONE SETS
 IN ROAD 5.0 TO WEST SHOULDER OF ROAD
 11.0 TO EAST SHOULDER OF ROAD. OFF
 SET A STAKE WEST 30 LKS.

PINE STUMP (ON SIDE HILL) N $81^{\circ} W$ 96.8 LK.

ELM 7' S $13^{\circ} E$ 240.15 LK.

SET STONE 12" BELOW TOP OF ROAD. BRS NNW.

EAST BET. 5-32.

BEGINNING AT STA. 82.41 ON RANDOM

BET. 6, 31 CONTINUING RANDOM LINE STATIONING.

95.90 LEAVE
 ENTER SWAMP (SMALL POT HOLE.)

90.70 ENTER " " " "

111.80 BOULDER 7' X 6' 4' ABOVE GROUND. SOUTH
 OF RANDOM LINE 6'

119.80 E CREEK FLOWS WNW.

122.49 TURNED LT. OFF BACK TAN. (SE.) $111^{\circ} 30'$
 8.7' TO ORIGINAL ~~BT.~~ COR. EVIDENCED
 BY ORIGINAL B.T. DISTANCE AND STREAM
 VERIFY IT.

T34N R8E.

SET STONE ON CREEK STREAM BED WHICH HAD BEEN DIVERTED BY AN OLD DAM FOR FILLING WATER WAGONS. MOUNDED WITH BOULDERS AND OPENED DAM TO PERMIT THE STREAM TO TAKE ITS OLD COURSE. FENCE LINE UNDER CONSTRUCTION OFF TRUE LINE. SOUTH 3.5' TOO FAR AND EAST 57.7' TOO FAR. OLD FENCE LINE LYING DOWN RUNS TO TRUE COR.

ELM 7" N 35 W 49.5 LKS.

ELM 6" S 10 E 47.7 LKS.

142.20 CREEK FLOWS NNW 1' WIDE
 152.60 ENTER SWAMP N-S
 163.49 TURNED RT. OFF BACK TAN (NORTH)
 88° 48' 8.1' TO ORIGINAL SEC
 CURS. (SEE PAGE 65.)

SOUTH BET 5-6

BEGIN AT STA 82.19 ON RANDOM BET 6-31 (SEE PAGE 78)

19.85 ENTER SWAMP
 37.42 $\frac{1}{2}$ CREEK 18" WIDE FLOWS WEST.
 37.90 LEAVE SWAMP.
 38.50 TO $\frac{1}{4}$ POST NOT ORIGINAL 0.9'
 WEST OF RANDOM LINE. VERY OLD
 FENCE LINE TO IT.

MAPLE 7" S 25 W 36.6 LKS.

BIRCH 25" N 65 E 47.0 LKS.

NORTH TO CREEK 48' - MOUNDED WITH STONE

52.00 ENTER POINT IN SWAMP SWAMP LIES
 EAST OF RANDOM.
 53.80 LEAVE POINT IN SWAMP.
 72.25 ROAD NE. SW. BEGINS AT SEC CURS.
 5, 6, 31, 32.
 78.50 ENTER SWAMP.

T34N R.8E.

79.45 TURNED LT OF FORWARD TAN TO
POST WITNESSED BY ORIGINAL B.T.S.
101° 37' 47.3' SET STONE.

NORTH TO LEAVE SWAMP 40'
SOUTH " " " 50'

CEDAR STUMP 12" N 31E 51.8 LK
PINE " 22" N 16W 104.36 LK
BALSAM 6" S 25E 23.6 LK
BALSAM 6" S 37 W 41.7 LK.

MOUNDED WITH STONE.

EAST BET 6-7

BEGIN AT STA. 79.52 ON RANDOM BET 7-12
(SEE PAGE 76)

82.69 TURNED RT OF BACK TAN. TO
POST WITNESSED BY ORIGINAL ST.
136° 50' 55.2'

BOULDER 9x6' 1 1/2' ABOVE GROUND
S. 56W TO NEAREST EDGE. 32.9 LKS
HEMLOCK STUMP 12" N 52W 30.6 LKS.

MOUNDED WITH STONE.

85.50 SMALL LAKE LIES SOUTH APPROX. 1000'

82.10 ENTER SWAMP.

83.50 CREEK 4' WIDE FLOWS NORTH COMING
FROM SE.

84.40 LEAVE SWAMP.

84.80 ENTER SAME SWAMP.

89.40 LEAVE " "

74.60 ENTER " "

82.30 C OF ROAD IN SWAMP N-S.

82.37 TURNED RT. OFF BACK TAN NE. TO

SEC COR 141° 43' 56.5'
(SEE PAGE 79)

4.
17.
26.
27.
28.
40.
40.
0.
15.
22
32

T34N RBE.

EAST BET 5-8

BEGIN AT STA 82.37 ON RANDOM BET. 6-7
(SEE PAGE 80)

4.0 LEAVE SWAMP
17.30 CREEK 4' WIDE FLOWS NORTH
26.03 OFF SET SOUTH FOR TRIANGULATION OFF
LAKE. $78^{\circ} 58'$ BET HUBS ON RANDOM
27.0 MARSH
28.3 TO LAKE
40.08 LEAVE LAKE
40.75 STA. OF HUB TO WHICH WE TRIANGULATED.
TURNED RT OFF BACK TAN. $89^{\circ} 22'$ 6.2'
TO OLD POST ^{EVIDENCED BY} AND A ORIGINAL BT. REMOVED
THIS BT. TO CO. AGENTS' OFFICE (LINCOLN Co.)
DID NOT CONTINUE RANDOM LINE TO CORS 4,
5, 8, 9. SET A WOOD POST BECAUSE
OF BOGGY SHORE. SET TWO STONES
ON A STRAIGHT LINE ACROSS THE POST
FOR WITNESSES SET ONE STONE $N29^{\circ}W$
(DISTANCE ACROSS LAKE NOT MEASURED. IT
SETS. AT THE EDGE OF A MARSH WITH A
STEEP HILL TO THE NORTH. PEAK OF HILL
ALSO ON LINE. SET OTHER STONE
 $S29E. 108.0'$

SOUTH BET 7-8.

BEGIN AT STA. ~~82.37~~ ^{79.45} ON RANDOM BET.
6-~~7~~ ⁵ (SEE PAGE 80)

0.60 LEAVE SWAMP.
15.10 ENTER "
22.00 LEAVE "
32.60 ENTER "

T.34N. R8E.

40.10 LEAVE SWAMP

40.33 TURNED RT. (N.E.) OFF BACK TAN. TO OLD
 STAKE. STUMPS LIKELY TO BE WITNESSES
 CORRESPOND. $56^{\circ} 31'$ 40.1' STONE 127.51
 SETS AT S.E. POINT IN SWAMP. BLAZE 139.42
 LINE TO IT. 157.14

PINE STUMP AT EDGE OF SWAMP. 27° N18E 125.3 162.53PINE " 26° N82W 133.8 LKS.

MOUNDED WITH STONE.

62.80 SMALL POND ABOUT 300'-500' (N-S) ABOUT
 350' WEST OF RANDOM LINE

79.97 FELL WEST OF STONE 40.0'
 (SEE PAGE 74)

SOUTH BET 14-15 AND 22-23

BEGINNING AT SEC. COR STONE 10, 11, 14, 15

20.27 LEAVE ROAD AT FENCE LINE FENCE RUNS
 SOUTH

40.51 IRON STAKE WEST 7.4' OR 11 LK. ALSO
 END OF FENCE.

64.39 OFFSET EAST FOR TRIANGULATION 287.6'

65.50 TURNED LT. $98^{\circ} 57'$ 14.2' (FT) OR 21.5 LK
 OFF BACK TAN. TO MC. WITNESSED BY
 IRON AND WOOD STAKE.

65.55 TO LAKE

97.57 LEAVE LAKE

97.63 HUB FROM WHICH TRIANGULATED TURNED
 $7^{\circ} 28'$ [2194.4' (FT)] BET. HUBS.

ALSO TURNED LT (N.W.) OFF BACK TAN
 $21^{\circ} 5'$ TO MC. POST AND IRON PIN 73.0' (FT).

104.48 PRIVATE ROAD NNW

119.25 TO LAKE AND SET FLAG FOR TRIANGULATION

T34N R8E.

FROM HUB ACROSS OFFSET WEST 156.9
AND TURNED $74^{\circ} 14'$ BET HUBS ON RANDOM
LINE

127.51 LEAVE LAKE

139.42 PRIVATE ROAD SSW

157.14 TO & HIGHWAY C.T.H. "B" ENE

162.53 END OF RANDON TURNED EAST

$\frac{1}{4}$ BET 14-15 NOTHING TO WITNESS
HALF WAY UP A HILL WHICH SLOPES
TO THE NORTHWEST.

M.C. BET 14-15 5' FROM EDGE OF NORTH
SIDE OF WATER LINE

W. PINE 7" $N72^{\circ} E$ 15.2' (FT.)

MAPLE 5" $S73^{\circ} W$ 44.2' FT.

MOUNDING WITH STONE

M.C. BET 22-23 ON SOUTH SIDE OF 7-ISLAND
LAKE AT IRON STAKE

MAPLE 5" $S12^{\circ} W$ 11.1' (FT)

AT THE WEST SIDE OF A LONG BAY
60' WIDE 200' LONG

M.C. NORTH SIDE OF SMALL LAKE

WEST OFF RANDON AT STA 7835' 21.6' AT
HIGH WATER MARK - NOTHING TO WITNESS

MOUNDING WITH STONE

SET A WOOD POST AT STA 8400 WEST 19.6'
ON SOUTH SIDE OF LAKE

SEC CORNERS 22-23-26-27 BY DOUBLE PROP. MEAS.

WEST OFF STA. 5216.3' 11.5' ON RANDON

BET. 26-27 ON THE SOUTH SIDE OF A

SMALL SWAMP ON THE SOUTH SIDE OF

HIGHWAY "B" - 40' SOUTH OF SWAMP

W. PINE 5" $N 60^{\circ} E$ 26.5'

N. PINE 6" $S 22^{\circ} E$ 25.4'

T34N R8E

(FEET)

(FOLLOWING NOTES IN FEET)

EAST BET 23-26

BEGIN AT STA 10726.7 ON RANDOM
BET. 22-23

880 & "B" N-S

2514.9 SET 1/4 STONE NORTH OFF RANDOM 64.3'

BY PROP. MEAS. (MILE = 5266.9)

W. PINE 10" N 21 E 53.2'

PINE STUMP 14" S 1/4 W 82.4'

MOUNDED WITH STONE

5143.5 TURNED RT OFF BACK TAN. TO VERY
OLD STAKE. FENCE LINES TO IT.

92° 31' 55.1' ACCEPTED AND SET
STONE.

OAK 12" S 29 W 88.0'

HEMLOCK 7" S 53 E 69.2

MOUNDED WITH STONE

EAST BET 24-25

0 00 5143.5 BET 23-26

13 63 FENCE N-S

2649.2 TURNED RT TO ORIGINAL COR.

92° 32' 38.6 OFF BACK TAN.

3153 & STA 17

3479.5 OFFSET NORTH TO AVOID WET SWAMP

(AT 3490) 184.6

4361 PEPPER CREEK

5143.9 TURNED LT. NE. OFF FORWARD TAN

TO 4" BRASS CAPED IRON PIPE 2° 49'

137.6

000
1142
1512
2200
2468
2665
2696.

3692.0
3927
5068.1
4300
4407
5056
5211.1

PIPE MARKED THUS -

SET 1/4 STONE AT ORIGINAL

W. PINE 11" NOT


INSCRIBED UPON

BECAUSE IT IS THE

ONLY 11" PINE NEAR S2E

60.2 MAPLE 22" N38W 7.3'

MOUNDED WITH STONE



NORTH BET 23-24

000 = 000 BET 24-25

1142 ENTER SWAMP

1512 LEAVE "

2200 TWO SMALL LAKES EAST ABOUT 800'

2468 ENTER SWAMP

2665 LEAVE "

2696.45 1/4 EAST 18.0' PROP. MEAS.

PINE STUMP 18" S46E 23.7'

OAK 4 1/2" N74W 10.8 (BARK INSCRIBED IN)

SOUTH 35' TO SMALL SWAMP.

MOUNDED WITH STONE

3692.0 SET FLAG FOR TRIANGULATION TOP OF HILL

3927 SOUTH SHORE OF CHAIN LAKE

5068.1 OFF SET WEST 292.5 TURNED TO

FLAG ON HILL 78°00' TO FLAG ON POINT

BETWEEN THE TWO LAKES 66°7'

4300 TO POINT ACROSS FIRST LAKE

4407 ACROSS POINT TO SECOND LAKE OF CHAIN LAKE

5056 LEAVE LAKE.

5211.1 END OF RANDOM

MP

N
° 49'

T34N R8E

(FEET)	NORTH	BET 13-14		
000	=	5211.1	ON RANDOM	BET 23-24
126.8	SET	SEC. CORNS.	13, 14, 23, 24	BY ^{DOUBLE} PROP. MEAS.
		CREEK FROM CHAIN LAKES	EAST 57'	1207.0
		WEST TO SWAMP	33'	
	W. PINE	16"	S48W	48.7'
	W. PINE	10"	N21W	61.0
	MAPLE	8"	S67E	44.1
239	ENTER	LAKE		
359	LEAVE	LAKE (EAST EDGE)		2000
2541	TO	LAKE		2130
2536.0	SET	FLAG FOR TRIANGULATION		2240
2614.5	SET	1/4 115.4 ^{EAST}	AT EDGE OF LAKE AS	2370
		ORIGINAL NOTES	CALLES FOR.	2445
	PINE STUMP	22"	S38E	13.3
	"	18"	S11°W	42.6
3912	LEAVE	LAKE		2602
4078	STATION	FROM WHICH OFFSET 152.1'	AND	2620.2
	TURNED	84°22'	FOR TRIANGULATION	
3604.4	SET	M.C. STONE ON NORTH SHORE		
	OFF	LAKE EAST 147.6'		
	NORWAY	15"	N76E	16.9
	"	17	N85W	12.3
4572	ENTER	LAKE CORNER		3118.6
4689	OVER	CORNER OF LAKE		3120
4805	ENTER	SWAMP		3715
4995	CREEK	FROM LAKE	6" WIDE	3544.6
5133	CREEK	FLOWS EAST	6"	
5215	LEAVE	SWAMP		
5262.9	TURNED	RT (N.E.) OFF FORD. TAN. 255.7		3719.4
	54°58'	TO CORNER STONE	SET 1937	
	(PAGE 71)			4077.

T34N R8E

WEST BET 14-23

BEGIN AT STA. 5211.1 ON RANDOM BET

23-24

- MEAS.
- 1207.0 SET FLAG FOR TRIANGULATION OF LAKE
AND SET HUB ACROSS
- 1263 LAKE
- 1670 LEAVE LAKE ENTER SWAMP
- 1679.0 HUB ACROSS FROM WHICH WE OFFSET NORTH
294.3 TURNED $58^{\circ} 4'$ BET HUBS.
- 2000 LEAVE SWAMP
- 2130 ENTER "
- 2240 LEAVE "
- 2370 ENTER SWAMP
- 2445 CREEK FROM LAKE (SNAKE) FLOWS ESE.
- 2370.8 SET A WOOD POST M.C. NORTH $165.3'$
MOUNDED WITH STONE
- 2602 LEAVE SWAMP
- 2620.2 SET $\frac{1}{4}$ W.C. SOUTH OF POINT WHICH IS
IN THE LAKE $80'$
NORTH OF W.C. $26'$ TO EDGE OF
WATER. PINE WEST $5'$ MARKED
WITH AN "X" $70'$ SOUTH TO LEAVE SWAMP
- 3118.6 FLAG FOR Δ
- 3120 TO SNAKE LAKE ~~MARKED~~.
- 3715 LEAVE " "
- 3544.6 SET WOOD M.C. POST ON WEST SHORE OF
SNAKE LAKE IN BOG NORTH OF RANDOM 179.0
- 55.7 3719.4 OFFSET NORTH FOR Δ $152.6'$ TURNED $75^{\circ} 45'$
BET HUBS.
- 4077.2 TURNED LT. OFF BACK TAN $136^{\circ} 22'$ $275.1'$
TO IRON STAKE M.C. WITNESSED.
- | | | | |
|----------------|---------|-------|-------|
| PINE STUMP | 25" | N32 E | 27.9' |
| " | " | S37 E | 22.5' |
| OLD PINE STUMP | BT. 20" | N73 E | 20.1' |
- CORNER IS IN LAKE

T34N R8E

	EAST BET 13-24	4254.4
	BEGIN AT STA 5211.1 ON RANDOM	
	BET 23-24	4232.0
535	ENTER CAMP "2" LAKE	4239.9
640	LEAVE " " "	
1930	CREEK FROM CAMP 2 LAKE FLOWS SE.	
2560	TAN. TO SAME CREEK FLOWS SE.	
2694	SET $\frac{1}{4}$ STONE NORTH 121.6' OFF RANDOM	
	PINE STUMP 18" N20E 66.0'	444.0
	PINE STUB 36" S15W 26.8'	5284.0
	TO A VALLEY RUNNING SE-NW - 50'	
	MOUNDED WITH STONE.	
4065	ENTER SWAMP	
4223	LEAVE " "	
5342.9	TURNED RT. OFF BACK TAN. TO	
	SEC. CORNS 13, 19, 24, 19 SET BY	
	LANGLADE CO. 100° 27' 118.4' (IRON PIPE)	
	MAPLE 14" NE 17'	
	HEMLOCK 9" NW 12.4'	
		56.2
		60.0
	SOUTH BET 15-16	480
	BEGIN AT STONE CORNS. 9, 10, 15, 16	650
4631	SET FLAG FOR Δ	756
463	ENTER LAKE	856
988	LEAVE " "	700.9
998.1	HUB FROM WHICH OFFSET FOR Δ 139.7	1030
	TURNED 75° 22' BET HUBS.	700 1442
2634.5	TO OLD $\frac{1}{4}$ POST IN LAKE WEST OF	1451.
	RANDOM 0.2' ^{SET Stone} IN INLET BET. BASS AND	
	LONG LAKES PINE STUB N26E 53.6	1460.
2878	ENTER BAY OF BASS LAKE	
2990	LEAVE " " " "	
3258.4	SET FLAG FOR Δ	
3230	TO LAKE	

T34N R8E

4254.4 HUB FROM WHICH OFFSET WEST 210' AND
TURNED 78° 26' BET HUBS ON RANDOM

4232.0 LEAVE BASS LAKE

4239.9 SET MC EAST 23.1'

HEM. 7" SO 76 E 18.7'

HEM 10" DUE SOUTH 12.8

LOT STAKE NO 26-27 N 48 E 22.0'

MOUNDED WITH STONE.

4441.0 ROAD TO LAKE LOTS.

5284.0 TURNED RT. OFF BACK TAN. 93° 53'
38.3 TO STAKE AND BT. TO WITNESS IT.
CORRECT DISTANCE FROM LAKE.

HEMLOCK 8" (OLD BT) N 65 W 11.0'

STONE SETS AT HIGH WATER MARK.

EAST - WEST LINE MISSES NORTH SIDE
OF COTTAGE TO THE EAST.

EAST BET 15-22

BEGIN AT STA. 5284.0 BET 15-16

56.2 OFFSET NORTH 150.4 FOR Δ TURNED 73° 5'

60.0 "LONG" LAKE

480 LEAVE LAKE

650 HEINAMAN COTTAGE

756 ENTER LAKE (LONG)

856 ACROSS " TO POINT

700.4 FLAG FOR Δ

1030 ~~700~~ ENTER SAME LAKE

1442 LEAVE LAKE

1451.4 OFF SET SOUTH 232.7 FOR Δ AND
TURNED 72° 47' BET HUBS

14600 MC IRON PIPE NORTH 1.4' OLD
BLAZES TO IT. SET STONE.

FOOT BRIDGE NORTH 262' AT NARROWS
IN LAKE 50'

MOUNDED WITH STONE.

T34N R8E

1607	HIGHWAY "B"	
2355.6	SET M.C. ON EAST SHORE "7-ISLAND" LAKE 3.9' NORTH 5' NORTH OF A BOAT DOCK	
	SOUTH BET 21-22.	
	BEGIN COR STONE 15, 16, 21, 22.	
350	LEAVE "LONG" LAKE 100' EAST OF RANDOM.	1930
1098	E FIRE LANE E-W	2315
1230	ENTER SWAMP.	2591.1
1453	LEAVE "	
2642.5	TURNUED LT. OFF BACK TAN TO VERY OLD STAKE AND ORIGINAL BT. 87° 37' 22.6'	
	ADD SET STONE ACCORDINGLY.	2965
	BALSAM 7° N10W 11.6	2964.5
	BIRCH ORIGINAL (UPROOTED) 568°W 25.0'	3359.9
	WEST TO E OF OLD RR GRADE PROPOSED FIRE LANE 73'	3700
	MOUNDED WITH STONE.	4305
2826	E PROPOSED FIRE LANE SSE.	5000
2870	ENTER SWAMP.	5125
3046	LEAVE "	5355.3
3220	E FIRE LANE SSW	
3519	FIRE LANE EAST OF JUNCTION OF PROPOSED FIRE LANE 200' BRs. SW	5360
3943	ENTER POND } POND LIES TO THE EAST.	
4040	LEAVE " }	
5275.9	TURNUED LT. OFF BACK TAN 100° 2' 55.3 TO SEC CORs. 21, 22, 27, 28. AS EVIDENCED BY ORIGINAL BT. AND OLD BLAZE LINE.	860
	BUILT AN EARTH POINT INTO SWAMP - LARGE BARROW PIT NORTH SIDE OF SWAMP. - STONE SETS 10' IN SWAMP.	1280
	OAK 6" N77E 36.8'	1456
	OAK 7" S76E 31.3'	2560.4
		2700
		2905
		4100

T34N R8E

OAK 13" N52W 46.4'

STONE SUBJECT TO FLOODING.

EAST BET. 22-27

BEGIN AT STA. 5275.9 ON RANDOM BET 21-22

1930 ENTER SWAMP

2315 LEAVE "

259.1 SET 1/4 CORNER SOUTH 48.7' AT BLAZE LINE

HEMLOCK 11" S19E 71.5'

W. PINE 10" N39W 94.0

NORTH 88' TO SWAMP. MOUNDED WITH STONE.

2965 ENTER LAKE.

2964.5 FLAGED FOR \triangle

3359.9 ON HUB ACROSS OFFSET SOUTH 95.9' AND

TURNED 76° 22' BET HUBS.

3700 ENTER OPEN SWAMP

4305 LEAVE " "

5000 HIGHWAY "B" (E NORTH 25')

5125 ENTER SWAMP.

5355.3 INTERSECT N.S. LINE BET 22-23 AT

10565.3

5360 LEAVE SWAMP

WEST BET 16-21

BEGIN AT STA. 5284.0 BET 15-16

860 OLD HIGH WATER MARK

1280 LEAVE OLD HIGH WATER MARK OF BASS LAKE.

1456 FIRE LANE NW-SE

2560.4 TURNED RT. OFF FORD. TAN. TO 1/4

POST 21° 24' 40.5'

OLD BT. HEM. 16" N15E 2.9

2700 ENTER SWAMP

HEMLOCK 6" S66W 53.8

2905 LEAVE "

4100 LAKE NORTH ABOUT 150'

T34N R8E

501.2 TURNED RT OFF FORD TAN TO SEC.
 COR STAKE - ORIGINAL B.T. $62^{\circ} 30' 36.4'$
 MAPLE 16" N E 24.0
 ELM 14" S E 51.7
 ASH 9" S W 28.2
 ASH 6" N W 33.7

SMALL WET SPOT WEST OF STONE.

SOUTH BET 25-26

TURNED RT TO FOLLOW SECTION LINE MORE
 CLOSELY $0^{\circ} 46'$ OFF FORD TAN AT END OF
 RANDOM BET 23-24

1289.4 FENCE

2025 & HIGHWAY NO. 

262.6 TURNED RT OFF BACK TAN $90^{\circ} 0' 38.3'$
 TO IDENTIFIED $\frac{1}{4}$ COR.

PINE STUMP 40" N55E 43.8'

MAPLE 10" N15W 105.2

MOUNDED WITH STONE.

5299.3 TURNED RT OFF BACK TAN TO IRON
 STAKE SECTION CORS. 25, 26, 35, 36
 AT & ROAD AND ON FENCE LINE.
 $90^{\circ} 45' 63.3'$ SET STONE 8" BELOW
 TOP OF ROAD OFF SET A PINE STAKE
 SOUTH 30 LK.

WEST BET 26-35

BEGIN AT STA 5299.3 ON RANDOM
 BET 25-26 TURNED NORTH OF $90^{\circ} 2^{\circ} 28'$
 TO FOLLOW ROAD

2593 & HIGHWAY 17

2571.3

2547.3

TURNED RT OFF FORD TAN. TO COR
 STONE SET AT INTERSECTION OF ROADS.
 $19^{\circ} 15' 23.3'$ 8" BELOW TOP OF ROAD
 OFFSET A STAKE $545^{\circ} W$

4405.9

5230.3

1319.

2700.

3165

3266

4171.9

5276.0

1266

1279

2600.1

4086

4700

5216.3

T34N R8E

4405.9 OFFSET SOUTH TO FOLLOW ROAD 124.6
 5230.3 TURNED RT. OFF BACK TAN $97^{\circ} 16'$ 16.3
 TO IRON PIPE CORNER TO SEC. 26, 27, 34, 35
 SET STONE 8" BELOW TOP OF ROAD
 AND OFF SET A STAKE NORTH 30 LKS.

SOUTH BET 35-36

OFF SET EAST AT STA 5299.3 90.0' TO RUN
 IN OPEN FIELD
 1319.7 OFF SET WEST 25.65' TO FOLLOW FENCE
 LINE
 2700.6 TURNED RT. SW OFF FORD. TAN TO FENCE
 CORN ACCEPTED AS CORNER. $58^{\circ} 34'$ 5.4'
 3165 ENTER RIVER (PRAIRIE)
 3266 LEAVE " "
 4171.9 OFFSET EAST 134.4'
 5276.0 TURNED LEFT OFF BACK TAN (N.W) $85^{\circ} 45'$
 149.8' TO STONE 12" BELOW TOP OF
 ROAD AT INTERSECTION OF ROADS.

NORTH BET. 26-27

TURNED $92^{\circ} 30'$ LT. OFF RANDOM BET 26-35
 1266 @ ROAD TO FIRE TOWER
 1279 CONCRETE POST 13.1' WEST OF RANDOM.
 2600.1 SET $\frac{1}{4}$ WEST 7.1'
 NOTHING TO WITNESS.
 ON SLOPE TO THE NORTH - RATHER ROCKY.
 4086 ENTER SWAMP.
 4700 LEAVE " "
 5216.3 COR WEST 11.5 SEE PAGE 83

SOUTH BET 34-35

BEGIN AT 00.0 BET 26-27 AND CONTINUE

SOUTH

T.34N. R.8E.

2050 STREAM - FALLS DURING WET WEATHER

2718.2 TURNED LT. OFF BACK TAN. TO 1/4 COR.

STAKE AND IRON ROD. 60°45' 4.0'

MAPLE 14" N47W 40.0'

ELM 9" S75E 34.0'

FENCE LINES TO IT.

4046.1 1/6 COR POST WEST 14'

5276.4 TURNED RT. WEST OFF FORD. TAN. TO SEC.

COR STONE 13°16' 102.1'

WEST BET 27-34

BEGIN AT STA. 16.1 ON RANDOM BET 34-35
WHICH IS 2.7' EAST OF STONE.

1853 ENTER SWAMP.

1977 LEAVE "

2442.8 OFFSET SOUTH FOR Δ 134.4' TURNED 57°26'

2484 POND

2648 LEAVE POND

26532 HUB ACROSS

26754 SET 1/4 STONE SOUTH ~~32.1'~~ 27' FROM

POND AT HIGH WATER STAGE

BOULDER 3'x4' 18" ABOVE GROUND

N40°W 33'

MOUNDED WITH STONE

3700 SMALL LAKE SOUTH 90'

3942 ENTER SWAMP

5025 LEAVE "

5379.1 END OF RANDOM.

SOUTH BET 33-34

BEGIN AT STA 5379.1 BET 27-34

64.2 SET SEC COR. EAST 31.0' BY PROP.

MEAS. ON SOUTH SIDE OF HILL NEAR
TOP

3160

3455

2727.

3390

39

3600

5254

1105

1325

1740

2600

2611.

4819

5105

5097

T.34N. R.8E.

TWIN MAPLE 5" N45W 61.4'
 BASSWOOD 5" SITE 19.5'

MOUNDED WITH STONE.

3160 ENTER SWAMP

3455 LEAVE "

2757.0 SET $\frac{1}{4}$ EAST 45.9

ASPEN 4" N41E 5.6'

" 4" S62W 5.1'

INSCRIBE IN BARK ONLY.

SOUTH TO NARROWS OF OPEN SWAMP
 31'-OLD LOGGING ROAD THROUGH NARROWS,
 EAST TO OPEN SWAMP 130' NEAR CENTER

MOUNDED WITH STONE.

3390

39

ENTER EAST EDGE OF OPEN SWAMP

3600 LEAVE " " " "

5254.9 TURN LT. OFF FORD. TAN. $24^{\circ}18'$ 148.0 SEC COR. STONE.

WEST BET 28-33

BEGIN AT 5379.1 ON RANDOM BET 27-34

1105 ENTER OPEN SWAMP

1325 LEAVE " "

1740 SMALL POND NORTH 20'

2600 SMALL " SOUTH 50'

2611.9 $\frac{1}{4}$ STONE SOUTH 45.8' AT EDGE OF
 POND - SOUTH 6' TO POND. MOUNDED WITH
 STONE.

4819 FIRE LANE SW-NE

5105 ENTER OPEN SWAMP.

5097.5 TURNED LT. OFF FORD. TAN. $9^{\circ}52'$

159.7' TO SEC COR POST

REPLACED WITH NEW POST -

SET A WITNESS STONE MARKED W.C.

MAGNETIC NORTH 94.0' MOUNDED WITH STONE.

SET A WITNESS MAGNETIC EAST 177.0'

MOUNDED WITH STONE.

T34N R8E

SOUTH BET 27-28

BEGIN AT STA 5275.9 ON RANDOM BET 21-22.

65	ENTER SMALL SWAMP	
140	LEAVE " "	2761.9
1342	AN OLD $\frac{1}{16}$ STAKE WEST 38' A WATER HOLE BRS. EAST 10' FROM STAKE	3543 5200
2000	ENTER SWAMP	5377.5
2380	LEAVE " "	
4050	SWAMP ON THE WEST	
4600	LEAVE SWAMP ON THE WEST.	
5269.9	INTERSECT E-W LINE BET 27-34 AT 5214.9.	

SET $\frac{1}{4}$ BET 27-28 WEST 93.8 AT STA 2671.3

BLACK ASH 6" DUE WEST 49.7'
YELLOW BIRCH 6" S 45E 36.5
MOUNDED WITH STONE.

WEST BET 21-28

BEGIN STA 5275.9 ON RANDOM 22-27.

55	ENTER SWAMP	
181	LEAVE " "	
592	☒ FIRE LANE WSW	
655	ENTER SWAMP	
912	ENTER POND	2720
1143	LEAVE " "	3000
1156.8	OFFSET 137.2 AND TURNED $60^{\circ} 51'$ TO HUB AT STA 910.8	4675 5323.3
2213	NORTH END OF TURTLE LAKE	
2211.9	FLAG FOR Δ	
2722	LEAVE LAKE	
2752.3	SET MC. NORTH 14.2' AT HIGH WATER OF LAKE. LAKE BECOMES VERY LOW IN DRY YEARS.	

T34 R8E

$\frac{1}{4}$ IS EAST 55.5' IN LAKE,
 MOUNDED WITH STONE, - CENTER
 OF SMALL ISLAND BRS. S6PE 3-400' -
 LOOKOUT MT. FIRE TOWER BRS S48°30'E,
 2761.9 HUB. OFFSET SOUTH 275.6' TURNED 63°23'
 3543 ENTER NARROW SWAMP
 5200 LEAVE " "
 5377.5 TURNED LT. N.E. OFF BACK TAN TO ORIGINAL
 SEC. COR. STAKE AND ORIGINAL BT.
 41°55' 51.6'
 BIRCH 24" S80E 132.5'
 MAPLE 11" N15W 144.6'
 NORTH 35' TO ENTER WEST END OF
 LONG SWAMP 200' ACROSS AT THIS POINT,
 MOUNDED WITH STONE.

NORTH BET. 16-17
 BEGIN AT STA. 5201.2 BET 16-21
 2367 & FIRE LANE E-W
 2677.8 SET $\frac{1}{4}$ WEST 15.7
 W. PINE 16" S83W 67.5'
 BIRCH 9" N48E 25.9'
 EAST TO LEAVE SWAMP 25'
 NORTH TO CREEK 40'
 SOUTH TO & OLD RR GRADE 62.0'
 2720 & CREEK WSW 3' WIDE
 3000 LARGE LAKE EAST ABOUT 450'
 4675 ENTER SWAMP
 5323.3 WEST OF COR STONE 0.9'.

T34N R8E

WEST BET 17-20

TURNED 90° OFF STA 37.6 ON RANDOM
BET 16-~~16~~¹⁷

4500
5133.9

1620 TAN TO CURVE IN FIRE LANE.

3080 FIRE LANE N-S

2665.85 SET $\frac{1}{2}$ STONE NORTH 45.45'
OLD BLAZE LINE NEAR.

000
0420
530
560

NOTHING TO WITNESS MOUNDED WITH
STONE

3900 SMALL LAKE ABOUT $\frac{1}{2}$ MILE SOUTH.

2659
2806.2

5354.8 INTERSECT N-S RANDOM AT STA 10731.2
SET SEC CORS 17, 18, 19, 20 BY PROP.

MEAS. EAST AT STA 10635.3 - 39.3'

MOUNDED WITH STONE. AREA FLAT
AROUND STONE.

2780

SOUTH BET 20-21

BEGIN AT STA. 16.4 ON RANDOM BET 17-20

2639.0 TURNED RT. SW. OFF FORD TAN. 64° 31'
TO OLD $\frac{1}{4}$ POST 43.2' SET STONE

MAPLE 12" NISE 48.0'

3860

MOUNDED WITH STONE.

3991

5115 ENTER SWAMP.

3

5417 LEAVE "

452

5406.5 TURNED LT OFF BACK TAN TO ORIGINAL
SEC. CORS. (A.W.) 82° 23' 133.0

5380

SOUTH 28-29

000 STA 5377.5 ON RANDOM BET 21-28

2607.2 TURNED RT. (EAST.) OFF BACK TAN TO $\frac{1}{4}$
COR. STAKE 90° 44' 6.4' SET STONE

000

NOTHING TO WITNESS - MOUNDED

1484

WITH STONE.

1483.7

3967 ENTER WET MARSH.

2200

2204

T34N R8E

4500 LEAVE WET MARSH
 5133.4 TURNED RT. OFF FORD TAN S.E. TO
 SEC COR $10^{\circ}25'$ 112.0'

SOUTH BET 32-33

000 STA 5133.4 ON RANDOM BET 28-29
 0420 ENTER MARSH
 530 LEAVE "
 560 $\frac{1}{2}$ FIRE LANE NE-SW
 2659 ENTER SWAMP
 2806.2 TURNED LT. OFF BACK TAN. TO ORIGINAL
 $\frac{1}{4}$ CORNER - POINT OFF STAKE PRESERVED IN
 THE MUCK. $46^{\circ}43'$ 62.2'
 2780 LEAVE SWAMP
 SET $\frac{1}{4}$ STONE AT ORIGINAL POSITION.
 ORIGINAL B.T. LEFT (BIRCH)
 ASH 6° N 6° E 23.4'
 ASH 5° N 66° W 26.0'
 50' SOUTH TO LEAVE SWAMP 30' WEST
 TO LEAVE SWAMP.

3860 ENTER SWAMP

3991 LEAVE

3

4525 DEEP VALLEY E-W

5380.3 TURNED LT. SW. OFF BACK TAN. TO
 SEC COR STONE SET BY TOWN OF
 RUSSELL $135^{\circ}00'$ 79.4'

WEST BET 20-29

TURNED 91° OFF RANDOM BET 28-29
 000 5377.3 ON RANDOM BET. 28.-29.
 1484 LAKE
 1483.7 FLAGGED FOR Δ
 2200 LEAVE LAKE
 2204.1 HUB FROM WHICH OFF SET SOUTH 124.0'

T34N R8E

THEN TURNED 80° 14' BET. HUBS.

- 2674.5 SET 1/4 STONE NORTH 13.1' - NOTHING TO WITNESS. MOUNDDED WITH STONE. NORTH BY PACING 575' TO BOGGY EDGE OF POND
11055
- SET A WOOD POST ON EAST SHORE OF LAKE BET SEC. COR 20, 21, 28, 29 AND 1/4 BET 20-29 NORTH 22.4 AT STA 1502.7.
11171
- 3400 SMALL LAKE ON THE SOUTH ABOUT 200' DEEP
12880
- 3625 ~~DEEP~~ RAVINE. N-S
12960
- 4452.6 FLAGED FOR A ENTER LAKE
13100
- 4684.1 OFF SET NORTH 85.0' AND TURNED 67° 14'
13313.8
- 4770 LEAVE LAKE.
14940
- 5364.6 TURNED LT. OFF FORD. TAN. TO ORIG. COR. 21° 56' 24.0' ORIGINAL BIRCH B.T. SEC. COR 19, 20, 29, 30 SETS IN SWAMPY HOLE 40' ACROSS. - NOTHING TO WITNESS.
15993.7

SOUTH BET 17-18

BEGIN 40' WEST OF STONE CONTINUING RANDOM BET 7-8 ALSO STATIONING.

- 7065 CREEK 5' FLOWS WEST
2617.5
- 7895 E OLD SLEIGH ROAD BRS NE. SOUTH
5085.4
- 7956.8 EAST 39.65' TO AND SET 1/4 STONE ON TOP OF HIGH HILL 100' EAST OF HIGHEST POINT. 78' WEST TO LOGGING ROAD. NOTHING TO WITNESS.
- 9150 OLD CAMP SITE.
- 9253 ENTER SWAMP BRS WEST.
- 9526 LEAVE
- 10635.3 SET SEC. CORS. 17, 18, 19, 20 BY DOUBLE PROP. MEAS. EAST 39.3. NOTHING TO WITNESS
100
- MOUNDDED WITH STONE. AREA FLAT
278
- AROUND STONE.
330
- 369

T.34N. R.8E.

SOUTH BET 19, 20.

CONTINUING RANDOM BET 17-18 (SEE PAGE 100)

11055 FIRE LANE E-W

11171 CREEK FLOWS N.W.

12880 ENTER SWAMP

12960 CREEK E-W

13100 LEAVE SWAMP

13313.8 SET 1/4 STONE EAST 34.75' ON NORTH SIDE OF HILL, AND TERRACED. MOUNDED WITH STONE.

14940 120' TO LAKE

15993.7 TURNED RT OFF BACK TAN 87°16' 30.2" TO ORIGINAL COR.

EAST BET 25-36

BEGIN AT STONE

2617.5 SET 1/4 STONE NORTH 106.05'

NORTH 25' TO LEAVE SWAMP

292' EAST TO PRARIE RIVER (125' ACROSS)

380' WEST TO LEAVE SWAMP NORTH

TO E ROAD 90'

PINE 7" S4°E 120.6'

5085.4 TURNED RT N.E. OFF BACK TAN. TO SEC COR. ESTABLISHED BY LANGLADE CO.

125° 12' 259.6'

WEST BET 18-19

000 BEGINING AT STA 5364.6 ON RANDOM

BET 17-20.

100 SWAMP

278 CREEK RUNS N.W.

330 LEAVE SWAMP.

369 FIRE LANE NW-SE.

T34N R8E

FEET
 1010 ENTER SWAMP
 1139.5 SET FLAG FOR Δ
 1155 LAKE
 1460 LEAVE LAKE
 1469.9 OFF SET NORTH 136.2' TURNED 67° 36' BET. HUBS
 2574.0 SET ¼ STONE NORTH 69.8' AT THE
 VERY PEAK OF A HIGH HILL.
 NOTHING TO WITNESS
 MOUNDED WITH STONE
 5437.0 TURNED RT (NORTH) OFF FORD. TAN. 101° 13'
 42.5' TO SEC. COR. POST.
 NO WITNESSES - MOUNDED WITH STONE

SOUTH BET 13-18 R7-R8

BEGIN AT STONE ON 2° 30' VAR.

95 ENTER SWAMP.
 225 LEAVE "
 2623.5 SET ¼ STONE 22.15' WEST IN CLEARING
 OF OLD CAMP SITE.
 NOTHING TO WITNESS - MOUNDED WITH
 SAND AND STONE. 45' NORTH TO ⊕
 OF RELOCATED FIRE LANE 28' SOUTH
 TO ⊕ OF ABANDONED FIRE LANE.
 2580 ⊕ FIRE LANE E-W

3234 ENTER SWAMP.
 3650 CREEK E-W 8' WIDE
 4670 LEAVE SWAMP.
 5250.9 TURNED LT OFF BACK TAN TO SEC STONE
 84° 55' 44.5'

275
 372
 430
 965
 1060
 1675
 1685
 1933
 1949
 2635
 3955
 5115
 5280
 22
 80
 2260
 2553

T34N R8E

NORTH BET SECS. 31-36 R7-R8

BEGINNING AT STA. 5300.0 BET 1-36 T34 R7E.

275 ENTER SWAMP.

372 LEAVE "

430 $\&$ ROAD E-W.

965 ENTER SWAMP

1060 LEAVE "

1675 POND (HIGH WATER)

1685.5 SET FLAG FOR Δ

1933 LEAVE POND.

1949.2 HUB - OFFSET WEST 92.9 TURNED $70^{\circ} 35'$ 2635.5 TURNED LT. OFF BACK TAN. TO $\frac{1}{4}$ STAKEBLAZE LINE TO IT $90^{\circ} 6'$ 18.2' SET STONEELM 8" $55^{\circ} E$ 34.8'MAPLE 14" $S24W$ 36.0'

MOUNDED WITH STONE.

3955 $\frac{1}{16}$ POST EAST 12.0'5115 $\&$ OLD ROAD E-W.5280.0 TURNED RT. OFF FORD. TAN. $86^{\circ} 43'$ 15.4' TO

POST (OLD) AND SET STONE.

OAK 4" $S52E$ 40.4'OAK 4" $S12W$ 20.3'

MOUNDED WITH STONE. 38.0' WEST TO SWAMP.

WEST BET 25-36 (T34 R7E)

BEGINNING AT STA 5280 ON RANDOM BET 31-36

22 SMALL SWAMP.

80 LEAVE SMALL SWAMP.

2260 $\&$ OLD ROAD.25538 TURNED RT. NW OFF FORD. TAN. $50^{\circ} 30'$

75.7' TO OLD STAKE. WITNESSED BY OLD (ORIG.)

BUTTERNUT BT..

OAK 4" $S73W$ 25.6'

NORTH TO ROAD BY PACING 90'

MOUNDED WITH STONE.

T34N R8E

- 2945 @ OLD ROAD
- 3136 @ OLD ROAD
- 4050 OPEN SWAMP - 500' ACROSS SOUTH 40'
- 5122 INTERSECT N.S. LINE AT 153.2
- 51824 TURNED LT (S.W) OFF FORD. TAN. TO SEC
COR STAKE. 43.7' 27° 55'

EAST BET 30-31

BEGIN AT STA 5280 BET 31-36

- 2837.6 TURNED RT OFF BACK TAN. 83° 30'
26.6' TO OLD STAKE STUMPS LIKELY BTS.
- 3165 ENTER SWAMP NORTH TO SLOUGH HOLE 40'
EAST TO " " 55'
MOUNDED WITH STONE.

3300 LEAVE SWAMP

3700 ROAD N-S

3825 SMALL SWAMP.

- 5479.8 TURNED RT. N.W. OFF BACK TAN. TO
POINT OF OLD STAKE 78° 46' 23.2'
WITNESSED BY OLD BT.

SET STONE. - BET. TWO SMALL
HILLS. NOTHING NEAR TO WITNESS.
MOUNDED WITH STONE.

SOUTH BET 31-32

BEGIN AT STA 5479.8 BET 30-31

- 280 ENTER SMALL SWAMP
- 365 LEAVE " "
- 730 ENTER " "
- 885 LEAVE " "
- 1005 ENTER " "
- 1067 LEAVE " "
- 1973 OLD LOGGING ROAD.
- 2215 ENTER SWAMP.
- 2385 LEAVE " "

2530
2600
2620
3385
3540
4778
496
527
130
20
55
67
143
150
24
263
3845
396
5303

T34N R8E

2530 ENTER SWAMP

2605 LEAVE "

2626.9 TURNED RT. OFF FORD. TAN. TO OLD
CHARRED STAKE BT. WITNESS TO IT.MOUNDED STONE HIGH WITH SAND
NO STONE AVAILABLE. 26' NORTH TO
SWAMP.

3385 ENTER WEST END OF LARGE SWAMP

3540 LEAVE "

4778 ENTER LARGE OPEN MARSH.

4968 LEAVE " " "

5279.9 TURNED RT. OFF FORD. TAN. TO STONE.
BLAZED LINE 100' WEST OF STONE
CONFUSING

NORTH BET 29-30

TURNED NORTH OFF STA 5479.8 ON RANDOM
BET 30-31

130 WATER HOLE

208 LEAVE WATER HOLE.

550 ENTER SWAMP

675. LEAVE "

1435 ENTER OPEN MARSH BRS WEST.

1502 LEAVE " "

2640 SMALL LAKE EAST ABOUT 275'

26375 TURNED RT OFF FORD. TAN. TO IRON PIPE
55° 30' 31.7

MOUNDED WITH STONE. NOTHING TO WITNESS.

3845 ENTER SMALL OPEN SWAMP.

3968 LEAVE " "

5303.2 TURNED LT. OFF BACK TAN TO STONE.
91° 50' 44.7'

T34N R8E

WEST - 19-30

TURNED WEST OFF STA. 5303.2 ON RANDOM
BET 29-30

0 NARROW SWAMP E-W

201 LEAVE SWAMP.

325 40' SOUTH TO SWAMP.

810 SMALL SWAMP.

915 LEAVE "

2586.0 TURNED RT (NW) OFF FORD. TAN $52^{\circ} 36'$
30.5' TO ORIGINAL $\frac{1}{4}$ COR. STAKE & BT.

SET STONE ON SOUTH SIDE OF
HILL 100' FROM BOTTOM OF VALLEY
RUNNING NW-SE.

3717 ENTER OPEN MARSH.

3910 LEAVE " "

5436.3 TURNED RT OFF BACK TAN. $90^{\circ} 20'$
14.6' TO OLD STAKE. BLAZE LINE TO
IT.

NOTHING TO WITNESS - MOUNDED WITH
STONE.

NORTH BET 25-30 R7-R8

~~226~~ BEGIN AT STA. 5280 ON RANDOM BET

31-36

226 ENTER SMALL SWAMP

290 LEAVE " "

2641.9 TURNED RT. NE. OFF FORD. TAN.
 $73^{\circ} 35'$ 30.0' TO POINT OF OLD STAKE
ORIGINAL MAPLE BT. SE

SET STONE - MOUNDED WITH STONE

MAPLE 11" S62E 55.8'
Y. BIRCH 14 N30W 87.7'

582
287
295
319
358
367
373
390
403
528

225
524
1924
263

526

1010
1175
206
212
247
265

T34N R8E

2820 SLOUGH HOLE
 2872 LEAVE SLOUGH HOLE
 2955 ASH SWAMP BRS E-W
 3190 LEAVE "
 3583 ENTER SPRUCE SWAMP.
 3670 LEAVE " "
 3735 ENTER " "
 3900 POND 80' WEST 300' ACROSS (ROUND)
 4038 LEAVE SWAMP
 5286.9 TURNED RT. OFF FORD. TAN TO SEC. POST
 67° 4' 37.4'

NORTH BET. 19-24

R7-R8

TURNED OFF STA 5436.3 BET 19-30

223 ENTER SWAMP

524 LEAVE "

1924 CREEK FLOWS WEST

2637.9 SET $\frac{1}{4}$ STONE EAST 3.5'

NOTHING TO WITNESS. MOUNDED WITH
STONE.

5261.2 TURNED RT OFF FORD. TAN. TO STONE

90° 00' 7.1'

EAST BET 29-32

BEGIN AT STA. 5479.0 ON RANDOM

BET 30-31.

1010 ENTER SWAMP

1175 LEAVE "

2060 ENTER "

2120 LEAVE "

2470 ENTER "

2655.1 SET $\frac{1}{4}$ STONE NORTH 13.65'

EAST 2' TO LEAVE SWAMP

MOUNDED WITH STONE -

GROWTH. ASH 2"-3"-4"

T34N R8E

2620 LEAVE SWAMP

3160 ENTER "

3625 LEAVE "

4450 ENTER "

4919.2 TURNED LT. OF FORD TAN. TO SEC.

COR POST $0^{\circ}50'$ 3065'

