

CORNERS SET

T33-5

(1939)

CORS SET

9	6	15	5	5	4	4	3	26	2	19	1	2
17	18	16	7	6	1	2	3	25	41	28	40	20
54	7	77	8	14	9	10	27	11	38	12	32	
56	78	77	79	12	13	17	31	24	38	29	39	23
55	18	80	17	68	16	49	15	78	14	37	13	47
83	81	69	70	61	66	55	53	52	51	57	68	45
84	19	82	20	67	21	65	22	75	23	59	24	44
85	76	74	73	72	62	60	63	64	36	35	34	33
86	30	88	29	92	28	37	27	36	26	115	25	49
87	77	58	103	90	112	113	114	94	118	120	119	43
88	31	93	32	117	33	109	34	95	35	121	36	42
100	101	99	102	116	107	108	110	111	105	106	107	32

G. 10575 163

6 LAST YEAR

SET 1/4 EET

①

4-9

SOUTH 45.2' AT STA. 7978.9

SET STONE HIGH AND

MOUNDED WITH SAND.

SEVERAL ACRES OF PINE

ABOUT 8" N WEST 550'

PINE STUMP 15" N 65° E 12.0'

" " 12" S 13° E 55.2'

②

SET SEC. CORS

3-4-9-10

AS EVIDENCED BY ORIGINAL

BT. AND BLAZE LINES ○

SET STONE HIGH AND  
MOUNDED

PINE ORIGINAL BT S 49 W 16.6

PINE STUMP 14' N 27 W 33.8

PINE STUMP 20" N 50 E 29.0

PINE " 11" S 71 E 37.5 ○

SET 1/2 BET

③

3-10

AS EVIDENCED BY ORIGINAL

BT. BEARING H. COLE'S

NAME DATED 5/22/99

OLD BLAZE LINE TO IT.

AT EDGE OF SWAMP.

MOUNDED WITH STONE

ELM 9" N 71 W 59.2

REMOVED BT (ORIGINAL TO  
LINCOLN CO SEAT)

④

BET 1/4  
BET 3-4

WEST OFF RANDOM

AT STA 3674.5 - 36.4'

NOTHING TO WITNESS

MOUNDED WITH STONE

1/4 BET 4,5

⑤

WEST 13.1' OFF

○ RANDOM AT STA 3541.9

NO POSITIVE EVIDENCE

MOUNDED WITH STONE

MAPLE 11" S 50 W 36.0'

SMALL LOW MARSHY MOIE

○ SW 40° 55'

⑥

4-5-8-9

AS EVIDENCED BY CROSS

BLAZE LINE AND OLD

STAKE,

MOUNDED WITH STONE

TAMARAC STUMP 4' HIGH

S 5° E 28.8

SET 4 BET

5-8

⑦

SOUTH OFF RANDOM AT

STA 2715.3 S. 7 - FALL ON

OLD BLAZE LINE N-S

BALSAM 6" N 85E 49.7'

MOUNDED WITH STONE

⑧

⑨

4-1-6

R4E R5E T35N

AT ORIGINAL COR.

IDENTIFIED BY OLD BT

STUMPS PROPER DISTANCE-

AND AN OLD BLAZE LINE

TO IT

MAPLE 8" S10W 31.9'

MAPLE 7" S34E 26.0'

MOUNDED WITH STONE-

AT EDGE OF SECOND

GROWTH TIMBER

⑩

SET CORNS 5, 6, 7, 8  
 AS IDENTIFIED BY STAMPED  
 IRON ROD AND AN OLD  
 STAKE. STUMP LIKELY  
 TO HAVE BEEN WITNESS  
 AT PROPER  $\frac{1}{2}$   $\frac{1}{2}$  DISTANCE

PINE STUMP SIZE 7.0'  
 MOUNDED WITH STONE  
 IN LOW GROUND

⑪

SET CORNS 1, 6, 7, 12  
 BET R5 - R4,  
 AT ORIGINAL COR.  
 ORIGINAL BT EXISTS.  
 BLAZE LINE TO IT.

BIRCH 18° N 57° W 44.0'  
 MAPLE 10 S 68° W 56.8'

MOUNDED WITH STONE  
 NEAR EDGE OF SCATTERED  
 TIMBER -

LOW



SET CORN E 9, 16, 17  
AT ORIGINAL COR IDENT-  
IFIED BY ORIGINAL BT.  
AND AN OLD STAKE

ELM 8" S 62 W 18.9'  
MAPLE 6" S 7 E 15.0'

MOUNDED

1/4 - 9-16

NORTH 41.7 AT STA

25660

MAPLE 6" N 67 E 67.7

FINE STUMP 10' S 19 W 26.8

MOUNDED WITH STONE

(14)

1/4 BET 8-9

EAST 11.7 AT STA

2642.6

NOTHING TO WITNESS

SET STONE HIGH BY MOUNDING

MOUNDED WITH STONE

c

(15)

1/4 5-6

EAST 40.4 AT STA,

2594.2

2594.2

AT WEST

SHOULDER OF ROAD.

SET 10" BELOW TOP OF

ROAD - OFF SET A STAKE

WEST

38' SOUTH OF 12" CUVERT

16

1/4 - 9-10

AT ORIGINAL COR

BT TO IDENTIFY IT.

AND OLD STAKE

ELM 5" S 81 W 39.3

MAPLE 5" N 87 E 5.9

ORIGINAL PINE STUMP 34" N 45 W

53' - NW OF SAWMILL

MOUNDED WITH STONE

17

CORS 9, 10, 15, 16

AT OLD STAKE PROPER

DISTANCE AND BEARING.

BLAZE LINE TO IT. IN

LOW LAND.

P. STUMP 16 N 60 W 21.35

" " 13 S 76 W 30.5

MOUNDED WITH STONE

(18)

SET  $\frac{1}{4}$  - 6-7

SOUTH 75.8 AT STA

2526.9 ON AN OLD <sup>LOGGING</sup> O

R.R. GRADE

NOTHING TO WITNESS,

MOUNDED WITH STONE

(19)

SET  $\frac{1}{4}$  BET 1-2

AT IRON STAKE MARKED

$\frac{1}{4}$ S - ON THE SOUTH  
SIDE OF THE FIRE

LANE AND AT THE

EDGE OF A SWAMP

BRS. NW-SE

NOTHING TO WITNESS.

MOUNDED WITH STONE

SET SEC COR 1-6-7, 14

EAST OF STA 5354, 3

7.55' MOUNDED WITH

STONE - BLAZE LINE

TO STONE - (APPEARS TO BE AN

OLD CAMP SITE)

MAPLE 5 N 1° W 32.6'

MAPLE 8 S 32 W 51.5'

ELM 8 S 36 E 95.9'

ELM 5" N 44 E 68.2'

53

21

SET 1/4 BET SEC

1-6 BET R5-R6

A - STANDARD CEDAR

LOCATION POST IN SWAMP

NO STONE NOTHING TO

WITNESS 5,6' EAST

OFF RANDOM AT

STA 261013

22

BET R5-R6

SET 1/4 BET SECTIONS

7-12 AT ORIGINAL CORN

ORIG. RT (PLAIN) AND STAKE

IN SMALL LOW HOLE

ELM NORTH 3'

ELM 8" S 60 W 19.1'

ELM 8" N 15 E 41.0'

23

SET SEC CORS 7, 12, 13

18 ON RANGE LINE BET

RANGES 5-6 AT

ORIGINAL COR LIVE

EASILY READ

MAPLE 5" N 22 W 35.8'

MAPLE 9" N 70 E 65.6'

MAPLE ORIG BT 22 S 17 W 176'

MAPLE ORIG BT 23 S 67 1/2 E 24.0'

MOUNDED WITH STONE

24

SET SEC CORS 10-11-14

15 BY PROP. MEAS

WEST <sup>234.0'</sup> OFF RANDOM LINE

AT STA 46.3 BET 14-15

= SOUTH OFF RANDOM BET

10-15 AT STA 53.50.0

23.0'

NOTHING TO WITNESS

MOUNDED WITH STONE

(25)

SET SEC CORS 2, 3, 10, 11  
BY DOUBLE PROP MEASUREMENT  
SOUTH OFF RANDOM BET

2-11 AT STA 53.5 -

~~56.8'~~ 56.8'

WEST OFF RANDOM BET

10-11 AT STA 20 - 135.9

NOTHING TO WITNESS

MOUNDED WITH STONE

(26)

SET 1/4 SEC CORS 2-3

BY PROP. MEAS. - WEST  
OFF RANDOM AT 2666.7  
68.0

NO SOUND TREE

WITHIN 200' TO WITNESS

TIMBER POINT EAST

200' . MOUNDED

WITH STONE



(27)

SET  $\frac{1}{4}$  BET 10-11

WEST OF STA. 2625.3

185.0 BY PROP. MEAS.

W. PINE STUMP 52' N 80' E 8.2

MOUNDED WITH STONE

SOUTH TO FIRE LANE

95'

N 41.3  
V 28.5

(28)

SET CORN 1, 2, 11, 12

BY DOUBLE PROP MEAS.

48.5

WEST OF RANDOM AT STA

101.0 BET 11-12 NORTH

OFF RANDOM BET 1-12

21.3 AT STA 211.0

NOTHING TO WITNESS

MOUNDED WITH STONE

SET SEC CORN 11, 12-13-14

BY DOUBLE PROP MEAS,

WEST OFF STA 0+6.7 ON

RANDOM BET 13-14 81.0'

NORTH OFF RANDOM BET 11-14

AT STA 0+02.0 75.5

CORNER IN EAST RUT  
N-S  
OF OLD ROAD - FIXED

ROAD TO GO AROUND THE  
STONE

MOUNDED WITH STONE

SET 1/4 BET 11-12

WEST 54.35 AT STA 0+751.6

NOTHING TO WITNESS

MOUNDED WITH STONE

31

SET 4 BET 10-15

SOUTH OFF RANDOM 11.6

AT STA 2715.7

NOTHING TO WITNESS  
MOUNDED WITH STONE

32

SET CORRS 1, 4 36 31

AS EVIDENCED BY ORIGINAL

BT 1° NE 31.7' <sup>R5 R6</sup>  
732N 33N

ON STEEP SLOPE

HEMLOCK 15" S40 E 19.1

CEDAR 22" N64 E 46.5

SP.

TERRISED AND MOUNDED

WITH STONE

33

BET R5-R6

SET CORN 24, 25, 19, 30

WEST OFF STA 042.5, 3

135.9 AT E "E" (G.M.)

SET 1' BELOW TOP OFF

ROAD

7.5

34

SET 1/4 BET 24-25

NORTH 7.5 AT STA

2450.2 E OF "E"

BURIED 8" BELOW TOP

OF ROAD

SET SEC CORN 23, 24, 25,

26.

SOUTH 15.0' AT

STA 2674.3

SET 10' BELOW TOP  
OF ROAD

SET 1/4 SET 23-26

AT INTER SECTION 21

ROADS SET STONE 12" BELOW  
TOP OF ROAD

MAPLE 9" S44 W 69.0

ELM 15" N57 E 53.6

37

SET 1/4 BET 13-14 AT

ORIGINAL COR

MAPLE BT TO IT AND OLD

OLD BURNED

BLAZE LINE AT STAKE

STUMP  
CEDAR 8" S 52 E 21.0'

CEDAR STUMP 13 S 56 W 28.6

MOUNDED WITH STONE

38

SET 1/4 BET 11-14

NORTH OFF RANDOM AT

STA 2671.3 2672'

NOTHING TO WITNESS

MOUNDED WITH STONE

NORTH TO E FIRE LINE

47' W S W - E N E

OFF SET A POST NORTH 30'

SOUTH  
AT EDGE OF FIRE LINE

(39)

SET  $\frac{1}{4}$  BET 12-13

NORTH OFF RANDOM 97.95

AT STA 5652.6

NOTHING TO WITNESS

MOUNDED WITH STONE

(40)

SET  $\frac{1}{4}$  BET 1-12

NORTH OFF STA 2856.4

43.0'

TANARAS STUMP 6" N 70 E 27.9'

MOUNDED WITH STONE

(41)

SET 1/4 BET 3-11

SOUTH OFF RANDOM 17.8

AT STA. 27219

ELM 8" N 2° E 33.1

ELM 8" S 75° W 40.0

MOUNDED WITH STONE

RS-RC

(42)

SET 1/4 BET 31-36

WEST OFF STA: 26314

238.9'

RECENT STAKE 18.2'

WEST AND 26.8' NORTH

OF STONE NOT ACCEPTED

BECAUSE OF POOR DISTANCE

AND POOR ALIGNMENT

OAK 7" N 49° E 17.2

MAPLE 6" S 14° W 33.6

MOUNDED WITH STONE



43

R5-R6

SET SEC CORN

35, 30, 31, 36

BY PROF MEAS

WEST 204.55 AT

STA 5306.75

ON SOUTH SIDE OF

HILL - SOUTH TO

SWAMP 78'

NOTHING TO WITNESS

MOUNDING WITH STONE

44

R5-R6

SET  $\frac{1}{4}$  BET 25-30

536

170.2 WEST A STA

26661 IN LOW SWAMPY

AREA NORTH TO

LEAVE SWAMP 68'

APPROX CENTER OF

SWAMP OR LOW LAND

MOUNDING WITH STONE

PINE STUMP 22" N63W/536

45

R 5-RL

SET SDC CORS

13, 18, 19, 24

WEST OFF RANDOM AT

537.2 67.4

MAPLE 14' N 18° W 74.9'

MOUNDED WITH STONE

STB 81 83 3 TURNED

OFF FORD  
TAN  
LT

NE TO COR STONE 221.2

47° 41

46

R 5-6

SET 1/4 BET 24-19

WEST OFF STA 26 34.85

101.65 APPROX. IN

CENTER OF SWAMP  
AND NORTH

SLIGHTLY EAST OF CENTER

STUMP IN SWAMP

PINE 18" WEST 80.6

MOUNDED WITH STONE

(47)

1/2 BET 13-18

WEST OFF RANDOM AT

STA 2635.55 33.7'

ASH 7" S 69 E 28.3

ELM 8" S 67 W 34.9

SW TO CREEK 50'

(48)

SET 4 BET 12-15

WEST OFF RANDOM

AT STA 3711.6 WEST 261.4'

NOTHING TO WITNESS

MOUNDED WITH STONE

49

SET  $\frac{1}{4}$  BET 15-16

EAST 104.7 AT STA

2653.5

PINE STUMP 24" S46W 11.3'

MOUNDED WITH STONE

50

SET COR 15-16-21, 22

AT ORIGINAL

ORIGINAL PINE STUMP 36"

S30 E 18.6

OAK 8" N58 E 82.2

MOUNDED WITH STONE

(51)

SET 1/4 BET 14-23

AT OLD STAKE AT

NE CORNER OF A

SMALL CIRCULAR SWAMP  
65'  
65' ACROSS

ASH 8' S 65 W 62.5

AT EAST SIDE OF ASH

STUMP 12" GREEN

MOUNDED WITH

STONES

(52)

SET SEC 14, 15, 22, 23

AT ORIGINAL STAKE

THERE. STUMPS AGREE

AS TO SPECIES AND

DISTANCE

PINE STUMP 30" N73W 6.7'

MOUNDED WITH STONE

S

(53)

SET 4 -15-22

SOUTH SO. 1 AT STA

2780.1

BOULDER SOUTH 38' TO CENTER

7x7 3' ABOVE GROUND

MOUNDED WITH STONE

(54)

SET 4 BET 7-12 P5-4

WEST 75.7 AT STA 2660.4

FELL ON OLD BLAZE LINE

WASH 15" S 20 W 41.5'

ELM 6" N 73 E 28.4

BIRCH <sup>30"</sup> NOT SCRIBED NORTH

15'

(55)

SET  $\frac{1}{4}$  - BET 13-18 RS-4

WEST 136.25' AT STA

2684.1 OLD BLAZES

NEAR,

ROOT OF  
PINE STUMP 26" S 57 W 333

MOUNDED WITH STONE

80' SOUTH TO SWAMP

(56)

SET - CORN 7, 12, 13, 18

WEST OFF STA

29.5 106.1 AT POINT

OF AN OLD STAKE

PINE STUMP 32' N E 30.3

IN SWAMPY LOW LAND

(57)

SET CORS

13-14-23-24

NORTH AT STA, 46.95

94.7

WEST AT STA 5302.7

~~94.7~~ 183.7

AT EDGE OF SWAMP

BOULDER 8' x 5' 3'

ABOVE GROUND MARKED

+ BC 18.2' N 62° W

(58)

SET 1/4 15-24

NORTH OFK RANDOM 129.2'

AT STA 2689.8

NOTHING TO WITNESS

MOUND WITH STONE



59

SET 4-23-24

WEST 158.8 AT STA

2547.4 AT EDGE OF SWAMP

PINE STUMP 18 N 53 E 40.7

" " 10 N 71 W 50.6

MOUND WITH STONE

60

SET SEC CORN

31, 20, 27, 28

AS WITNESSED BY OLD BLAZE LINES AND ROAD

ELM 8 N 5 E 30.8

MAPLE 6'S 32 E 38.2

BURIED 7" BELOW TOP OF

ROAD

61

SET SEC CORN

16, 17, 20, 31

EAST OF STA 29 ON

N.S. RANDOM BET

20-21 53.1'

N. 08TH WEST OFF STA

ON FENCE LINE

N-S

TURNED

AT STA 180.5, P. 1.8' AT NW

OFF FENCE LINE

70° 01' TO COR

62

SET 1/4 BET 21-28

AS WITNESSED BY IRON

PIPE AND ROAD

LOCATION POSTER N 24'

PIPE SOUTH 41.0' N3W

BALSAM 5" N24W 56.2'

W. PINE 5 1/2 S 2 E 43.2

AT STA 3633.1 NORTH 12.0

63

SET 1/4 BET 22-27

AT & "E" AT STA

2650.35

SET A LOCATION POST

NORTH 22'

BURIED 8" BELOW

TOP OF ROAD

64

SET SEC CORN

22, 23, 26, 27 AT STA

10.2 BET 22-27 AT &

OF "E" LOCATION POST

NORTH 30'

65

SET 1/4 BET 21-22

WEST 25.0 AT STA 2656.5

IRON PIPE NOT ACCEPTED

DEFINATELY KNOWN TO HAVE  
BEEN IMPROPERLY SET

ELM 41" N 58 E 35.4

H. MAPLE 13" S 42 W 30.1

FENCE LINE <sup>E-W</sup> 6' SOUTH AS

" " N-S EAST 26'

OLD BLAKE LINE FURTHER

WEST

MOUNDED WITH STONE

66

SET 1/4 BET 16-21

33.5 NORTH AT STATION 2540

PINE STUMP 12" S 63 W 9.1

" " 10" N 32 E 10.5

MOUNDED TO STONE

SW 35' TO FUR FARM

FENCE

67

SET 1/4 BET 20.21

AT IRON POST ON FENCE  
LINE, DISTANCE FAIR.

PINE STUMP 18" N 85 E 45.8'  
ON FUR FARM FENCE LINE  
MOUNDED WITH STONE

68

SET 1/4 BET 16.17

EAST OFF RANDOM AT  
STA 2056.6 - 45.8

PINE STUMP 18" N 27 E 44.2'  
MOUNDED WITH STONE

(69)

SET COR 17, 18, 19, 20

NORTH OFF STA 11.3 BET 18-19

48.6 EAST OFF STA ( )

5423.2

~~5422.4~~ - 79.8

AT TPE OFF SLIGHT

CHANGE OF SLOPE E-W

NOTHING TO

WITNESS - MOUNDED WITH STONE

(70)

SET 1/4 BET 17-20

NORTH 62.75 A STA 2663.3

AT INDEFINATE EDGE

OF SWAMP (EAST EDGE)  
<sup>SOUTH</sup>

NOTHING TO WITNESS

MOUNDED WITH STONE

(DRY WATER HOLE

SOUTH 15'

NOTHING TO

WITNESS MOUNDED WITH

STONE

71

SET SEC CORN

7, 8, 17, 18

~~WEST~~ EAST OFF STA. ○

68.3 BET 17-18 56.5

NORTH OFF STA 53.35.1

BET 8-17 - 12.0

MOUNDING WITH STONE

E ROAD (WEST TO) 43'

PINE STUMP 34" <sup>1" EAST</sup> ~~S~~ E 36.4 ○

PINE STUMP 13" N 4° E 67.0

72

SET SEC CORN 20, 21

28-29 AT & ROAD

AT STA 2, 8<sup>2</sup> BET 20-29

3' WEST OF FUR FARM LINE

8" BELOW TOP OF ROAD

OFF SET A POST

N 25'

73

SET  $\frac{1}{4}$  BET 20, 29  
 AT INTERSECTION OF  
 ROADS OFF SET A  
 POST NORTH 95'  
 STONE 8" BELOW TOP  
 OF ROAD

74

SET CORN 19, 20, 29, 30  
 IN ROAD AT OLD  
 IRON PIPE,

16' FT NORTH TO SHOULDER  
 6.9' SOUTH TO SHOULDER

MAPLE 6" S40<sup>o</sup>E 587'  
 W PINE 13" N90 W 134.1'  
 OFF SET A POST NORTH

55'



75

SET  $\frac{1}{4}$  BAT 33.33

EAST OF STA. 2731.5

299'

38' NORTH TO ROAD TO

OLD CAMP

76

SET  $\frac{1}{4}$  SET 19-30

AT PIPE IN ROAD OLD

STUMPS OF B.T.S. REMOVED

IN CONSTRUCTION NEAR

OFF SET A POST <sup>42</sup> ~~North~~

NORTH 22'

SOUTH 35.7' TO AN OFF

SET PIPE

77

SET 1/4 BET 78

PROP MEASURE MENT

AND FOUND OLD STAKE

AND IRON ROD

~~EAST~~ AT STA 2681.1

38.1'

W.P. STUMP 30" N76E 49'

MOUNDED WITH STONE

78

SET 1/4 BET 7-18

AT STA 2580.5

SOUTH 83.9

ELM 6" N5W 33.9

12' X 7" BOULDER 4 1/2' ABOVE

GROUND N27W 100

175' EAST TO SWAMP

79

1/4 BET 8-17

AT STA 2598.2 NORTH

1.85'

WP STUMP 18" S84E 21'

MOUNDDED WITH STONE

130' TO E F LANE

80

1/4 17-18

AT STA 2745.8 EAST

68.1

MAPLE 9" N6°E 33.5'

MAPLE 5" S71 W 5.2'

MOUNDDED WITH STONE

81

1/4 BET 18-19

AT STA 2644.7 SOUTH

19.3

FLM 8" N53°W 163.5'

" 6" N40°E 144.2'

MOUNDED WITH STONE

82

1/4 BET 19-20

AT OLD PIPE NOTHING

TO WITNESS

IN HAY - POPPLE - WILLOW

LOW SPOT

FINE STUMP 24" N38°E 38.6

SET COR 13, 16, 19, 54

BET R 5-4 E AT

WFR OLD STAKE PROPER

LINE AND DISTANCE WITH

<sup>OLD</sup> BLAZE LINE TO IT

ASH 7" S50W 28.2'

HEM 8" N43W 38.2'

MAPLE 6" N76E 17.5'

MOUND WITH STONE

SET V A BET 19-54

BET R 5-4 E AT

ORIGINAL LOCATION

ORIG. BIRCH 26" S45E 10.7'

ELM 8" S21W 29.7'

MAPLE 4" N83E 19.8'

MOUND WITH STONE

<sup>SOUTH</sup> AT WEST EDGE OF

SMALL ASH GROVE

SET SEC CURS BETRS-A

19, 24, 25, 30 AT

IRON PIPE PROPER

DISTANCE AND LINE

FENCE LINE TO IT.

SET 1/4 BET 25-30

AT ORIGINAL - HEM. (STONE)

BT. SW

BIR 10" S77 W 23.3'

HEM 8" N48 W 24.5'

MOUNDED WITH

STONE AT TIMBER

LINE

87

R4-R5

SEC CORES 25, 30, 31, 36

AT IRON PIPE IN SWAMP

SPRUCE 4" N78W 10.8'

" 5" N76E 15'

137' NORTH TO LEAVE

SWAMP

88

1/4 - BET 29-30

AT IRON PIPE

ELM 12" S58E 55.5'

MOUNDED WITH STONE

122' EAST TO RIVER

89

89

1/4 31-36 R4-R5

AT IRON PIPE AT ORIG. COR

HEMLOCK 7" N57W 13'

MAPLE 5" S80E 15.9'

HEMLOCK 16" S37W 17.5'

90

CORS 28, 29, 32, 33

AT IRON PIPE

ELM 6" N60E 66.9'

PINE STUMP 15" S84E 41.2'

" " 16" N50W 18.8'

SOUTH 87' TO OLD RR

GRADE SW-NE

MOUNDED WITH STONE



91

1/4-30-31

AT OLD IRON PIPE

TAM 6 N 7° W 9.8'

SPRUCE 7 S 55 E 17.6'

MOUNDED WITH STONE

53' EAST TO LEAVE SWAMP

95' NORTH " " "

92

1/4 BET 28-29

AT IRON PIPE

PINE 10" SOUTH 90.4'

SPRUCE 6" N 47 E 33.7'

MOUNDED WITH STONE

93

V4 BET 31-32

AT OLD PIPE - BT, TO IT

(NOT ORIGINAL BT.)

FINE STUMP N31E 38.6'

94

SET CORRS 26, 27, 34, 35

BY PROP MEAS

DRAINAGE OF LAN

NE-SW NORTH 15'

STA 5174.3 SOUTH 16.3'

STA 4705 WEST 57.8

MOUNDED WITH STONE

(95)

SET  $\frac{1}{4}$  BET 34-35

WEST OFF RANDOM

AT STA 2646.4 - 19.25

~~10' W~~HEMLOCK 9" S  $78^{\circ}$  E 33.0

MOUNDED WITH STONE

5310.6 TURNED LT SE OFF

FORD TAIL  $83^{\circ}$  18' 264.0'

(96)

SET  $\frac{1}{4}$  STONE

BET 26-27

NORTH END OF NEEDLE

POINTING S  $76^{\circ}$  E

WEST 34.0' AT

STA 2620.1

BASSWOOD 8" N  $28^{\circ}$  E NOT

ALLOWING FOR ATTRACTION

(REALLY SE) 39.7'

MAPLE 6" S 13 E 26.3'

(REALLY SW)

97

SET 1/4 BET 27-28

WEST OFF RANDON

AT STA 2662.7 - 70.45

BIRCH 15" S 6° W 34.2

ELM 16" S 87° E 42.0

~~MAPLE 11" N 57° E 25.8~~

MOUND WITH STONE

98

SET SEC COR 29-<sup>30</sup>~~27~~

S 1-32-

2' IN NEW WOOD RIVER

(FROM EAST BANK AS

EVIDENCED BY ORIG. PT

MAPLE 9" N 57° E 22

MAPLE 6" S 32° E 25.8

SET SEC COR

31-32-5-6 AS EVIDENCE

BY ROAD AND FENCE LINES.

ALSO 5739.1 BET 5-32

NORTH OF 0010 3.5'

SET 8" BELOW TOP OF

ROAD

SET SEC COR

1, 6, 31, 36 TO TOWNSHIP

32 RA-5

EAST 12 OF E OF

FIRELANE

ELM 13" AT WEST EDGE

OF CREEK N 67 W 62.4

ELM 7" S 66 W 44.8

W ANE 6 1/2" N 42 E 52.8

101

31

92

SET ~~#~~ STONE BET  
 31-6 AT INTERSECTION  
 OF ROADS  
 7" BELOW TOP OF ROAD  
 TURNED RT S.E. OFF  
 BACK TAN. AT 36678  
 9.2<sup>90°</sup> OFFSET A POST  
 NORTH 50'

102

SET 1/4 SET 36-5  
 AT INTERSECTION OF  
 ROADS 0.7' SOUTH OF STA  
 2504.0 (?) 8" BELOW TOP OF  
 ROAD

103

SET ~~1/4~~ BET

29-32

AT  $\pm$  0"E" AT STA. ○

2676.5 SOUTH 30.9'

8" BELOW TOP OF ROAD

OFFSET STAKE EAST

35'

104

SET ~~1/4~~ BET 36-1

T 33-32 AS WITNESSED

BY OLD STAKE AND ○

DISTANCE BLAZE LINE TO

IT, EAST TO CREEK 20'

SOUTH TO CREEK 20'

ASH 1/2" S 70 W 34.7

MAPLE 5" N 68 E 33.5

SET  $\frac{1}{4}$  RET 35-2  
 NORTH 113.6 AT 2.1  
 STA 2655.7 AT  $\odot$  OF  $\odot$   
 ROAD 0  
 OFF SET A POST EAST

SET SEC CORN 1-2-36-35  
 NORTH 144.2 AT STA 5.3  
 AND FOUND OLD STAKE  
 NOTHING TO WITNESS  
 MOUNDED WITH STONE AND  
 DIRT, AT SOUTH  
 SIDE OF SWAMP BR.  
 NE-SW 50' ACROSS AT  
 STONE

OFF NE LINE LT NE  
 OFF BACK TAN 144.8  
 78° 49'



107

SET & BET 33-4

733-32

AT OLD PIPE AT ○

TOE OF SLOPE

RISES TO THE EAST

MOUNDING WITH STONE

108

SET SEC COR 3-4

33-34 AT IRON PIPE

○ PINE STUMP 17" S83° E 35.0

PINE " 14" N29° W 32.1

MOUNDING WITH STONE

107

SET 1/4 BAT 33-34

AT ORIGINAL

Y. BENCH 9' 520 W 149'

MOUNDDED WITH STONE

110

SET 1/4 SET 34-3

NORTH 61.5 AT

STA 2443.8 (MI. 5276.7

NOTHING TO WITNESS

MOUNDDED WITH STONE

(111)

SET 34-35-5-3

AT OLD STAKE

CHERRY 10" N 56 W 46.5'

(112)

SET 1/2 - 28-33

AT OLD IRON PIPE

ETS TO IT

MAPLE 6" N 62 W 28.0'

MAPLE 7" S 45 W 13.5'

IN FLAT WET GROUND

(113)

Cor 27-28-33-34

AT ORIGINAL

MAPLE 12 S 60 E 75.2

BIRCH 9 N 85 E 34.4

BIRCH 9 N 23 W 31.2

LOW - WET

(114)

SET 1/4

BET 27-34

SOUTH 4.4' AT

STA 3541.85

19.2

MAPLE 6" EAST 79.2

MAPLE 6" N 45 E 20.7

IN SWAMP

115

SET  $\frac{1}{4}$  BET 35-36

WEST OFF RANDOM

AT 365685 - 326.9'

MILES 528.5

" MOUNDED WITH STONE

OLD RR GRADE NORTH

AL 88 ABOUT 60'

WEST OF <sup>RR</sup> CUT THROUGH

SHAL HILL

116

SET 32-33-45

AT ORIGINAL COR

FOUND VERY OLD STAKE  
UPON DIGGING.

PINE STUMP 12" S 60 W 31.0

BIRCH <sup>7"</sup> ~~E~~ N 78 E 32.5  
WEST SIDE OF

~~AREA~~ ON OLD LOGGING

LOW WET

117

SET 4 BET

32-33 AT ORIGINAL

ON SOUTH SIDE OF

RIDGE (R/S E-W)

W PINE 13" N 59 E 30.6'

W PINE 13" N 88 W 50.6

118

1/4 BET 20-35

NORTH 40.8 AT STA

5773.4 ACCEPTED

NEED ROAD AS BEING ON

LINE SET STONE 5"

BELOW TOP OF ROAD

(119)

SET ~~4~~ BET 35-36  
 NORTH 110.1' AT STA  
 36474 AT NORTH  
 EDGE OF SWAMP AND  
 WEST EDGE OF A THICK  
 BLANKET OF STONE  
 MOUNDED HIGH WITH  
 STONE

(120)

SET SEC CORN  
 35, 36, 35, 36  
 AT VERY OLD CHARRED  
 STAKE STUMPS CORRESP  
 TO OLD B.T.S.  
 MOUNDED WITH STONE  
 (HIGH)  
 NOTHING TO WITNESS

121

SET  $\frac{1}{4}$  RBT 35-36

AT ORIGINAL

IN RECENT SLASHINGS

SOUTH TO OLD RR

GRADE 70'

NW TO NARROW SWAMPY

LAND 30'

NOTHING NEAR TO

WITNESS