


FIELD NOTES T33N R5E 1939

TOWN OF ROCK FALLS

(T32-6 T33C)



SEE BY WITNESS

SET 1, 6, 31, 36

R 6-7 T 34-33

AT E ROAD AND
FENCE LINE, STONE

SS
21.5
29.5
24.75

KNOWN TO HAVE BEEN
REMOVED FROM THIS LOCATION
MANY YEARS AGO

UPON DIGGING FOUND
POINT OF OLD STONE
BROKEN OFF

SET 1' BELOW TOP
OF ROAD

OF SET IRON PIPE
SOUTH 24.75' NORTH 24.75'
BLACK GRANITE

②

1/4 BET 36-1 466.5

50.3

2650.3

NORTH OFF RANDOM 3.05' AT
OF ROAD ON FENCE LINE -

(DISTANCE GOOD) OFF SET
SOUTH
ONE IRON PIPE 24.75'

158.64
132.15 13.77
261.25 1500.15

SET EAST 1/4 BET 36-1 ON NORTH
13.77' NORTH AT STA 1325.15'
SHOULDER OF ROAD SET

IRON SOUTH 24.75'

SET WEST 1/4 BET 36-1
AT STA 3976.05 NORTH 11.6'
1' BELOW TOP OF ROAD

IN SMALL SWAMP
OFF SET PIPE NORTH
24.75

③

SET SEC COR 1, 2, 36, 36

AT INTERSECTION OF
ROADS 1' BELOW TOP
OF ROAD SET IRONS
S45°W N45°E 35.0'

④

SET SEC 2-3 35-34

BY PROP. MEASUREMENT

NORTH 1.3' AT STA

5886.55 IN SOUTH DITCH
OF OLD ROADCOVERED STONE WITH
MOUND OF STONE

SET PIPE NORTH 24.75'

SET PIPE SOUTH 24.75'

STONE SETS FLUSH
WITH GROUNDIRON
SET WEST $\frac{1}{10}$ BET $\frac{2}{35}$

NORTH 1.0' AT STA 3964.9

NORTH TO $\frac{1}{2}$ OF
A BANDONED ROAD 14.0'

⑤

SET $\frac{1}{4}$ 3-35

NORTH 0.65' AT STA 2643.3

2' SOUTH OF $\frac{1}{2}$ OF ROAD

12' BELOW TOP OF ROAD

GRAY GRANITE STONE

S
2

1.0 BELOW TOP OF ROAD

S
P

OFF SET IRON PIPE NORTH

24.75

EAST $\frac{1}{10}$ BET 2-35

NORTH 0.3' AT STA 1321.6

IRON SETS 18' NORTH OF

 $\frac{1}{2}$ OF ROAD IN MIDDLE OF

SWAMP E-W

⑥

SET $\frac{1}{4}$ BET 3-34

NORTH 1.95' AT STA

0624.3

11' EAST TO LEAVE SWAMP

PINE 15" N 40 WEST 20.8

PINE 9" N 40 WEST 28.3

MOUNDED WITH SAND - STONE

EAST $\frac{1}{16}$ BET 3-34 NORTH

1.6' AT STA 1302.7

T32-23

⑦

SET SEC 3-4-33-34

AT VERY OLD STAKE

IN SWAMP

ASH 11" N 30 E 12.8'

" 8" S 65 W 13.2'

ASH 10" N 40 W 20.0'

ASH 12" S 49 E 36.0'

MOUNDED WITH SAND

43' NORTH TO LEAVE SWAMP

WEST $\frac{1}{16}$ BET 3-34

NORTH 2.3 AT 3945.9

8

SET $\frac{1}{4}$ BET 4-33

AT FENCE COR STUMPS

CORRESPOND TO ORIGINAL

BIRCH 8" S 66 E 30.8

WEST

SET $\frac{1}{16}$ BET 4-33

NORTH 4.95' AT 3781.55

BET 4-33

SET EAST $\frac{1}{16}$ NORTH

0.3 AT 1337.4

9

SET SECTION COR

4-5-33-33

1' BELOW TOP OF
ROAD AT ROAD

INTER SECTION OFF SET

IRON EAST 34.75

EAST

SET $\frac{1}{16}$ BET 5-32

NORTH 3.55 1350.1

SOUTH 1.9 AT 1350.1

OFF SET IRON SOUTH

34.75' ALSO NORTH

10

SET $\frac{1}{4}$ 5-32

AT $\frac{1}{2}$ ROAD AT
FENCE LINE

SOUTH AT ^{Sta} 2679.1 - 3.8'

SET IRON PIPE ^{1.15}
SOUTH 2475' WEST 1.15'

SET WEST $\frac{1}{6}$ BET

5-32 SOUTH 13.2

AT STA 4023.6

11

SET $\frac{1}{4}$ BET 4-5

AT $\frac{1}{2}$ ROADS AT FENCE

LINE AT STA 2690 WEST 4.65'

SET IRON PIPE

WEST 24.75'

SET NORTH $\frac{1}{6}$ ^{1' BELOW TOP OF ROAD}
BET 4-5

WEST 2.8' A STA 3965.0

AT FENCE LINE SET

BY CO SURVEYOR IN 1914

OFF SET IRON EAST 24.75'

DO:

PIPE TO SHOULDER EAST 14'
" " " WEST 5'

(12)

SET 4-5-8-9

AT INTERSECTION ROADS
OFF SET IRON
WEST 24.75

SET STONE 10'
BELOW TOP OF ROAD

SET SOUTH $\frac{1}{16}$ BET
4-5 WEST 2.3' AT
1320.0

SET OFF SET IRON PIPE
WEST 24.75

(13)

SET SEC 8-9-16-17

AT INTERSECTION ROADS
IN SOUTH DITCH ON
CURVE

PINE 10" S3° W 72.7

PINE 14" N53° E 46.4

BRACED IN SWAMP
BY 4 PEGS

SET SOUTH $\frac{1}{16}$ BET
8-9 AT 13/15.3 OFF

SET IRON EAST 24.75
IN SWAMP

14

SET $\frac{1}{4}$ 8-9 ✓

AT STA 2630.6 ON
FENCE LINE AT $\frac{1}{4}$
ROAD

OFF SET IRON
EAST 33.0' ALSO WEST

SET NORTH $\frac{1}{16}$ SET
8-9 EAST ~~1.7~~ 1.7'
AT 3952.1 AT OFF
SET IRON WEST 34.76'
10' BELOW TOP OF ROAD

15

SET $\frac{1}{4}$

366 AS WITNESSED
BY CREEK SOUTH
41.5 AT STA 2744.1

10' EAST OF RT (EAST)
BANK OF CREEK

ELM 20" S 61 E 29.5

MOUNDED WITH STONE

SET 31-6
SET WEST $\frac{1}{16}$ SOUTH
50.9 AT 4088.6

16

SET SEC

6-5-31-32

AT STA 55.1 BET

6-31 SOUTH 22.65

WHITE TREE PLANTING
MARKER 8" N 20 W 51.0

1935 SEPT

BET 31-6

SET EAST $\frac{1}{16}$ SOUTH

32.1 AT 1399.6

17

SET $\frac{1}{4}$

BET 4-9

AT ROAD INTERSECTION

OFF SET AN IRON

SOUTH 24.75

SET WEST $\frac{1}{16}$ BET

4-9 SOUTH 6.45' AT

1303.7

OFF SET IRON SOUTH

24.75



SET 3-4-9-10

AT $\frac{1}{2}$ ROAD ON OLD
FENCE LINE

OFF SET PIPE

24.75' SOUTH

SET EAST $\frac{1}{16}$ BET
4.9 SOUTH 3.85' AT
1319.3

OFF SET IRON

SOUTH 24.75'

SET $\frac{1}{4}$ BET

5-8

NORTH 20.75' AT

2653.2 ON WEST
(N-S)
SIDE OF HILL ABOUT $\frac{1}{3}$ THE WAY FROM BOTTOM

NOTHING TO WITNESS

4. LARGE
MOUNDED WITH \wedge STONESET WEST $\frac{1}{16}$ BET 5-8
NORTH 81.1 AT 3979.6SET EAST $\frac{1}{16}$ BET 5-8
NORTH 10.2" AT 1326.6

SET ~~4~~ 9-10

EAST 17.8 AT

5649.4

ELM 7" N 35 E 31.0'

SET SOUTH $\frac{1}{16}$ (9-10) EAST
 14.6 AT STA. 3966.4

SET NORTH $\frac{1}{16}$ BET 9-10
 EAST 20.95 AT 1332.4

SET SEC CURS

9-10-15-16

EAST 11.4 OFF

RANDOM AT 5283.7

TO ~~SWAMP~~ ~~ERS~~ S W 8'

PINE STUMP 48" N 70 E 15.2'
 NOT MARKED
 MOUNDED WITH STONE

TURNED LT OFF FORD

70° 35'
 70° (NE) TO STONE 68.0'

SET NORTH $\frac{1}{16}$ BET 15-
 16 EAST 8.2 AT
 1288.7

SET $\frac{1}{4}$ BET 3-4

EAST 12.6 AT STA

2937.7

ELM 6" N 41 W 37.9

ELM 5' N 19 E 18.4

SET NORTH $\frac{1}{16}$ BET 3-4

EAST 6.95' AT 1619.5

SET SOUTH $\frac{1}{16}$ 3-4

E 18.3 AT 4255.9

SET - 21-22-27-28

AT ROAD INTERSECTION

10' BELOW TOP OF ROAD

PIPE N 45° E 30'

PIPE S 45° W 36'

SET $\frac{1}{4}$ 15-76
 AT OLD IRON
 PIPE

NOTHING TO WITNESS
 MOUNDED WITH STONE.

SET SOUTH $\frac{1}{6}$ SET
 15-16 WEST 1.9 AT
 392415

SET 15-16, 31, 32

AT ORIGINAL - AT
 BREAK IN SLOPE OF THE
 GROUND SLOPES DOWN
 TO THE NORTH

NOTHING TO WITNESS
 MOUNDED WITH STONE

SET NORTH $\frac{1}{6}$ SET
 21-22 WEST 28.1
 AT STA 1355.15

$\frac{1}{4}$ BET 21-22

WEST 47.4 AT STA

2645.3

NOTHING TO WITNESS

SET SOUTH $\frac{1}{16}$ BET

21-22 WEST 66.7 AT

3965.5

SET SEG CORN

20, 21, 28, 29 AT

ORIGINAL

PINE STUMP 18' 51.4" V 31.4

NO 47

SOUTH POWER POLE N 43° W 46.8

MOUNDING WITH STONE

SET WEST $\frac{1}{16}$ BET 21-22

SOUTH 10.65 AT ^{3985.7} 3985.7

SET $\frac{1}{4}$ BET

31-28

SOUTH 7.1 AT STA

2656.8, IN CLEARING

SET EAST $\frac{1}{16}$ IN ROADTO FAR SOUTH
(ROAD NOT ON LINE)

SOUTH 3.55 AT 1328.9

OFF SET AN IRON

SOUTH 34.75

SET SEC 16-17-20-21

DOUBLE PROP. MEAS

NORTH AT 52239 BET

17-20 80.2 WEST OFF

5265.5 BET 16-17 56.5

NOTHING TO WITNESS

MOUNDING WITH STONE

ON SOUTH SIDE OF

HILL AT TOE OF SLOPE

NORTH

SET $\frac{1}{16}$ (20-21) WEST

71.6 AT 1290.4

IN SWAMP,

SET $\frac{1}{4}$ 16-21

NORTH 130.55' AT

3659.7 ON NORTH SIDE

OF HILL - SOUTH

OVER THE HILL TO

SWAMP - (SEE SUBDIVISION)

MOUNDED WITH STONE

SET WEST $\frac{1}{4}$ 16-21

NORTH 105.4' AT 1399.1

SET EAST $\frac{1}{4}$ 16-21

NORTH 155.7 AT

3990.0

SET $\frac{1}{4}$ BET

16-17

WEST 28.25' AT 3632.15

6' EAST OF DRAINAGE

BETWEEN SWAMPS

FLOWS NORTH

MOUNDED WITH STONE

SET SOUTH $\frac{1}{4}$ BET 16-17

WEST 42.9' AT 3949.15

ON TOP OF HILL

SET NORTH $\frac{1}{4}$ ~~1316.4~~

BET 16-17 WEST 14.1

A 1316.4

(32)

SET $\frac{1}{4}$ 8-17

AT 2644.65 SOUTH 5.35

8' TO SOUTH SHOULDER

14' TO NORTH "

SET STONE 1' BELOW
TOP OF ROAD

OFF SET A PIPE

NORTH 24.75 ALSO SOUTH

8-17

SET WEST $\frac{1}{16}$ SOUTH

2.7' AT 1322.13

NORTH TO SHOULDER 16'

SOUTH TO " 4'

OFF SET IRON NORTH 24.75

" " " SOUTH 24.75

1' BELOW TOP

SET EAST $\frac{1}{16}$ SOUTH 8.0

AT 2967.01

NORTH TO SHOULDER 16

SOUTH " " 7

OFF SET IRON NORTH

24.75

(33)

SET 7-8-17-18

AT INTERSECTION

ROADS - FOUND OLD IRON

OFF SET AN IRON

WEST 24.75

SET $\frac{1}{16}$ 9-16

NORTH 33.3 AT 2629.8

NORTH 6' TO ASH SWAMP

ASH 9 N 4 W 28.1

ASH 11" N 35 E 23.7

EAST SET $\frac{1}{16}$ BET 9-16

AT 3944.7 NORTH

49.95' SOUTH

PIPE TO SWAMP = 20'

SET WEST $\frac{1}{16}$ BET

$\frac{9}{16}$ AT 1314.9 NORTH

16.65'


SET SEC 17-18-19-20

AT ROAD INTERSECTION
OFFSET

SET IRON WEST EAST

24.75

STONE 1' BELOW TOP ROAD



SET NORTH $\frac{1}{16}$ BET

19-20

AT STA. 3938.6

WEST 6.5'

6 WEST TO SHOULDER

13 EAST TO "

OFF SET PIPE WEST

24.75

SET $\frac{1}{4}$ - 19-20
 EAST 1.65' AT ~~E~~ ROAD
 WITNESSED BY 2 IRON
 PIPES. AT FENCE
 CORNER 2612.3
 OFF SET IRON
 PIPE EAST 24.75

AT ~~E~~ ROAD
 SET SOUTH $\frac{1}{16}$ SET 19-20
 EAST AT 1300.15 OFF SET
 IRON EAST 24.75

2612.3 1.65' EAST
 1300.15

13.8
 6.65
 14.22
 7.27
 6.57
 6.57

SET $\frac{1}{4}$ 17-18
 AT ~~E~~ ROAD AT
 IRON PIPE
 AT STA 2639.0
 WEST 1.2' ^{24.75 WEST} OFF SET IRON

SET NORTH $\frac{1}{16}$ - 17-18
 EAST 1.15' AT STA 3958.5
 OFF SET IRON EAST 24.75

SET SOUTH $\frac{1}{16}$ - 17-18
 WEST .6' AT 1319.5 2' TO
 EAST SHOULDER
 OFF SET IRON EAST
 24.75

✓
SET CORN 5, 6, 7, 8

AT VERY OLD FENCE COR

IRON WOOD 5" N 65 W 35.8

MOUNDED WITH STONE

SET NORTH $\frac{1}{16}$ BET 7-8 AT

3973.6 EAST 51.2

SET $\frac{1}{4}$ - 7-8

EAST 3415 AT STA

3649.05 AT NORTH

EDGE OF ROAD ALSO

FOUND OLD PIPE LYING

DOWN

SET SOUTH $\frac{1}{16}$

BET 7-8 EAST 19.1

AT 1324.5

(40)

✓
 SET $\frac{1}{4}$ - 17-20
 AT ORIGINAL
 TAM N50W 29.2'
 TAM N46E 30.8'
 MOUNDED WITH STONE
 ON THE SOUTH EDGE OF
 SWAMP

SET EAST $\frac{1}{6}$ BET
 17-20 NORTH AT STA
 3917.1 58.9' NORTH

SET WEST $\frac{1}{6}$ BET
 17-20 AT STA 1305.15
 NORTH 18.9' - 20'
 NORTH OF FENCE

329

(41)

36849 SET $\frac{1}{4}$ BET 20-29
^{6.2}
 36851 SOUTH 16.7 AT STA
 3660.0 BETWEEN TWO
 HILLS SW-NE AT
 SWAMPY NARROWS BETWEEN
 MAPLE 7 S6E 15.1
 MAPLE 7 S77W 9.5

MOUNDED WITH STONE

SET EAST $\frac{1}{6}$ 20-29 SOUTH
 15.45' AT 1347.7 AT EDGE
 OFF CLEARING FOR POLE LINE

SET WEST $\frac{1}{6}$ BET 20-29
 SOUTH 17.95' AT STA 3972.4

(42)

✓
SET SEC 19-2029-30 AT $\frac{1}{4}$ ROAD

ON OLD FENCE LINE

1.0 BELOW TOP OF ROAD

OFF SET IRON EAST

24.75

(43)

✓
SET $\frac{1}{4}$ 19-30

AT FENCE COR

DISTANCE AND LINE GOOD

PINE STUMP $\frac{1}{4}$ " N47W13.8

MOUNDING WITH STONE

SET EAST $\frac{1}{16}$ SOUTH 1338.55

SOUTH 12.65 AT FENCE

LINE N-S

SET WEST $\frac{1}{16}$ AT 3985.0

NORTH 95

OFF SET IRON SOUTH

24.75

(44)

SET $\frac{1}{4}$ T33 R6

BET 31-32

AT ORIGINAL

W PINE 13" S80E 20.8'

W PINE 5" S65W 13.2'

MOUND WITH STONE

45' EAST TO LEAVE

SWAMP

SET NORTH $\frac{1}{16}$ AT 1351.85

EAST 44.35'

SET SOUTH $\frac{1}{16}$ 31-32

AT 1339.35 WEST

48.55'

(45)

SET 20-21-28-29

AT IRON ON NORTH
SHOULDER OF ROAD ON
CURVE, ROADS NOT ON
LINE.

TWIN ELM 16' N37E 66.4'

SET WEST $\frac{1}{16}$ BET 21-28

31.5' EAST OF OLD FENCE

LINE 4' SOUTH OF SOUTH

SHOULDER

SOUTH 2.05' A 1348.3

(46)

SET $\frac{1}{4}$ 31-38 ✓

AT OLD IRON ○

SOUTH 7 TO SHOULDER

NORTH 16' TO SHOULDER

OFF SET IRON SOUTH 24.75

" " " NORTH 24.75

ON FENCE LINES

SET EAST $\frac{1}{16}$ BET 31-38

CHECK

SOUTH 31.75 AT 4034.9

NORTH OFF SET IRON 24.75

SOUTH " " " 24.75

(47)

SET SEC COR 31-33 ✓

31-38

AT ROAD INTERSECTION ○

OFF SET IRON EAST

24.75'

(48)

SET 27-28-53-34

BY DOUBLE PROP. MEAS

SOUTH 16.5 AT 2660.5

BET 27-34-

WEST 10.6 AT 5287.4 BET

27-28

4' WEST OF PIPE
CULVERT5" BELOW TOP OF
GROUND IN DITCH ON
NORTH SIDE OF ROADSET IRON AT STONE
6" OUT OF GROUND AT STONESET NORTH $\frac{1}{6}$ BET 33-34

WEST 191.35 AT

3973.75

WEST 38' OF $\frac{1}{2}$
OF ROAD

(49)

SET $\frac{1}{4}$ BET 33-34

AT OLD STAKE

BIRCH 13" N34 W 30.6

EAST 50' TO $\frac{1}{2}$ OF ROAD

MOUNDED WITH STONE

SET SOUTH $\frac{1}{6}$ BET 33-34

WEST 40.05' AT 1322.95

AT EAST EDGE OF SWAMP

50

SET $\frac{1}{4}$ BET 27-28

WEST 5.3 AT 2643.7

WEST 8' TO SHOULDER OF ROAD
11' EAST TO SHOULDER
OFF SET PIPE WEST 34.75
" " " EAST 24.75

SET NORTH $\frac{1}{16}$ BET 27-28

WEST 3.65' AT 1321.85

OFF SET IRON EAST 24.75
FENCE 17' SOUTH

SET SOUTH $\frac{1}{16}$ BET 27-28

WEST AT 3965.55 - 790'

WEST TO SHOULDER 16'
EAST " " 4'

51

SET $\frac{1}{4}$ BET 28-33

AT STA 2655.3

NORTH 0.8' AT ROAD
OFF SET IRON SOUTH

24.75 - NORTH 24.75

SET 4" BELOW TOP OF ROAD ON BIG BOULDER
ELM 12" N 8" W 34.3'

SET WEST $\frac{1}{16}$ SOUTH

5.6' AT STA 3985.55

AT ROAD

OFF SET IRON NORTH 24.75

" " " SOUTH 24.75

SET EAST $\frac{1}{16}$ SOUTH

30.25 AT 1325.05

IN SWAMP

52

SET SEC 28, 29, 32, 33

AT ROAD INTERSECTION

OFF SET IRON N.W. 30.0'

" " " S.E. "

T 32N R 6E SE 53

SET SEC COR.

19, 24, 25, 30 AS

IDENTIFIED BY ROAD

AND FENCE LINES

OFF SET IRON

SOUTH 24.75 NORTH 24.75

SET SOUTH 1/4 BIT

19-29 WEST 2.7'

AT 1335.45

(54)

SET $\frac{1}{4}$ 50-51

WEST 96.7 AT
3606.8 IN LOW
SWAMPY AREA. (NARROW)

NOTHING TO WITNESS
MOUNDDED WITH STONE

SET SOUTH $\frac{1}{16}$

BET 50-51 WEST
1011.8 AT 3903.2

(55)

T32 R6-R5

SET $\frac{1}{4}$ 19-34

WEST 51.4 AT 3661.6

NEAR FENCE COR,
MOUNDDED WITH
STONE

SET NORTH $\frac{1}{16}$ 19-34

WEST 8.1 AT 3927.75

(56)

✓
 33 5-6
 SET $\frac{1}{4}$ 18-19
 AT 2643.8 SOUTH 0.4
 S. TO SHOULDER ROAD 13.5
 N " " " 10.0

OFF SET IRON NORTH 24.75
 " " " SOUTH " "

SET EAST $\frac{1}{4}$ BET 18-19
 AT 1521.9 ^{SOUTH} AT SOUTH C
 SHOULDER OF ROAD

OFF SET IRON SOUTH 24.75
 " " " NORTH " "

SET WEST $\frac{1}{4}$ BET 18-19
 AT 3965.7 SOUTH 0.6

(57)

T32 R5-B

SET 13-18-19-24

VERY
 AT OLD STAKE
 MY BE ORIGINAL

OAK 6 S 80 E 33.3

MAPLE 5 N 84 W 48.3

✓
SET $\frac{1}{4}$ BET

32-33 AT ORIG.

IRON WEST 24.75

" EAST 24.75

SET NORTH $\frac{1}{6}$ 32-33

WEST 14.4 AT 13/6.1

16' WEST OF SHOULDER OF ROAD

SET SOUTH $\frac{1}{6}$ 32-33

AT 1361.55 WEST 0.4'

OFF SET IRON WEST 24.75

" " " EAST " "

WEST TO SHOULDER 12'

EAST " " 13'

SET $\frac{1}{4}$ BET 39-32

NORTH 5.8' AT

2630.4

PIPE NORTH 24.75

" SOUTH 24.75

SHOULDER SOUTH 17'

" NORTH 8'

SET EAST $\frac{1}{6}$ BET 29-32

AT 1315.2 NORTH 2.9'

NORTH TO SHOULDER 9 1/2'

SOUTH " " 15'

OFF SET IRON NORTH 24.75

" " " SOUTH 24.75

60

SET 29-30-31-32

AT E ROAD ON FENCE
LINE

IRON NORTH 24.75

" SOUTH 24.75

(SOUTH 13.6 & 5260.8)

SET WEST 1/6 BET 29-30

SOUTH 16.4 AT 3945.6

PIPE NORTH 24.75

PIPE SOUTH 24.75

SHOULDER SOUTH 5

" NORTH 19

61

SET 1/4 BET 35-36

AT OLD POST

EAST OF SHOULDER 15'

TWIN ELM 9" N23 E 26.5

SET NORTH 1/6 35-36

EAST 31.6' AT 3953.35

IRON WEST 24.75

SHOULDER WEST 18 1/2'

" EAST 4'

BET

SET SOUTH 1/6 35-36 AT 1316.5 EAST 0.2'

PIPE EAST 24.75

PIPE WEST 24.75

SHOULDER EAST 17

" WEST 8

62

SET SEC CORN 35, 36, 35, 36

AT ROAD INTERSECTION

PIPE NW 30'

PIPE SE 30'

63

SET $\frac{1}{4}$ 19-30

AT STA 2529.4 WEST

3.8 PIPE WEST 24.75

" EAST 24.75

AT E ROAD

POWER POLE NO 285

N 18° E 92.3'

BET 19-20

SET NORTH $\frac{1}{16}$ WEST

3.5 AT STA 1313.3

PIPE EAST 24.75

" WEST 24.75

1511.05

3

3933.15

FENCE 200' NORTH

SET SOUTH $\frac{1}{16}$ BET 19-20

AT STA 3933.15 EAST 35.1

22' WEST TO SHOULDER OF

ROAD

No 280

POWER POLE NORTH 706

64

SET SEC COR ✓

17-18-19-20 WEST 3.2

WEST 3.5 AT 5183.4

EAST TO SHOULDER 16

WEST TO SHOULDER 15

PIPE WEST 24.75'

PIPE EAST 24.75'
POWER POLE NO. 395
N30 E 80.6

SET SOUTH 1/4 BET ✓

17-18 WEST 3.9 AT

3871.35

POWER POLE NO. 300 ✓
17.5

N30 E 67.5

WEST TO SHOULDER 9

EAST TO SHOULDER 16

65

SET 1/4 BET 17-18 ✓

AT 5560.4 WEST 3.6

WEST TO SHOULDER 16'

EAST " " 15'

POWER POLE NO. 305,

N30 E 63.0

PIPE WEST 24.75'

" EAST 24.75'

SET NORTH 1/4 BET 17-18 ✓

WEST 2.3 AT 1249.85

PIPE WEST AND EAST 24.75'

POWER POLE NO. 310

N46 E 37.3

EAST 16' TO SHOULDER

WEST 9' " "

66

SET SEC COR

31. 7-8-17-18

3.0' WEST AT STA 5533.0

POWER POLE No. 315 N48E 37.0'

EAST AND WEST IRON 24.75

EAST TO SHOULDER 18'

WEST TO " 7'

SET SOUTH $\frac{1}{16}$ BET 7-8

WEST 1.65' STA 3912.95

IRON WEST AND EAST 24.75

POWER POLE No. 320 N 48 E 48.3

WEST TO SHOULDER 4'

EAST " " 30'

67

SET $\frac{1}{4}$ BET 7-8

WEST 1.33 AT 3601.9

ONE ONLY

SET IRON WEST 24.75

WEST TO SHOULDER 4'

EAST TO " 52'

POWER POLE (No. 325)

N 73 E 31.6

SET NORTH $\frac{1}{16}$ BET ✓

7-8 WEST 1.0' AT 1290.85

POWER POLE No. 330

S 49 E 55.3

EAST TO SHOULDER 19'

WEST " " 6'

PIPE EAST AND WEST 24.75

68

40

12 - 12

✓

S 37E

SET SEC CORRS

5-6-78

WEST 66' AT 3622.10

AT \perp OF ROAD

PIPES E-W 24.75

POWER POLE NO 335

S 37E 46.0

✓

SET SOUTH $\frac{1}{4}$ BET 5-6

WEST 33' AT 1311.05

AT \perp ROAD

POWER POLE NO 340

S 16 E 68.4

69

SET $\frac{1}{4}$ STONE

BET 5-6 AT OLD

POST

POWER POLE NO 346

N 64 E 23.5

SOUTH TO SHOULDER

OF ROAD 35'

(70)

SET MC BET 29-30 ✓
 EAST 16.85 AT 3550.5
 ON SOUTH SHORE
 WEST TO ROAD 125'

BET 20-29 ✓
 SET MC AT 5149.8

NORTH 167.5

SPRUCE 22" S40E 23.0

TAM 8" N 41E 42.5

SET NORTH $\frac{1}{16}$ BET 29-30 ✓
 AT 1311.05' EAST 16.75'

x

(71)

SET CORNS

13-14-33-34

AT E ROADS

IRON EAST 24.75

(72)

SET $\frac{1}{4}$

13-24 SOUTH 13.4 AT

5646.45 IN SWAMP

69' SW TO LEAVE SWAMP

TAM 6" S 34 E 53.0

TAM 5" WEST 41.5

MOUNDED WITH STONE

SET E $\frac{1}{16}$ BET 13-24SOUTH 20.1 AT 3969.7 IN
CEDAR AND ASH SWAMPSET WEST $\frac{1}{16}$ BET 13-24

SOUTH 6.7 AT 1332.2

✓ (73)

SET $\frac{1}{4}$ 30-31

SOUTH 39.5' AT 2636.6

6' UP FROM TOE OF
DYKE FILL

PINE 12" S 51 E 34.9

SET W $\frac{1}{16}$ BET 30-31

AT 3954.9 SOUTH 57.3

SET E $\frac{1}{16}$ BET 30-31

AT 1318.3 SOUTH 19.8'

ON TOP OF BACK SLOPE OF
ROAD

74

✓
SET $\frac{1}{4}$ BET 36-35

SOUTH 3.0' AT 2659.2

SET PIPES N-S 24.75

50 WEST TO EAST END

OF BRIDGE AT

1/2 ROAD

SET EAST $\frac{1}{6}$ BET 26-35

AT 1359.6 SOUTH 1.5'

3

SET WEST $\frac{1}{6}$ BET 26-35

AT 3788.8 NORTH OF

N SHOULDER OF ROAD 5'

75

✓
SET SEC CORNERS

36, 27, 34, 35 AT

1/2 OF ROAD AT

STA 5318.4

IRON N-S 24.75

76

SET $\frac{1}{4}$ - 27-34

AT ROAD INTERSECTⁿ

PIPE SOUTH 24.75'

& ROAD

E $\frac{1}{16}$ AT 1371.15

SET E $\frac{1}{16}$ AT 1371.15

NORTH 18.35

3' SOUTH TO SHOULDER

12' NORTH TO SHOULDER

IRONS N-S 24.75

SET WEST $\frac{1}{16}$ BET. 27-34

$\frac{1}{4}$ MILE = 2662.8

4' SOUTH OF SHOULDER

77

SET $\frac{1}{4}$ 25-26

AT E ROADS WEST 3.0'

AT STA. 2647.4

SET IRON WEST 24.75

SET SOUTH $\frac{1}{16}$ BET 25-26

AT 1323.7 WEST 1.5'

3' EAST TO SHOULDER

21' WEST "

IRON EAST 24.75'

76

78

SET 25-26-23-24

AT STA 5302.4 000 EAST
18.1' SOUTH OF FENCE
LINE

IRONS E-W 24.75

SET N $\frac{1}{4}$ BET 25-26 ✓

AT 3924.9 WEST 1.5'

IRONS E-W 24.75

79

SET $\frac{1}{4}$ BET 23-24

AT $\frac{1}{2}$ OF ROAD ON
FENCE LINE AT
STA 3549.8

IRONS E-W 24.75

SET SOUTH $\frac{1}{4}$ BET 23-

24 AT 1263.4

AT $\frac{1}{2}$ ROAD IRONS
E-W 24.75'

SET NORTH $\frac{1}{4}$ BET

23-24 AT 1323.1

IRONS E-W 24.75'

~~78~~
30

SET $\frac{1}{4}$ BET 13-14 ✓

EAST 1.0' AT STA

2646.75

IRONS E-W 24.75

SET SOUTH $\frac{1}{16}$ BET ✓

13-14 AT STA 1323.4

EAST 0.5'

SET (1) IRON WEST

24.75

7.1' WEST TO SHOULDER

$\frac{5}{8}$ ' SOUTH TO ϕ OF

ROAD TO THE EAST

SET N $\frac{1}{16}$ - 13-14 ✓

AT 3969.2 EAST

1.5'

IRONS E-W 24.75

81 ✓

SET SEC 11, 12, 13, 14

AT ROAD INTERSECTION

IRON N 45° SW 50'

IRON N 45° E 25'

(82)

SET $\frac{1}{4}$ 24-25

SOUTH 96.75 AT

STA 2568.5

PINE STUMP $\frac{1}{4}$ S55W 57.5

PINE STUMP 18 N70E 57.7

MOUNDED WITH STONE

SET EAST $\frac{1}{4}$ 25-24 ✓

145.1' SOUTH AT

3858.75 IN SWAMP

SET WES $\frac{1}{4}$ 25-24 ✓

48.4 SOUTH AT 1286.25

(83)

SET $\frac{1}{4}$ BET 25-30

RL-R7

AT 4 ROWS ON

FENCE LINE

OFF SET IRONS 24.75 NS

(84)

SET 22-23-26-27 ✓

WEST OFF 55.670 6.2'

NORTH OFF 66.4 4.5' ○

PINE 12" S 17 W 67.8

PINE STUMP 10" S 63 E 22.5

ON SW SIDE OF
KNOLL ABOUT 300'

ROUND ○

MOUNDED WITH STONE

SET S $\frac{1}{16}$ BET 22-23 ✓AT STA 1255.85

(85)

SET $\frac{1}{4}$ 23-26 ✓

NORTH 138 AT 2689.9

○ SPRUCE 6" S 30 E 6.4

SPRUCE 5" N 3° E 30.1

○ SET W $\frac{1}{16}$ BET 23-26

NORTH 29.7 AT 4034.85

SET E $\frac{1}{16}$ BET 23-26 ✓

AT STA 1344.95 SOUTH

2.15'

86

SET ~~1/4~~ BET

36-27 ³⁹ ⁵⁰ WEST ✓

3.1 AT 3633.5

ASH 8" N 54 E 17.9

ASH 10" N 33 W 10.9

SET SOUTH ~~1/4~~ 26-27 ✓

WEST 1.55' AT 1316.75

SET N ~~1/4~~ 26-27 WEST ✓

4.65' AT 3958.25

87

SET ~~1/4~~ BET 7-12 ✓

R6-7 EAST 6.75' AT

2650 ALONG

SOUTH EDGE OF

CULVERT

IRON E-W 24.75'

WEST 10' TO SHOULDER

EAST 5' " "

SET N ~~1/4~~ EAST 10.1' ✓

AT 3975 ON OLD

FENCE LINE

SET S. ~~1/4~~ EAST 3.4 AT ✓

1325 OF SET IRON

EAST 24.75 COR ON

EAST SHOULDER OF ROAD

88

SET $\frac{1}{4}$ BET 6-1 RT
AT OLD $\frac{1}{4}$ STONE
WEST 111.6 AT
2638.9

CEDAR 9" S E 37.6'
CEDAR 12" N E 58.0'

SET N. $\frac{1}{16}$ 6-1 WEST
166.5 AT 3958.8

SET $\frac{5}{16}$ 6-1 WEST 56.7
AT 1319.5

89

SET SEC CORRS

1, 2, 11, 12 AT 5280
AGREES WITH FIELD
NOTES WEST 3.0

OFF SET IRONS E-W 24.75

SET N $\frac{1}{16}$ BET N. $\frac{1}{16}$
IN SWAMP
WEST 3.25 AT 3960

90

SET $\frac{1}{4}$ BET 11-12

WEST 1.5' AT 3690

IRONS E-W 24.75'

IN EAST DITCH OFF

OLD ROAD

SET SOUTH $\frac{1}{6}$ 11-12

WEST .75' AT 1320

SET 1 IRON ONLY

WEST 24.75'

91

SET $\frac{1}{4}$ 13-12
SET W $\frac{1}{16}$ BET 13-12
SOUTH 4.65 AT

STA 3971.6 IRONS S-N

SET $\frac{1}{4}$ 13-12 SOUTH

3.1 AT 5647.75

IRON NORTH-S 24.75

SET E $\frac{1}{6}$ BET 13-12

SOUTH 1.55 AT

STA 1353.9

ALSO
ON
PAGE 97

SET $\frac{1}{4}$ BET 22-23

EAST 6.3 AT STA

2573.6

OAK 5" N10E 19.1

OAK 6" S31W 17.5

MOUNDED

SET N $\frac{1}{4}$ BET 22-23

WEST 17.05' AT 3589.35

SET $\frac{1}{4}$ BET 22-27

NORTH 113.95 AT

2750.95'

ELM 19" N43E 40.8

" 7" N 35W 32.5

35' WEST TO CREEK

10' EAST TO HIGH LAND

NOT MOUNDED IN ALDER

SET WEST $\frac{1}{4}$ AT

4094.25 NORTH 148.1'

SET E. $\frac{1}{4}$ AT 1407.6

NORTH 79.8

SET $\frac{1}{4}$ 15-22 ✓

AT ROAD INTER SECTION
AT OLD IRON
OFF SET / PIPE NORTH
24.75'

SET W $\frac{1}{6}$ 15-22 ←

NORTH 38.4 AT 102.05

EAST $\frac{1}{6}$ AT 1336.3 ON
RANDOM LINE - (RANDOM LINE
AND SECTION LINE SAME)

401.2
67.2
1340

SET $\frac{1}{4}$ BET 14-23

AT & ROADS AT FENCE
LINES STA 2674.9 SOUTH
11.5'
OFF SET IRONS N-S 24.75'

EAST $\frac{1}{6}$ BET 14-23

AT 1337.45 SOUTH 5.25'
IRONS N-S 24.75'

WEST $\frac{1}{6}$ BET 14-23 AT

STA 2015.7 SOUTH 3.2
IRONS N-S 24.75'

96

SET 14, 15, 22, 23 ✓

AT FENCE LINES AND

AT \perp OFFROAD

SET IRONS N-S 24.75

97
SET $\frac{1}{4}$ BET 12, 13 ✓

AT 3647.75 SOUTH

3.1

SET WEST $\frac{1}{4}$ ✓

AT 3971.6 SOUTH

4.65 IRONS N-S 24.75

SET EAST $\frac{1}{4}$ SOUTH ✓

1.55' AT 1333.9

SET $\frac{1}{4}$ BET 18-19

NORTH 2.0 AT 3476.6

(OLD STAKE WEST N.G.)

ELM 11" N 56W 51.3

ELM 26 59W 29.4

MOUNDING WITH STONE

SET E $\frac{1}{16}$ BET 18-19 ✓

NORTH 1.0' AT 1238.0

SET W $\frac{1}{16}$ BET 18-19 ✓

NORTH 30' AT 3714.0

SET $\frac{1}{4}$ BET 6-7

SOUTH 34.7 AT

3574.8 ON SOUTH

EDGE OF WOOD ROAD

MAPLE 11" N 65W 76.5

MOUNDING WITH STONE

SET EAST $\frac{1}{16}$ BET 6-7 ✓
SOUTH

174 AT 1287.4

SET WEST $\frac{1}{16}$ BET 6-7 ✓
SOUTH

521 AT 3862.2

IN OPENING WHERE WOOD

HAS BEEN CUT OFF

3935.5

3862.2

73.3

SET $\frac{1}{16}$ " 34-35

NORTH $\frac{1}{16}$ SET 34-35
WEST AT 3962.0 - 138.45

SOUTH $\frac{1}{16}$ SET 34-35
AT ³³⁹1321.55 WEST
52.8 12.75

SET $\frac{1}{4}$ SET 28-29

AT 2717.5 EAST 17.9'
ON $\frac{1}{2}$ OF ROAD TO
THE WEST ON NORTH
SHOULDER OF PRIVATE DRIVE
31' WEST TO $\frac{1}{2}$ OF ROAD

NORTH $\frac{1}{16}$ SET 28-29 AT 4034.0
EAST 26.5'
22 EAST OF $\frac{1}{2}$ OF ROAD

SOUTH $\frac{1}{16}$ 1358.75 EAST
8.95 14' EAST OF
 $\frac{1}{2}$ OF ROAD

SET
BET 25-30 R 6-7

35- } NORTH $\frac{1}{16}$ BET 25-30
30 } AT 1304.45 EAST 106.75 ○
SOUTH $\frac{1}{16}$ BET 25-30
AT 1293.45 EAST 78.95

36- } NORTH $\frac{1}{16}$ BET 31-36
31 } WEST 40.2' AT 1338.45
SOUTH $\frac{1}{16}$ BET 31-36
EAST 10.8 AT 1352.55 ○

13- } SET N. $\frac{1}{16}$ BET 13-16
OFF SET PIPES E-W 14.75
EAST 0.8' AT 3994.7 ✓
18 } SOUTH $\frac{1}{16}$ BET 13-16
OFF SET PIPE NORTH 24.75
WEST 3.4 AT 1337.35

17 } SET N. $\frac{1}{16}$ BET 19-24
AT FENCE COR ○
AT STA 1314.8 WEST 7.95
19 } SET S. $\frac{1}{16}$ BET 19-24
AT 3901.75 EAST 14.45
ON SOUTH EDGE OF SWAMP

SET $\frac{1}{4}$ 7-18

NORTH 8.75' AT 2542.0
BIRCH 7" N 6 W 19.0'
BIRCH 14" S 40 E 36.0'

SET WEST $\frac{1}{16}$ BET 8-17
NORTH 13.0' AT 3813.0

SET EAST $\frac{1}{16}$ BET 8-17
NORTH 4.2 AT 1271.0'

104

✓
SET $\frac{1}{4}$ BET 1-12SOUTH 8.5 AT 2664.7
AT ORIGINAL✓
~~SET~~ EAST $\frac{1}{16}$ BET 1-12
SOUTH 4.1' AT 1555.6✓
SET WEST $\frac{1}{16}$ BET 1-12
SOUTH 6.75 AT 5982.45

✓ 105

SET $\frac{1}{4}$ 36-1 T33-34AT OLD IRON START
AT 2640.0 NORTH 12.6'SET WEST $\frac{1}{16}$ AT 5982.8
NORTH 30.8' NEAR
EAST EDGE OF ~~SWAMP~~ RIDGE
IN SWAMP○ ○
SET EAST $\frac{1}{16}$ AT 1320.0
NORTH 9.5 ~~AT~~ OFF SET
IRONS N-S 24.75

SET $\frac{1}{4}$ BET 1-2 ↙

WEST AT 2665.5 - 4.95'

ON OLD ABANDONED ROAD

SET N $\frac{1}{4}$ WEST ↙

5.9' AT 3998.3 ON OLD

ROAD

SET S $\frac{1}{4}$ WEST 3.975 ↙

AT 1333.1 ON OLD ROAD

SET SEC CORN ↙

15, 35-36 T32-33

AT OLD STAKE ON

OLD ROAD

SET IRON E-W 34.75 ↙

SET E $\frac{1}{4}$ BET 2-35 ↙

NORTH 9.65 AT 1353.7



MC SOUTH SIDE 15-16
 AT ORIGINAL IN RIVER
 14' SET IRON SOUTH OF
 POST IN RIVER 21'

HEM 8" S ⁵¹51 E 25.9

HEM 11" S 25 W 39.3

2880-1
 219
 29020

IRON AT ROAD N SIDE 39.02

IRON S " 2836

3902
 2896

2832.9

63.1

2896.0

2645.2

SET $\frac{1}{4}$ 15-16 ✓

AT 2645.2 EAST

72.4 AT NORTH EDGE

OF BAULDER

MAPLE 8" S 46 W 29.5

ELM S 20 E 39.7

SET SOUTH $\frac{1}{4}$ 15-16 ✓

EAST 36.2 AT 1302.6

2832.9
 63.1

2896.0

2896

2645.2

350.8

SET

S. 3-34, 35

ROAD

AT OLD IRON IN OLD

OAK 11 N 12 E 22.0

OAK N W

SET ^{WEST} $\frac{1}{16}$ BET 2-35

NORTH 38.95' A 3971.1

SET $\frac{1}{16}$ BET 2-35

NORTH ^{19.3} ~~17.3~~ AT 3647.4

OAK 19" N 65 E ^{37.2} 57.2

SET $\frac{1}{4}$ - 35-36

SOUTH 1.35 AT 2699.2

ELM 6" N75W 46.3

MOUNDED WITH STONE

W $\frac{1}{16}$ AT 1399.6 SOUTH

0.65

E $\frac{1}{16}$ AT 4048.8 SOUTH

2.1'

SET $\frac{1}{4}$ BET 6-7

NORTH 67.0 AT 2645.8

NOTHING TO WITNESS - AT FENCE COR.

3787.8

W $\frac{1}{16}$ AT ~~7322.0~~ NORTH

83.90 AT CC - LOCATION

POST EAST 35' PIPE WEST 35' NO IRON IN ROAD - ROAD TO BE GRADED

E $\frac{1}{16}$ AT 1333.2 NORTH 54.25

611
505
505
505

67.0
FENCE COR

(114)

T32

SET $\frac{1}{4}$ BET 7-18

NORTH 33.0' AT 2642.2

SET E $\frac{1}{16}$ NORTH 16.5
AT 1321.1

SET W $\frac{1}{16}$ NORTH 49.5 AT
3963.3

34-T33

R6

(115)

SET $\frac{1}{4}$ BET 6-31 ✓

SOUTH 5.95 AT 2662.4

MOUNDED WITH STONE

SET W $\frac{1}{16}$ IN SWAMP ✓

AT 1345.95 SOUTH 3.0'

SET E $\frac{1}{16}$ IN LOW GROUND ✓

SOUTH 8.9 AT 3978.85

116

SEC COR 5, 6, 31, 32 ✓

AT ORIGINAL

TAMARAC 5" S42°E 19.1

" 8" N77°E 15.5

" 5 1/2" N18°W 26.6

MOUNDED WITH STONE

SET N 1/4 BET 5-6

WEST 3.02 AT 1336.15 ✓

43 NORTH

117

SET 1/4 BET 14-15 ✓

EAST AT 3664.8 - 55.65

ELM 8" S85°E 29.5

MOUNDED WITH STONE

SET N 1/4 EAST 83.5 AT ✓

3997.2

SET SOUTH 1/4 AT ✓

1332.4 EAST 27.8

118

T33 R6



SET $\frac{1}{4}$ BET 4-5

AT ROAD INTERSECTION

SET IRON SOUTH 34.75

E 15" N 34° E 73.7

SET NORTH $\frac{1}{16}$ EAST IN ROAD

94.5' IRONS E-W

AT STA. 3901.7

SET SOUTH $\frac{1}{16}$ AT 1316.75

EAST 19.35

119



SET $\frac{1}{4}$ BET 5-8

NORTH 110' AT 2585.75

MOUND WITH STONE,

SET E $\frac{1}{16}$ $\frac{9}{8}$ NORTH 165.0

AT 3878.6

27.5

SET WEST $\frac{1}{16}$ AT 1293.87

NORTH 55.0

(120)

SET $\frac{1}{4}$ BET 5-32
NORTH 03.8
AT ORIGINAL 2651.1
MOUNDDED WITH STONE

SET WEST $\frac{1}{16}$ NORTH \checkmark
219' AT 1325.55

E $\frac{1}{16}$ AT 3972.6 NORTH
50.75'

(121)

T32

SET COR 4,5-8,9
AT OLD STAKE IDENTIFIED
AS ORIGINAL BY
WILLIAM AVERILL.

SET WEST $\frac{1}{16}$ BET
4-9 AT 1326.75
ON RANDOM (RANDOM ON
LINE
E OF ROAD GOING

1350.4 SOUTH 35.5'
26.75
25.45 EAST

(22)

SET # 6.1 T32-R506
 367.94 WEST 73.2
 AT TEMPORARY POST
 60
 ELM 6 S 50 W 14.9 GUESSED
 MOUNDED WITH SAND

SET N 1/4 AT 3937.6
 WEST 79.45

SET SOUT 1/4 WEST 66.95
 AT 1598.27

(23)

✓
 SET SEC COR 1-6
 7-12

AT TEMPORARY STAKE
 AT EAST EDGE OF
 SWAMP GUESSED
 ASH 8" N 75 E 130'
 ASH 1" S 85 W 50.7
 MOUNDED WITH STONE

123

T32 R 5-6

124

SET $\frac{1}{4}$ - 13-7

✓ 2636.56 WEST 47.32

AT TEMPORARY POST

ON HIGH POINT

MOUNDED WITH SAND

✓ SET $N \frac{1}{16}$ AT STA

3956.23 WEST 54.47'

✓ SET $S \frac{1}{16}$ AT STA

1316.87 WEST 42.0'

T32 5-6

125

SET 7-12-13-18

AT TEMP POST

MOUNDED WITH STONE

(5287.7 WEST 35.75)

SET $N \frac{1}{16}$ BET 18-13

AT 3959.0 WEST 29.55

SET $S \frac{1}{16}$ WEST

17.05' AT STA

1319.67'

(126)

T 33-34

SET SEC CORN 3, 4, 33, 34

AT 4 ROADS ON FENCE
LINE

OFF SET IRONS E-W

WISC PUB. SERVICE ^{POWER} POLE NO 596

347 W 35.0

SET W 1/4 BET 3-34 AT

3959.25 NORTH 8.1

T 33-34

(127)

SET 1/4 BET 3-4

AT FENCE LINES AND

IRON SPIRE AT TURN

IN ROAD

SET SOUTH 1/4

BET 3-4 EAST 8.1

AT 1325.95

BET 3-4

SET N 1/4 AT

1326.05 SET WEST 3, 4

3575
1326.05 IN ROAD IRONS E-W
391.9

(128)

SET SECS 34, 910

AT OLD STAKE

NOTHING TO WITNESS

MOUND ED WITH STONE

(129)

SET $\frac{1}{4}$ BET 4-9

AT ROAD INTERSECTION

SET IRON EAST ONLY

SET EAST $\frac{1}{4}$ AT

1330.75 SOUTH 36.4'

(130)

SET $\frac{1}{4}$ BET 4-33

NORTH 2.3 AT 2627.1

OAK 12" S 53 W 12.7

SOFT MAPLE 11" N 70 E 19.7

MOUNDED WITH STONE

SET W $\frac{1}{10}$ AT 1313.55 ✓

NORTH 1.15'

SET E $\frac{1}{10}$ AT 3940.65

NORTH 5.2

(131)

SET $\frac{1}{4}$ BET 21-22

AT ROAD INTERSECTION ✓

AT STA 2647.3

OFF SET PIPE

NORTH 34.75

SET STONE 1.5' BELOW

TOP OF ROAD

SET SOUTH $\frac{1}{10}$ AT ✓

1323.65 IRON E IRON W

SET NORTH $\frac{1}{10}$ AT ✓

3965.9 - 0.1' WEST

NORTH AND EAST OF

FENCE

132

SET $\frac{1}{4}$ BET 29-30

AT ORIGINAL - SENCE

RUNING RANDOM LINE

ROAD CREW BURNED

ORIGINAL B.T. SE

OAK 14" S 49 E 53.2

OAK 7" N 23 E 28.2

OFF SET IRONS N-S

SET SOUTH $\frac{1}{4}$ 29-30

AT 1340.45 EAST 9.3'

133

SET $\frac{1}{4}$ 16-21

AT ORIGINAL

MOUNDED WITH STONE

YEL. BIRCH 18" N 6° E 20.6

AT NE COR OF CLEARING

HEMLOCK 11" N 55 W 26.8

SET E $\frac{1}{4}$ 16-21

NORTH 41.8 - 1330.5

SET W $\frac{1}{4}$ 16-21

NORTH 124.2 AT

3983.35

134

16-17-21-20 ✓

SET SEC CORN AT

DOUBLE PROP MEAS,

UPON DIGGING FOUND

OLD STAKE

NOTHING TO WITNESS

SET N $\frac{1}{16}$ BET 20-21 ✓

AT 3882.95 OLD POST

IN PLACE

SET SOUTH $\frac{1}{16}$ BET 20-21 ✓

AT 1280.05 EAST 14.8

135

SET $\frac{1}{4}$ BET 29-20

AT STA 2639.85

NORTH 85.5

ASH 6" 54 E 5.9 ✓

TWIN ASH 14" N 74 W 8.0

MOUND ED WITH STONE

SET WEST $\frac{1}{16}$ NORTH ✓

128.25 AT 3944.8

SET E $\frac{1}{16}$ NORTH 42.75 ✓

AT 1315.0

SET CORN 15-16 51-52 ✓

AT PROBABLE ORIGINAL

STUMPS CORRESPOND AND

AN OLD STAKE

MAPLE 16" S 7 E 21.0

SET SET CORN

9, 10, 15, 16 AT

ORIGINAL IN SWAMP

MOUNDED WITH SAND

SET N ¹/₁₆ BET 15-16 ✓

AT 1340.8' SOUTH OF

ORIGINAL COR EAST 40.7 ✓

SET W ¹/₁₆ BET 10-15 ✓

NORTH 15.0 4195.7

SET $\frac{1}{4}$ 16.9 ✓
AT STA 2677.85 SOUTH
17.65

SET W $\frac{1}{16}$ AT STA 4046.8 ✓
SOUTH 26.4 2' EAST ✓
TO EDGE OF SWAMP
SET E $\frac{1}{16}$ AT 1338.9 ✓
SOUTH 8.8 IN SWAMP

SET $\frac{1}{4}$ BET ✓
9-10

WEST 39.85 AT 3573.55
AND FOUND OLD STAKE
DOWN.
NOR PINE 13 N78°E 33.7

SET $\frac{3}{16}$ AT 1396.77 ✓
WEST 14.9 ✓
SET N $\frac{1}{16}$ AT 3890.3 WEST
44.77

TIE OF LINE THROUGH 10
~~5333.5~~
5341.9 STONE NORTH 62.7

2944.1
97.5
2558.5
203.8
94.4

140

SET $\frac{1}{4}$ BET 2-3

WEST ^{13.6'} AT STA 2651.85

TAM 6" N60E 24.3'

SPRUE 6" S5E 51.9

MOUNDED WITH STONE

SET SOUTH $\frac{1}{6}$ WEST 20.4

AT 3977.75

SET NORTH $\frac{1}{6}$ WEST

6.8 AT 1322.6

FOUND OLD STAKE

141

SET $\frac{1}{4}$ 16-17 ✓

AT OLD POST

MOUNDED WITH

STONE

SET ^S $\frac{1}{6}$ BET 16-17 ✓

AT 1301.15 EAST 70.15

T33

SET $\frac{1}{4}$ 10-15 ✓

NORTH 8.45 AT 2858.5

IN ROAD - SOUTH TO

SHOULDER - NORTH TO SHOULDER

IRONS N-S

SET $\frac{1}{16}$ AT 1521.3 ✓

NORTH 1.9'

SET IRONS N-S

SET $\frac{1}{4}$ 11-14 ✓

AT $\frac{1}{4}$ ROAD BY PROP

MEASUREMENT

AT STA 2674.3 NORTH 5.9

SET IRONS N-S

SET $\frac{1}{16}$ SET 11-14 ✓

AT 1337.1 NORTH 2.9

~~AT~~ 1332

2' SOUTH OF SOUTH

DITCH

SET SEC POST ✓

10-11-14-15

SOUTH 4.7 AT STA

R4.2 BET 10-15

SET W 1/10 11-14 ✓

NORTH 40.35' AT 4011.4

130
2674
<u> </u>
348

SET 1/4 BET 8-9

EAST 15.1 AT

2647.75

JACK PINE 6" N 42 W 33.2

TAMARAC 8" S 35 E 32.5

SET SOUTH 1/6 1323.87 - EAST

SET NORTH 1/4 15.1

3971.62 EAST 39.9

52	5100.3
53 24	<u> </u>
	5179.7

SET TIE NORTH 69.2 AT 5178.7

(146)

SET SEE CORNS 8, 9, 16, 17 ✓
AT C. OF ROADS AND
OLD FENCE
N FINE 8' ~~SET~~ S 26 E 39.6'
N FINE 13" N 32 W 43.0

SET N $\frac{1}{6}$ BET 16, 17 ✓
AT STA 1340.0 WEST
21.25

(147)

SET $\frac{1}{4}$ BET 17-20
AT TEMPORARY STAKE
(SEE NOTES) AT 2616.7
NORTH 25.7

ELM 14" S 83 W 30.0

SET E $\frac{1}{6}$ N 112 AT
1292.8

SET M.C. 780' FROM
 $\frac{1}{4}$ COR ON ^{THE} EAST BANK

SET W $\frac{1}{16}$ AT 3940.8
NORTH 39.85

148

SET $\frac{1}{4}$ BET 8-17 ✓

SOUTH 95.0 AT 2588.55

NORTH TO SWAMP 34'

WEST TO SWAMP 20'

NOTHING TO WITNESS

MOUNDED

SET $\frac{1}{6}$ EAST 1294.27 SOUTH 47.5 ✓

" $\frac{1}{6}$ WEST 3882.82

SOUTH 142.5