

SUBDIVISION
of
TOWN OF ROCKFALLS by
FRANCIS FOX
1941

SUBDIVISION LINES

¹⁸ 6	³² 5	³³ 4	⁸ 3	¹⁷ 2	⁵ 1
¹¹ 7	⁴⁰ 8	⁴¹ 9	²⁴ 10	¹⁵ 11	¹ 12
¹⁰ 18	²⁶ 17	²³ 16	³⁰ 15	²⁹ 14	² 13
⁹ 9	²⁵ 20	⁴² 21	²⁷ 22	²⁸ 23	¹² 24
⁷ 30	⁴³ 29	⁴ 28	³⁹ 27	⁶ 26	¹³ 25
¹⁹ 31	³⁷ 32	³ 33	³⁸ 34	¹⁶ 35	¹⁴ 36

22	34	36
6	5	4
21	35	44
7	8	9
20	45	46
18	17	16
31	48	47
19	20	21

13

24

25

SOUTH THROUGH SEC. 12 T33N

000 $\frac{1}{4}$ section stone. Low land
510 Enter swamp
735 Leave swamp
1322.85 Set north $\frac{1}{16}$ corner east 11.0'
2645.7 Set center $\frac{1}{4}$ stone east 22.0'
3963 Centerline of road
3968.2 Set south $\frac{1}{16}$ corner east 33.0'
3' south to shoulder of road
5290.7 $\frac{1}{4}$ corner stone east 43.9'

WEST THROUGH SEC. 12 T33N

000 $\frac{1}{4}$ stone
1332.25 Set east $\frac{1}{16}$ corner south 12.25'
2664.5 Center $\frac{1}{4}$ corner stone south
24.5'
3975.4 Set west $\frac{1}{16}$ corner south 36.55'
5286.3 $\frac{1}{4}$ section stone south 48.6'

SOUTH THROUGH SEC. 13 T33N

000 $\frac{1}{4}$ corner stone
 1323.0 Set 1/16 corner west 8.95'
 1360 Enter swamp
 1978 Leave swamp
 2645.95 Set center $\frac{1}{4}$ stone west 17.9'
 3976.9 Set south 1/16 corner west 26.85'
 in road
 3' north to shoulder of road
 Offset irons NS 24.75'
 4180 Enter swamp
 4300 Creek 8' wide flows SE
 5307.9 $\frac{1}{4}$ stone west 35.8'

EAST THROUGH SEC. 13
 000 $\frac{1}{4}$ stone in road in swamp
 295 Leave swamp
 1322.1 Set west 1/16 corner north 6.6'
 2644.25 Center $\frac{1}{4}$ stone north 13.2'
 3959.75 Set east 1/16 corner north 19.8'
 5275.2 $\frac{1}{4}$ stone north 26.4'

SOUTH THROUGH SEC. 33 T33N

000 $\frac{1}{4}$ corner stone
 300 Enter swamp
 490 Leave swamp
 1313.1 Set 1/16 corner east 71.75'
 at south edge of swamp outlet
 of big swamp to the east.
 1668 Creek 3' wide flows SE
 2122 Enter swamp
 2416 Creek 4' wide flows SW
 2505 Leave swamp
 2626.2 Set center $\frac{1}{4}$ stone east 143.5'
 10' in west edge of swamp
 2700 Enter alders
 3971.7 Set 1/16 corner east 217.6'
 5250 . Leave swamp
 5317.3 $\frac{1}{4}$ stone east 291.7

WEST THROUGH Sec. 33

000 Stone at swamp edge
 545 Leave swamp
 1339.37 Set 1/16 corner north 19.95'
 1890 Enter swamp
 2157 Leave swamp
 2295 Enter swamp
 2678.75 Set center $\frac{1}{4}$ stone north 39.9'
 2690 Leave swamp
 3149 Creek 3' wide flows south
 3480 Enter swamp
 3573 Creek 10' wide flows north
 3760 Creek flows west
 3930 Creek flows south
 4010 Leave swamp
 4059.35 Set 1/16 corner north 60.5'
 4495 Enter swamp
 4700 Leave swamp
 5439.95 $\frac{1}{4}$ stone north 81.1'

SOUTH THROUGH SEC. 28 T33N

000 $\frac{1}{4}$ corner stone
 1330.6 Set 1/16 corner east 14.5'
 2661.2 Set center $\frac{1}{2}$ stone east 29.0'
 4005.6 Set 1/16 corner east 43.85'
 4400 Enter swamp
 4925 Leave swamp
 5083 Enter swamp
 5205 Leave swamp
 5310 Enter swamp
 5350.05 $\frac{1}{4}$ stone east 58.7' in road

WEST THROUGH SEC. 28

000 $\frac{1}{4}$ corner stone
 1324.8 Set 1/16 corner north 81.2'
 2450 Enter swamp
 2649.5 Set center $\frac{1}{2}$ stone north 162.4'
 2865 Leave swamp
 986.3 Set 1/16 corner north 243.6'
 5323.2 $\frac{1}{4}$ stone north 324.8'

WEST THROUGH SEC. 1 T33N

000 $\frac{1}{4}$ corner stone in swamp
 506 Creek flows NE
 558 Leave creek
 1199 Centerline of R.R. track
 1329.45 Set 1/16 corner south 6.4'
 2658.9 Set center $\frac{1}{4}$ stone south 12.75'
 3979.45 Set 1/16 corner south 19.1'
 5300 $\frac{1}{4}$ stone south 25.4' in swamp

SOUTH THROUGH SEC. 1

000 $\frac{1}{4}$ section stone
 1315 Leave clearing for swamp
 1333.35 Set 1/16 corner east 3.2'
 2657.9 Center $\frac{1}{4}$ stone east 6.35'
 3383 Creek 18' wide flows east
 3576 Ditch 4' wide flows NE
 3987.25 Set 1/16 corner east 8.5'
 4410 Leave swamp
 5316.6 $\frac{1}{4}$ stone east 12.7'

NORTH THROUGH SEC. 26 T33N

- 000 $\frac{1}{4}$ stone in road in swamp
- 1331.3 Set 1/16 corner west 20.65'
- 1578 Creek 19' wide flows SSW
- 2662.6 Set center $\frac{1}{4}$ stone west 41.3'
- 3985.5 Set 1/16 corner west 61.3'
- 5308.4 $\frac{1}{4}$ stone west 82.3' in swamp

WEST THROUGH SEC. 26

- 000 $\frac{1}{4}$ section stone
- 435 Centerline of R.R. track NNE-SSW
- 1335.5 Set 1/16 corner south 5.1'
- 1974 Enter swamp
- 2406 Creek 17' wide flows south
- 2671 Center $\frac{1}{4}$ stone south 10.15'
- 3600 Leave swamp
- 007.45 Set 1/16 corner south 15.3'
- 4050 Enter swamp
- 5343.9 $\frac{1}{4}$ stone south 20.4'

WEST THROUGH SEC. 30 T33N.

- 000 $\frac{1}{4}$ stone in road
- 600 Leave road
- 1303.65 Set 1/16 corner north 12.0'
- 1985 Centerline of highway CC
- 2012 Enter river
- 2425 South point of island
- 2607.3 Center $\frac{1}{4}$ corner north 24.0' in river
- 2990 Leave river
- 3910.95 Set 1/16 iron north 36.0'
- 5398.9 $\frac{1}{4}$ stone north 49.7'

SOUTH THROUGH SEC. 30

- 000 $\frac{1}{4}$ stone in road
- 264 Creek flows east
- 1300 Enter river
- 1327.7 Set 1/16 iron west 15.25'
- 2655.4 Center $\frac{1}{4}$ corner west 30.5' in river
- 3790 Top of dam
- 4205 Leave river
- 5316.9 $\frac{1}{4}$ stone west 61.4'

NORTH THROUGH SEC. 3 T33N

000	$\frac{1}{4}$ stone
1324.4	Set 1/16 iron east 28.4'
2095	Centerline of highway CC NE-SW
2648.8	Set center $\frac{1}{4}$ stone east 56.85'
2900	Enter river
5298.7	$\frac{1}{4}$ corner east 113.8' on ice in river.

WEST THROUGH SEC. 3

000	$\frac{1}{4}$ stone in swamp
25	Leave swamp
400	Enter swamp
550	Leave swamp
945	Enter swamp
1120	Leave swamp
1327.5	Set 1/16 iron north 10.9'
2365	Centerline of highway CC NE-SW
2655.0	Center $\frac{1}{4}$ stone north 21.8'
2822	Enter river
3610	Leave river
4009.9	Set 1/16 iron north 32.85'
5365.25	$\frac{3}{4}$ corner north 43.9'

WEST THROUGH SEC. 19 T33N

000	$\frac{1}{4}$ stone
835	Centerline of creek flows SE 10' wide
1217	Set 1/16 iron south 11.85'
2434.0	Set center $\frac{1}{4}$ stone south 23.7'
3575	Logging road N-S
3685.5	Set 1/16 iron south 35.8'
5108	$\frac{1}{4}$ stone south 48.7'

SOUTH THROUGH SEC. 19

000	$\frac{1}{4}$ stone
415	Centerline of creek 4' wide flows ESE
1314.8	Set 1/16 iron east 14.7'
2628.8	Center $\frac{1}{4}$ stone east 29.4'
3932.8	Set 1/16 iron east 44.05'
5236.7	$\frac{1}{4}$ stone east 58.7'

WEST THROUGH SEC. 18 T33N

- 000 $\frac{1}{4}$ stone in road
- 1254.1 Set 1/16 iron south 31.2'
- 2508.2 Set center $\frac{1}{4}$ stone south 62.4'
- 3756.3 Set 1/16 iron south 93.3'
- 5111.0 $\frac{1}{4}$ stone south 127.0'

SOUTH THROUGH SEC. 18

- 000 $\frac{1}{4}$ stone
- 1313.7 Set 1/16 iron west 0.2'
- 2627.4 Center $\frac{1}{4}$ stone west 0.4'
- 3941.5 Set 1/16 iron west 0.6' in swamp
100' across N-S. Swamp lies E-W
- 5255.7 $\frac{1}{4}$ stone west 0.9'

SOUTH THROUGH SEC. 7 T33N

000 $\frac{1}{4}$ stone
 555 Enter swamp
 985 Leave swamp
 1315.8 Set 1/16 iron east 10.25'
 1380 Enter low ground
 2115 Centerline of creek 4' wide
 flows east.
 2400 Leave low ground
 2631.6 Set center $\frac{1}{4}$ stone east 20.5'
 3949.65 Set 1/16 iron east 30.15'
 4805 Wood road
 5267.7 $\frac{1}{4}$ stone east 39.8'

WEST THROUGH SEC. 7

000 $\frac{1}{4}$ stone in road
 317 Creek 6' wide flows NE
 1250 Branch of creek
 1278.5 Set 1/16 iron north 12.15'
 1350 Creek flows SE
 2557.0 Center $\frac{1}{4}$ stone north 24.3'
 3835.5 Set 1/16 iron north 36.45'
 5148.5 $\frac{1}{4}$ stone north 47.0' at original
 corner.

EAST THROUGH SEC. 24 T33N

000 $\frac{1}{4}$ stone
 1354.75 Set 1/16 iron north 2.4'
 2090 Enter swamp
 2709.5 Set center $\frac{1}{4}$ stone north 4.75'
 Centerline of R.R. track northwest
 12.5'
 2688.0 Centerline of R.R. track SW-NE
 2882 Leave swamp
 4008.8 Set 1/16 iron north 7.0'
 5308.1 $\frac{1}{4}$ stone north 9.3'

NORTH THROUGH SEC. 24

000 $\frac{1}{4}$ stone
 1303.0 Set 1/16 iron east 4.45'
 1370 Enter swamp
 1948 Leave swamp
 2045 Enter swamp
 2606 Center $\frac{1}{4}$ stone east 8.9'
 2614 Centerline of R.R. track NE-SW
 3925.85 Set 1/16 iron east 12.45'
 4985 Leave swamp
 5180 Enter same swamp
 5245.7 $\frac{1}{4}$ stone east 17.0'

NORTH THROUGH SEC. 25 T33N

000 $\frac{1}{4}$ section stone
 1310 1/16 corner west 46.7'
 2620.0 Set center $\frac{1}{4}$ stone west 93.4'
 Offset irons N-S .
 North to shoulder of road 5'
 South to shoulder of road 18'
 3934.65 Set 1/16 iron west 140.3'
 4095 Creek 2' wide. Flows west
 5249.3 $\frac{1}{4}$ stone west 187.2'

EAST THROUGH SEC. 25

000 $\frac{1}{4}$ section stone
 1319.3 Set 1/16 iron north 2.3'
 2638.6 Center $\frac{1}{4}$ stone north 4.55'
 3962.3 Set 1/16 iron north 6.8'
 Offset irons N-S 24.75'
 1' north to shoulder of road
 5285.9 $\frac{1}{4}$ stone north 9.1'

NORTH THROUGH SEC, 36 T33N

- 000 $\frac{1}{4}$ section stone
- 1317.0 Set 1/16 iron west 16.8'
- 2634.0 Set center $\frac{1}{4}$ stone west 33.6'
- 3785 Enter swamp
- 3910 Leave swamp
- 3954.95 Set 1/16 iron west 50.4'
- 5275.9 $\frac{1}{4}$ section stone west 67.2'

EAST THROUGH SEC. 36

- 000 $\frac{1}{4}$ stone
- 30 Creek .15' wide flows south
- 252 Centerline of R.R. track
- 530 Enter ash swamp
- 336.85 Set 1/16 iron north 8.25'
- 1535 Leave swamp
- 2505 Creek 2' wide flows south
- 2673.7 Center $\frac{1}{4}$ stone north 16.5'
- 3993.85 Set 1/16 iron north 24.8'
- 4655 Creek flows NW
- 4810 Enter creek flows west
- 4890 Leave creek flows west
- 5314.0 Turned left NE of forward tangent
42.57' 48.7' to $\frac{1}{4}$ stone

NORTH THROUGH SEC. 11 T33N

000 $\frac{1}{4}$ stone
810 Enter swamp
1314.9 Set 1/16 iron west 17.8'
2629.8 Set center $\frac{1}{4}$ stone west 35.6'
3937.2 Set 1/16 iron west 53.4'
Small lake NE 360'
5244.6 $\frac{1}{4}$ stone west 71.2'

WEST THROUGH SEC. 11

000 $\frac{1}{4}$ stone
1295 Enter swamp
1330.65 Set 1/16 iron north 25.95'
2661.3 Center $\frac{1}{4}$ stone north 51.9'
3998.6 Set 1/16 iron north 77.7'
5335.9 $\frac{1}{4}$ stone in swamp north 103.5'

SOUTH THROUGH SEC. 35 T33N

000 $\frac{1}{4}$ stone in road
 169 Enter creek
 240 Leave creek
 400 Enter creek
 448 Leave creek
 571 Enter lake
 1663. Point about a 100' across
 3500 Leave lake
 3931.2 Set 1/16 corner east 2.5'
 5250.5 $\frac{1}{4}$ stone east 3.4'

WEST THROUGH SEC. 35

000 $\frac{1}{2}$ stone
 27 Centerline of road
 1068 Enter lake
 1510 North point of small island
 3742 Leave lake
 3988.1 Set 1/16 iron north 123.65'
 10' south of south edge of swamp
 4400 Enter swamp
 4600 Leave swamp
 5321.6 Land office $\frac{1}{4}$ corner north 165.0'

NORTH THROUGH SEC. 2 T33N

000	$\frac{1}{4}$ stone in swamp
1345.75	Set 1/16 corner west 16.95
2691.5	Set center $\frac{1}{4}$ corner west 33.9'
3158	Leave swamp
3272	Enter swamp
3410	Leave swamp
3680	Enter swamp
3845	Leave swamp
4021.5	Set 1/16 iron west 50.6'
5356.5	$\frac{1}{4}$ stone west 27.5'

EAST THROUGH SEC. 2

000	$\frac{1}{4}$ corner in swamp
1332.9	Set 1/16 corner south 32.15'
2665.8	Center $\frac{1}{4}$ corner south 64.3'
3990	Set 1/16 corner south 96.3'
5314.6	$\frac{1}{4}$ stone south 128.3'

NORTH THROUGH SEC. 6 T33N

000 $\frac{1}{4}$ stone
 1315.05 Set 1/16 iron west 14.6'
 2630.1 Set center $\frac{1}{4}$ stone west 29.2'
 3145 Enter swamp
 3390 Creek 12' wide flows east
 3962.4 Set 1/16 iron west 43.9'
 4100 Leave swamp
 5285.5 $\frac{1}{4}$ stone west 58.8'

WEST THROUGH SEC. 6

000 $\frac{1}{4}$ stone
 1005 Enter swamp
 1265 Creek 15' wide flows south
 1299.9 Set 1/16 iron north 41.95 in creek
 2000 Leave swamp
 2599.8 Center $\frac{1}{4}$ stone north 83.9'
 3355 Enter swamp
 3901.3 Set 1/16 iron north 125.9'
 5140 Creek 6' wide flows NE
 5240.4 $\frac{1}{4}$ post (cedar) north 169.2'

WEST THROUGH 31 T33N

000 Section corner stone in swamp
 30 Leave swamp
 1341.55 Set 1/16 iron south 21.3' in
 small water hole
 2683.1 Set center $\frac{1}{4}$ stone south 42.6'
 3655 Centerline of highway CC SW-NE
 3695.6 Offset south 156.3'
 4014.5 Set 1/16 iron north 92.6'.
 If offset had not been made at
 station 3695.6 1/16 corner
 would have been set south 63.7'
 4187.5 Set flag for triangulation
 4697.6 Offset north for triangulation
 166.4' on ice at edge of river
 Turned 71 56' between hub at
 station 4697.6 and flag at 4187.5
 4697.6 Offset north 156.3'
 5614.3 $\frac{1}{4}$ stone south 89.1'

SOUTH THROUGH 31

000 $\frac{1}{4}$ stone
 700 Top of dike NE-SW
 750 Enter channel
 1250 Leave channel
 1326.95 Set 1/16 iron east 7.35'.
 Location post south 375'
 1855 Centerline of highway CC
 2653.9 Center $\frac{1}{4}$ stone east 14.7'
 3978.85 Set 1/16 iron east 22.05'
 5130 Creek 20' wide NE-SSW
 5175 Same creek flows SSE
 5304.0 $\frac{1}{4}$ stone east 29.4'

WEST THROUGH SEC. 18 T32N

000 $\frac{1}{4}$ stone
 1334.3 Set 1/16 iron south 2.8' on E-W
 fence line 5' east of N-S fence
 line.
 2668.6 Set center $\frac{1}{4}$ stone south 5.6'
 in low wet spot. 77' west to
 pole line.
 2745 Centerline of pole line
 3515 Creek 1' wide flows SW
 3990.1 Set 1/16 iron south 8.3'
 4306 Centerline of highway CC
 5080 Centerline of pole line SW-NE
 5625 Enter river
 5717.2 $\frac{1}{4}$ corner on ice in river south 12.0'

NORTH THROUGH SEC. 18

000 9.2' west of stone
 (along pole line)
 1318.15 Set 1/16 iron east 34.05'
 2636.3 Center $\frac{1}{4}$ stone east 58.9'
 3954.4 Set 1/16 iron east 83.8'
 5272.7 $\frac{1}{4}$ stone east 108.7'

WEST THROUGH SEC. 7 T32N

000 $\frac{1}{4}$ stone in low ground
 760 Creek flows south
 1050 Leave low ground
 1323.4 Set 1/16 iron north 7.85'
 1785 Enter low ground
 2090 Creek flows NE
 2646.8 Set center $\frac{1}{4}$ stone north 15.7'
 2818 Center line of power line
 3838 Center line of creek flows south
 3979.35 Set 1/16 iron north 23.55'
 4406 Power line
 4433 Centerline of highway CC
 5254 Enter river
 5563 Leave river
 5744.9 $\frac{1}{4}$ stone north 34.3'

NORTH THROUGH SEC. 7

000 108.7' west of $\frac{1}{4}$ stone
 525 Enter wet ground
 890 Leave wet ground
 1180 Enter low ground
 1321.15 Set 1/16 iron east 131.15'
 2300 Leave low ground
 2642.3 Center $\frac{1}{4}$ stone east 153.6'
 3400 Creek 5' wide flows west
 3963.35 Set 1/16 iron east 178.3'
 5282.4 $\frac{1}{4}$ stone east 203.0'

WEST THROUGH SEC. 6 T32N

000 $\frac{1}{4}$ stone
 1334.25 Set 1/16 iron north 35.35'
 2668.5 Set center $\frac{1}{4}$ stone north 70.7'
 2845 Centerline of power line
 4012.75 Set 1/16 iron north 106.3'
 4206 Centerline of power line
 4315 Centerline of highway CC
 4800.3 Set flag for triangulation
 4823 Enter Wisconsin river
 (On hub across river offset south
 157.6' for triangulation and turned
 67 59' between hubs on random line)
 5180 Leave river
 5723.6 $\frac{1}{4}$ stone north 152.0'

NORTH THROUGH SEC. 6

000 203.0' west of $\frac{1}{4}$ stone
 228 Creek 2' wide flows west
 1319.5 Set 1/16 iron east 180.6'
 2639.0 Center $\frac{1}{4}$ stone east 158.2'
 3878 Creek 2' wide flows west
 3957.0 Set 1/16 iron east 131.8' in
 old road
 4325 Enter swamp
 4650 Leave swamp
 5375 Rippley creek 6' wide flows west
 5492.1 $\frac{1}{4}$ stone east 108.2'

NORTH THROUGH SEC. 16 T33N

000 Original $\frac{1}{4}$ corner. Stone in place
 1322.85 Set 1/16 iron west 7.65'
 1525 Enter swamp
 2075 Leave swamp
 2355 Enter swamp
 2600 Leave swamp
 2645.7 Set center $\frac{1}{4}$ stone west 15.3'
 2670 Enter swamp
 2900 Centerline of highway CC
 2970 Leave swamp
 3089.2 Offset east 27.3'
 3390 Enter river
 3752 Leave river
 3994.7 Set 1/16 iron west 50.45'
 4040 Enter swamp
 4290 Leave swamp
 4560 Enter swamp
 4620 Leave swamp
 5343.7 $\frac{1}{2}$ stone west 58.3'

EAST THROUGH SEC. 16

000 $\frac{1}{4}$ stone
 1310.85 Set 1/16 iron south 30.1'
 2621.9 Set center $\frac{1}{4}$ stone south 60.2'
 2650 Enter swamp
 2930 Leave swamp
 3455 Highway CC ESE
 3969.1 Set 1/16 iron south 91.1' in
 north ditch of road
 4255 Drainage ditch flows north
 4677 Highway CC ENE
 5173.3 Turned right SE off forward tan.
 to $\frac{1}{4}$ stone $40^{\circ}28'$ 188.0'

WEST THROUGH SEC. 10 T33N

000 $\frac{1}{4}$ stone
 30 Leave swamp
 425 Enter swamp
 585 Leave swamp
 698 Enter swamp
 1334.4 Set 1/16 iron north 25.55'
 1410 Leave swamp
 1745 Enter swamp
 1998 Leave swamp
 2555.2 Offset north 39.5'
 2668.8 Set center $\frac{1}{4}$ stone north 11.6'
 2865 Centerline of highway CC NNW-SSE
 3180 Enter river
 3699 Leave river
 4005.35 Set 1/16 iron north 37.15'
 4562 Enter narrows of swamp
 4625 Leave narrows of swamp
 5341.9 $\frac{1}{4}$ stone north 62.7'

SOUTH THROUGH SEC. 10

000 $\frac{1}{4}$ stone
 1313.3 Set 1/16 iron west 8.0'
 2626.6 Center $\frac{1}{4}$ stone west 16.0'
 3320 Centerline of highway CC NW-SE
 3932.95 Set 1/16 iron west 24.0'
 3970 Creek 2' wide flows west
 4410 Centerline of highway CC SSW-NNE
 5239.3 $\frac{1}{4}$ stone west 32.0'

SOUTH THROUGH SEC. 20 T33N

000 $\frac{1}{4}$ stone
225 Enter river
1559 Leave river
2157 Centerline of highway CC
2636.0 Set center $\frac{1}{4}$ stone east 28.9'
in south shoulder of road.
Offset one iron south 24.75'
3921.9 Set 1/16 iron east 42.95'
5048 Creek 4' wide flows west
5207.7 $\frac{1}{4}$ stone east 57.0'

WEST THROUGH SEC. 20

000 $\frac{1}{4}$ stone
1297.8 Set 1/16 iron south 6.55'
2585.7 Set center $\frac{1}{4}$ stone south 13.1'
3023 Highway CC NE-SW
3300 Enter river
5295.1 $\frac{1}{4}$ stone south 27.0'

WEST THROUGH SEC. 17 T33N

000	$\frac{1}{4}$ stone
55	Centerline of highway CC
286	Enter river
903	Leave river
1327.55	Set 1/16 iron south 4.07'
2655.1	Set center $\frac{1}{4}$ stone south 8.15'
3965.2	Set 1/16 iron south 12.2'
5275.3	$\frac{1}{4}$ stone south 16.2'

SOUTH THROUGH SEC. 17

000	$\frac{1}{4}$ stone
1100	Enter swamp
1325.6	Set 1/16 iron west 18.1'
1550	Leave swamp
2180	Enter swamp
2455	Leave swamp
2651.2	Center $\frac{1}{4}$ stone west 36.15'
3968.35	Set 1/16 iron west 54.1'
5285.5	$\frac{1}{4}$ stone west 72.1'

SOUTH THROUGH SEC. 22 T33N

000 $\frac{1}{4}$ stone
 1302.75 Set 1/16 iron east 4.7'
 2583 Right angle in road
 2605.5 Set center $\frac{1}{4}$ stone east 9.4'
 49.1' to corner of house
 23.1' to corner of garage
 3410 Enter swamp
 3785 Leave swamp
 3925.3 Set 1/16 iron east 14.2'
 4560 Creek flows SE
 5035 Creek flows SW
 5245.1 $\frac{1}{4}$ stone east 19.0'

EAST THROUGH SEC. 22

000 $\frac{1}{4}$ stone
 1130 Creek 3' wide flows south
 1340.1 Set 1/16 iron south 1.07'
 2670 Right angle in road
 2680.2 Center $\frac{1}{4}$ stone south 2.15'
 4020.05 Set 1/16 iron south 3.25'
 5359.9 $\frac{1}{4}$ stone south 4.3'

28

SOUTH THROUGH SEC. 23 T33N

000 $\frac{1}{4}$ stone
1314.85 Set 1/16 iron east 19.05'
2629.7 Set center $\frac{1}{4}$ stone east 38.1'
2690.9 Offset west 22.9'
3938.8 Set 1/16 iron east 79.8'
4365 Enter swamp
5225.4 $\frac{1}{4}$ stone east 98.8'

WEST THROUGH SEC. 23

000 $\frac{1}{4}$ stone in road
50 Enter swamp
340 Leave swamp
482 Enter same swamp
875 Leave swamp
1289.9 Set 1/16 iron north 10.6'
2579.8 Center $\frac{1}{4}$ stone north 21.2'
3923.4 Set 1/16 iron north 32.6'
5267.0 $\frac{1}{4}$ stone north 43.9'

WEST THROUGH SEC. 14 T33N

000 $\frac{1}{4}$ stone in road in swamp
 900 Leave swamp
 990 Enter swamp
 1173 Leave swamp
 1331.15 Set 1/16 iron north 17.1'
 1742 Enter swamp
 1925 Leave swamp
 2662.3 Set center $\frac{1}{4}$ stone north 34.2'
 3520 Enter ash swamp
 4007.2 Set 1/16 iron north 51.45'
 4127 Leave ash swamp
 5352.1 $\frac{1}{4}$ stone north 68.7'

NORTH THROUGH SEC. 14

000 $\frac{1}{4}$ stone in road
 1334.8 Set 1/16 iron west 6.1'
 1895 Enter swamp
 2105 Leave swamp
 2180 Enter swamp
 2418 Leave swamp
 2669.7 Center $\frac{1}{4}$ stone west 12.15'
 3340 Enter swamp
 3605 Leave swamp
 4001.8 Set 1/16 iron west 18.25'
 5333.9 $\frac{1}{4}$ stone west 24.3'

EAST THROUGH SEC. 15 T33N

000 $\frac{1}{4}$ stone
1202 Centerline of town road
1323.75 Set 1/16 corner north 2.1'
2423 Creek flows north
2647.5 Set center $\frac{1}{4}$ stone north 4.25'
3980.3 Set 1/16 iron north 6.4'
5321.1 $\frac{1}{4}$ stone north 8.5'

SOUTH THROUGH SEC. 15

000 $\frac{1}{4}$ stone
1345.3 Set 1/16 iron east 25.16'
1458 Creek flows WNW
2175 Creek flows WNW
2690.6 Center $\frac{1}{4}$ stone east 50.32'
2750 Fence line
3525 Creek flows NNW
4032.8 Set 1/16 iron east 75.35'
4068 Fence line
5375.0 $\frac{1}{4}$ stone east 104'

EAST THROUGH SEC. 19 T32N

000	$\frac{1}{4}$ stone
1634.8	Set 1/16 iron south 5.2'
1920	Centerline of highway CC
2405	Creek flows south
2952.9	Set center $\frac{1}{4}$ stone south 9.4'
3325	Enter swamp
3445	Leave swamp
4284.8	Set 1/16 iron south 13.7'
5610.7	$\frac{1}{4}$ stone south 18.0'

SOUTH THROUGH SEC. 19

000	$\frac{1}{4}$ stone
1325.75	Set 1/16 iron west 23.75'
2651.5	$\frac{1}{4}$ stone west 47.5'
3966.0	Set 1/16 iron west 71.05'
4272	Enter creek 3' wide also enter swamp
4330	Leave swamp
5280.05	$\frac{1}{4}$ stone west 94.6'

EAST THROUGH SEC. 5 T33N

Randomline and one quarter section
 line coincident
 000 $\frac{1}{4}$ stone
 1309.7 Set 1/16 iron
 Offset iron N+S 24.75'
 2619.35 Set center $\frac{1}{4}$ stone
 Power pole no.356 N15E 17.0'
 3918.95 Set 1/16 iron.
 Offset iron north 24.75' -
 Driveway to the south
 5218.5 $\frac{1}{4}$ stone

NORTH THROUGH SEC. 5

000 $\frac{1}{4}$ stone in swamp
 830 Leave swamp
 1313.7 Set 1/16 iron east 24.75'
 2627.35 Center $\frac{1}{4}$ stone east 69.5'
 2700 Enter swamp
 3000 Leave swamp
 3924.55 Set 1/16 iron east 103.8'
 5227.1 Original $\frac{1}{4}$ corner east 138.3'

WEST THROUGH SEC. 4 T33N

000	$\frac{1}{4}$ stone
1295.8	Set 1/16 iron north 1.0' Offset iron south 24.75' 38' NW to power pole no. 381 1' south to shoulder of road
2591.6	Set center $\frac{1}{4}$ stone north 2.0' Offset irons south 24.75' 35' NW to pole no. 376
3919.8	Set 1/16 iron north 3.0'
5248.0	$\frac{1}{4}$ stone north 4.0'

NORTH THROUGH SEC. 4

000	$\frac{1}{4}$ stone
1302.85	Set 1/16 iron east 14.2' in east ditch of road
2605.7	Center $\frac{1}{4}$ stone east 28.4'
2618	Centerline of highway E
3902.3	Set 1/16 iron east 42.5'
5195.7	$\frac{1}{4}$ stone east 56.6'

SOUTH THROUGH SEC. 5 T32N

000 $\frac{1}{4}$ stone
 217 Creek 10' wide flows west
 259 Same creek flows west
 1617.6 Set 1/16 iron west 9.8'
 2935.8 Set center $\frac{1}{4}$ stone west 17.9'
 4253.85 Set 1/16 iron west 25.9'
 4690 Enter swamp
 4850 Leave swamp
 5571.9 $\frac{1}{4}$ stone west 33.9'

WEST THROUGH SEC. 5

000 $\frac{1}{4}$ stone
 1326.05 Set 1/16 iron north 5.5'
 2652.1 Center $\frac{1}{4}$ stone north 11.0'
 2425 Enter swamp
 2530 Leave swamp
 2880 Enter swamp
 3010 Leave swamp
 3985.95 Set 1/16 iron north 16.5'
 5319.8 $\frac{1}{4}$ stone north 22'

WEST THROUGH SEC. 8 T32N

000 $\frac{1}{4}$ stone in road
1323.15 Set 1/16 iron south 3.6'
2646.3 Set center $\frac{1}{4}$ stone south 7.2'
3971.6 Set 1/16 iron south 10.8'
5297.0 $\frac{1}{4}$ stone south 14.4'

NORTH THROUGH SEC. 8

000 $\frac{1}{4}$ stone in road
1320.45 Set 1/16 iron east 5.4'
1975 Enter swamp
2350 Leave swamp
2640.9 Set center $\frac{1}{4}$ stone east 10.85'
3964.8 Set 1/16 iron east 16.3'
5287.9 $\frac{1}{4}$ stone east 21.7'

EAST THROUGH SEC. 4 T32N

000 $\frac{1}{4}$ stone in road
1313.5 Set 1/16 iron south 11.95'
2627 Set center $\frac{1}{4}$ stone south 23.9'
3944.5 Set 1/16 iron south 36.3'
5262.0 $\frac{1}{4}$ stone south 48.7'

NORTH THROUGH SEC. 4

000 $\frac{1}{4}$ stone in road
1324.4 Set 1/16 iron east 14.05'
2648.8 Center $\frac{1}{4}$ stone east 28.1'
3970.4 Set 1/16 iron east 42.1'
5686.9 $\frac{1}{4}$ stone east 60.3'

WEST THROUGH SEC. 32 T33N

000 $\frac{1}{4}$ stone in road (original)
 1269.2 Set 1/16 iron north 1.1'
 2538.5 Set center $\frac{1}{4}$ stone north 2.25'
 3858.05 Set 1/16 iron north 3.35'
 5176.6 $\frac{1}{4}$ stone north 4.5'

SOUTH THROUGH SEC 32

000 $\frac{1}{4}$ stone
 1005 Enter swamp
 1225 Leave swamp
 1318.5 Set 1/16 iron east 19.2'
 1895 Offset west 36.1'
 3985.5 Set 1/16 iron east 94.25'
 5334.1 $\frac{1}{4}$ stone east 114.0'
 2637.0 Set center $\frac{1}{4}$ stone east 74.5'

EAST THROUGH SEC. 34 T33N

000 $\frac{1}{4}$ stone
 53 Centerline of road
 1000 Enter swamp
 1220 Leave swamp
 1314.0 Set 1/16 iron north 0.75'
 2245 Enter swamp
 2475 Leave swamp
 2628.0 Set center $\frac{1}{4}$ stone north 1.5'
 3950.5 Set 1/16 iron north 2.25'
 5010 Enter swamp
 5100 Leave swamp
 5273.1 $\frac{1}{4}$ stone north 3.0'

SOUTH THROUGH SEC. 34

000 8.0' east of $\frac{1}{4}$ stone in road
 1307.8 Set 1/16 iron east 21.9'
 2615.6 Center $\frac{1}{4}$ stone east 51.7'
 3470 Enter swamp
 3700 Leave swamp
 3936.3 Set 1/16 iron east 81.95'
 5125 Enter swamp
 5256.9 $\frac{1}{4}$ stone east 112.2'

NORTH THROUGH SEC. 27 T33N

000 $\frac{1}{4}$ stone
1331.75 Set 1/16 iron west 33.3'
2305 Enter swamp
2477 Leave swamp
2663.5 Set center $\frac{1}{4}$ stone west 66.55'
2826 Centerline of creek 3' wide
flows east
3982.3 Set 1/16 iron west 99.55'
5301.1 $\frac{1}{4}$ stone west 132.2'

EAST THROUGH SEC. 27

000 $\frac{1}{4}$ stone in road
1336.45 Set 1/16 iron south 0.55'
2672.9 Center $\frac{1}{4}$ stone south 1.1'
3480 Enter swamp
4014.4 Set 1/16 iron south 1.65'
5355.9 $\frac{1}{4}$ stone south 2.2'

SOUTH THROUGH SEC. 8 T33N

000 $\frac{1}{4}$ stone in swamp
 1240 Leave swamp
 1317.25 Set 1/16 iron west 1.8'
 2573 Enter creek 5' wide flows SSE
 2634.5 Set center $\frac{1}{4}$ stone east 3.55'
 in creek
 2665 Leave creek
 3125 Centerline of creek 3' wide flows
 east
 3951.7 Set 1/16 iron west 5.3'
 5063 Enter swamp
 5243 Leave swamp
 5269.0 Set $\frac{1}{4}$ stone west 7.1'

EAST THROUGH SEC. 8

000 $\frac{1}{4}$ stone
 1075 Centerline of creek 4' wide
 flows south
 1294.7 Set 1/16 iron north 17.3'
 2589.3 Center $\frac{1}{4}$ stone north 34.6' in
 creek
 2600 Centerline of creek flows SSE
 3884.0 Set 1/16 iron north 51.9'
 5178.7 $\frac{1}{4}$ stone north 69.2'

SOUTH THROUGH SEC. 9 T33N

000	$\frac{1}{4}$ stone
1326.4	Set $\frac{1}{16}$ iron east 47.75'
2652.8	Set $\frac{1}{4}$ stone east 95.5'
3961.3	Set $\frac{1}{16}$ iron east 142.7'
4725	Enter swamp
4995	Leave swamp
5269.9	$\frac{1}{4}$ stone east 189.9'

WEST THROUGH SEC. 9

000	Point on random line , not tied to $\frac{1}{4}$ corner
17.8	$\frac{1}{4}$ stone south 9.1'
193	Enter NE corner of pond-enter swamp
800	Leave swamp
1352.7	Set $\frac{1}{16}$ iron north 6.1'
1945	Enter low land
2250	Enter swamp
2687.6	$\frac{1}{4}$ stone north 21.3'
2792	Centerline of town road
2910	Leave swamp
4018.8	Set $\frac{1}{16}$ iron north 36.2'
4295	Enter swamp
5275	Leave swamp
5350	$\frac{1}{4}$ stone north 51.1'

NORTH THROUGH SEC. 21 T33N

- 000 $\frac{1}{4}$ stone in road
- 1289.75 Set 1/16 iron west 16.5'
- 2570 Centerline of town road
- 2579.5 Set center $\frac{1}{4}$ stone west 33.0'
in north ditch of road. Offset
irons N-S 24.75'
- 3901.95 Set 1/16 iron west 49.8'
- 5224.4 $\frac{1}{4}$ stone west 66.6'

WEST THROUGH SEC. 21

- 000 $\frac{1}{4}$ stone
- 327.5 Set 1/16 iron north 0.2'
- 2655 Center $\frac{1}{4}$ stone north 0.4'
- 3112 Centerline of creek flows north
- 4014.7 Set 1/16 iron north 0.6'
- 5374.3 $\frac{1}{4}$ stone north 0.8'

EAST THROUGH SEC. 29 T33N

000 $\frac{1}{4}$ stone
1304.9 Set 1/16 iron north 2.35'
2609.8 Set center $\frac{1}{4}$ stone north 4.7'
3924.75 Set 1/16 iron north 7.1'
5239.7 $\frac{1}{4}$ stone north 9.55'

NORTH THROUGH SEC. 29

000 $\frac{1}{4}$ stone in road
740 Enter swamp
1055 Leave swamp
1348.95 Set 1/16 iron west 47.35'
2445 Enter swamp
2697.9 Center $\frac{1}{4}$ stone west 94.7'
3155 Leave swamp
4022.95 Set 1/16 iron west 141.4'
5347.9 $\frac{1}{4}$ stone west 187.7'

44
EAST THROUGH SEC. 9 T32N

000 $\frac{1}{4}$ stone in road
1115 Enter swamp
1300 Leave swamp
1308.8 Set 1/16 iron north 5.4'
1865 Enter swamp
2320 Leave swamp
2480 Enter swamp
2617.6 Set center $\frac{1}{4}$ stone north 10.8'
2700 Leave swamp
3932.75 Set 1/16 iron north 16.2'
4305 Dry creek
4450.1 Offset north 21.4'
5247.7 $\frac{1}{4}$ stone north 0.25'

SOUTH THROUGH SEC. 9

000 5.3' west of $\frac{1}{4}$ stone
1319.7 Set 1/16 iron west 19.85'
1870 Enter ash swamp
2110 Leave ash swamp
2639.4 Center $\frac{1}{4}$ stone west 45.0'
3953.05 Set 1/16 iron west 70.15'
5268.7 $\frac{1}{4}$ stone west 95.3'

EAST THROUGH SEC. 17 T32N

000 22.2' north of stone
 1301.4 Set 1/16 iron south 5.3'
 2602.8 Set center $\frac{1}{4}$ stone north 11.6'
 3917.55 Set 1/16 iron north 28.6'
 4550 Enter swamp
 4675 Leave swamp
 4865 Enter swamp
 5050 Leave swamp
 5232.3 $\frac{1}{4}$ stone north 45.6'

SOUTH THROUGH SEC. 17

000 $\frac{1}{4}$ stone
 1318.35 Set 1/16 iron west 10.5'
 2636.7 Center $\frac{1}{4}$ stone west 21.05'
 3956.3 Set 1/16 iron west 31.6'
 4938 Enter swamp
 5260 Leave swamp
 5275.9 $\frac{1}{4}$ stone west 42.1'

EAST THROUGH SEC. 16 T32N

000 $\frac{1}{4}$ stone
 1322.35 Set 1/16 iron south 25.65'
 1935 Enter swamp
 2080 Leave swamp
 2644.7 Set center $\frac{1}{4}$ stone south 51.3'
 3100 Enter swamp
 3295 Enter creek
 3380 Leave creek
 3410 Leave swamp
 3969.6 Set 1/16 iron south 76.95'
 5294.5 $\frac{1}{4}$ stone south 102.6'

SOUTH THROUGH SEC. 16

000 $\frac{1}{4}$ stone
 400 Enter west end of swamp
 695 Leave swamp
 1317.2 Set 1/16 iron west 5.15'
 2000 Enter swamp
 2320 Leave swamp
 2634.4 Center $\frac{1}{4}$ stone west 10.3'
 3952.3 Set 1/16 iron west 15.45'
 3965 Creek 3' wide flows SW
 5270.2 $\frac{1}{4}$ stone west 20.6'

NORTH THROUGH SEC. 21 T32N

000		$\frac{1}{4}$ stone
1050		Enter swamp
1095		Creek 6' wide flows east
1319	.55	Set 1/16 iron east 16.4'
1360		Creek 4' wide flows east
2638	.1	Set center $\frac{1}{4}$ stone east 32.85'
2760		Leave swamp
3958	.65	Set 1/16 iron east 16.4'
4500		Enter swamp
5060		Leave swamp
5278	.2	$\frac{1}{4}$ stone east 65.7'

WEST THROUGH SEC. 21

000		$\frac{1}{4}$ stone
75		Enter swamp
300		Leave swamp
1301	.8	Offset south 16.3'
1329	.85	Set 1/16 iron north 18.05'
1860		South end of swamp
2640		Enter swamp
2659	.7	Set center $\frac{1}{4}$ stone north 19.8'
2875		Leave swamp
3155		Enter swamp
3308		Enter creek 8' wide
3363		Leave creek flows SW
3420		Leave swamp
3920		Enter swamp
3989	.45	Set 1/16 iron north 21.55'
4690		Leave swamp
4985		Creek 6' wide flows SSE
5319	.4	$\frac{1}{4}$ stone north 23.4'

EAST THROUGH SEC. 20 T32N

000 $\frac{1}{2}$ stone
 1306.45 Set 1/16 iron north 15.1'
 2612.9 Set center $\frac{1}{4}$ stone north 30.15'
 3360 Enter swamp
 3605 Leave swamp
 3922.1 Set 1/16 iron north 45.3'
 4360 Enter swamp
 4865 Leave swamp
 5165 Enter swamp
 5231.3 $\frac{1}{4}$ stone north 60.4'

NORTH THROUGH SEC. 20

000 $\frac{1}{4}$ stone
 1310.75 Set 1/16 iron west 11.65'
 1845 Enter swamp
 2175 Leave swamp
 2621.5 Center $\frac{1}{4}$ stone west 23.3'
 3942.25 Set 1/16 iron west 35.05'
 4075 Enter swamp
 4117 Creek 2' wide flows east
 4880 Leave swamp
 5260.0 $\frac{1}{4}$ stone west 46.8'