

34 - 8

CORS.

FIELD BOOK

401

## PERIOD

	7	8	9	10	11	12
13	18	17	16	15	14	13
14	19	20	21	22	23	24
25	30	31	32	31	26	25
36	31	30	33	34	35	36

## 34-8 Corners\_a

	6	5	4	3	2	1	
	7	8	9	10	11	12	
47	18 <sup>48</sup>	17 <sup>39</sup>	16 <sup>74</sup> 23	15 <sup>19</sup> 20	14 <sup>14</sup> 15	13	
54	52 <sup>49</sup>	50 <sup>5</sup>	6 <sup>25</sup>	24 <sup>28</sup>	21 <sup>22</sup> 23 <sup>11</sup>	12	
56	19 <sup>53</sup>	20 <sup>38</sup>	21 <sup>26</sup>	22 <sup>8</sup>	23 <sup>13</sup>	24	
62	58 <sup>40</sup>	32 <sup>33</sup>	34 <sup>57</sup>	27 <sup>7</sup>	10 <sup>2</sup>	3	
70	30 <sup>59</sup>	29 <sup>35</sup>	28 <sup>31</sup>	27 <sup>18</sup>	26 <sup>4</sup>	25	
64	60 <sup>41</sup>	71 <sup>36</sup>	72 <sup>29</sup>	46 <sup>16</sup>	44 <sup>1</sup>	45	
63	31 <sup>61</sup>	32 <sup>37</sup>	33 <sup>30</sup>	34 <sup>17</sup>	35	36	

## **34-7 Corners\_a**

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13 47 55 54
19	20	21	22	23	24 56 43 65 62
30	29	28	27	26	25 70 42 69 64
31	32	33	34	35	36 63 78

3

5

X  
SET SEC CORN  
25-26-35-36

AS EVIDENCED BY OLD  
IRON STAKE AT END OF  
ROAD - 1/4 MILE OF EXTEN-  
SION PROPOSED FOR 1938.  
FENCE LINES TO IT,  
RESIDENT VARIFIED IT.

SET STONE 8" BELOW  
TOP OF ROAD

OFF SET A PINE  
STAKE 6" SOUTH 30 LKS.

~~X~~

SET SEC COR  
33-34-25-26  
AS EVIDENCED BY VERY  
OLD STAKE MOUNDED  
WITH STONE. FENCE  
LINES TO IT

OAK 12" S29°W 88.0'  
HEMLOCK 7" S53°E 67.2'

MOUNTED WITH STONE

~~X~~

SET 4 BET 24-25

AS EVIDENCED BY BT  
(ORIGINAL) STAKE AND  
TESTIMONY OF RESIDENT  
(VERY OLD) STAKE ON  
FENCE LINE

WHITE PINE 11" NOT  
INSCRIBED UPON BECAUSE  
IT IS THE ONLY 11' PINE  
NEAR S2°E 60.2'  
MAPLE 22 NOT INSCRIBED  
UPON N 38W 7.3'

MOUNTED WITH  
STONE

X

SET  $\frac{1}{4}$  STONE  
BET 25-26

AS EVIDENCED BY  
FENCE CORNERS AND  
TESTIMONY OF FARMER  
WHO POINTED OUT  
THE ORIGINAL BT'S.  
WHICH WERE POTTED  
SO AS TO DESTROY  
MARKING - BUT SPECIES  
AND DIMENTIONS AGREED  
WITH FIELD NOTES,

PINE STUMP 40"  
N 35 E 43.8

MAPLE 10" N 15 W 105.2

MOUNDED WITH STONE

SET SEC CORNERS  
16-17-20-31

AS EVIDENCED BY OLD  
STAKES AND ORIGINAL  
BT.

MAPLE 16"	N	E 24.0
ELM 14"	S	E 51.7
ASH 9"	S	W 28.3
ASH 6"	N	W 33.7

~~SMALL~~  
~~WET SPOT~~ WEST OF  
~~STONE~~

X  
SET  $\frac{1}{4}$  SEC. STONE  
BET 16-21  
AS EVIDENCED BY  
OLD POST AND BT.  
NOT ORIGINAL - AT WEST  
EDGE OF OLD TRAIL

OLD BT HEMLOCK 16"  
N 15° E 2.4'  
HEMLOCK 6" S 60 W 53.8

MOUNDED WITH STONE

X  
SET SECTION COR.  
20-23-26-27  
BY DOUBLE PROP MEAS.  
WEST OMK STA. 5316.3  
11.5' ON RANDOM BET 26-27  
ON THE SOUTH SIDE  
OF A SMALL SWAMP  
ON THE SOUTH SIDE OF  
'B' 40' SOUTH OF  
THE SWAMP  
W. PINE 5" N 60° E 26.5,  
N. PINE 6" S 22° E 25.4

5304.1	105 60.3
5316.3	5255.8
67.8	
	1572.6.7
	5304.1
	5318.1

BET 22-23

SET MC STONE ON  
NORTH SHORE OF A  
SMALL LAKE (NAME)

WEST OFF STA 7835  
21.6' AT HIGH WATER  
MARK. NOTHING TO  
WITNESS  
MOUNDED WITH STONE.

SET WOOD POST AT  
STA 8400 WEST 19.6'  
MOUNDED WITH STONE

SET MC COR BET  
22-23 - 9 ISLAND LAKE  
AS WITNESSED BY  
OLD STAKES!

MAPLE 5" S 12° W 11.1'

AT TH WEST SIDE  
OF A LONG BAY  
60' WIDE 500' LONG

~~W PINE 10" N 31 E 53.2'  
PINE STUMP 19" S W 82.4"~~

~~MOUNDED WITH STONE~~

~~X~~

SET ~~1/4~~ STONE BET  
23-26

603

NORTH OFF RANDOM AT  
STA 2514.9 (5266.9' <sup>ACTUAL</sup> MILE)  
64.3'

W PINE 10" N21E 53.3'  
PINE STUMP 4" S4°W 80.9'

MOUNDED WITH STONE

~~X~~

SET SEC COR  
13-14-23-37  
BY PROP MEAS. EAST  
OF STA 106.8 ON RANDOM  
BET 13-14 33.6'

EAST 57' TO CREEK  
FROM CHAIN LAKES  
WEST TO ENTER SWAMP  
33'

W. PINE 16"	548°W	48.7'
W PINE 10"	N 21°W	61.0'
MAPLE 8'	S 67 E	44.1'

SET 4 SEC STONE  
BET 13-24  
NORTH 121.6 OFF RANDOM  
LINE AT STA 5694

PINE STUMP 18"  
N 20 E 66.0'  
PINE STUB 36"  
S 15° W 268

A VALLEY RUNNING SE-NW  
NORTH 50°

MOUNDED WITH STONE

SET 4 SEC STONE  
BET 23-24  
EAST OF RANDOM 18.0'  
AT STA 5696.45

PINE STUMP 18' S 46° E 33.7'  
OAK 42" N 72° W 10.8'  
INSCRIBED IN STONE

SOUTHWEST 35' TO  
SMALL SWAMP

MOUNDED WITH STONE

SET MC ON  
176 BET 13-14  
3604.4 NORTH SHORE OF  
FISH OR PERCH LAKE  
EAST OF RANDOM LINE  
147.6' AT STA. 3604.4

NORWAY 15" N76 $\frac{1}{2}$ E 16.9'  
NORWAY 17" N85W 12.3'

NEAREST EDGE OF  
BOULDER 4.5' X 6"  
3' ABOVE GROUND - N20E  
7'

MOUNTED WITH STONE

SET  $\frac{1}{4}$  BET  
13-14  
EAST OF STA 26.14.5  
115.4 EAST (LEAVES  
1 MILE TO SOUTH VERY  
SHORT) AT EDGE  
OF LAKE AS CALLED  
FOR IN NOTES

PINE STUMP 32" S38E 13.3  
" " 18 S 11 $\frac{1}{2}$ W 42.6

MOUNTED WITH STONE

SET SEC COR  
26-57-34-35

X  
AS EVIDENCED BY  
OLD IRON POST

OFF SET A STAKE  
NORTH 30 deg.

FENCES TO THE  
COR

SET STONE 8" BELOW  
TOP OF ROAD

SET 4 SEC STONE  
BET 34-35

AS EVIDENCED BY  
OLD STAKE IRON PIN  
AND FENCE LINES

MAPLE 17" N 47° W 40.0'

ELM 9" S 75° E 34.0'

NO STONE

SET 36-27 SEC. 8  
BET OFF STA 2600.1

VEST 7.1'  
NO FENCE TO IT.  
FENCE WAY OFF LINE

NOTHING TO WITNESS

MOUNDED WITH STONE

GROUND SLOPES DOWN  
TO THE NORTH TO  
A RATHER ROCKY SPOT

SET 4 STONE  
BET 14-15

AS EVIDENCED BY OLD  
WOOD STAKE IRON STAKE  
AND FENCE LINE TO  
IT

NOTHIN TO WITNESS -  
STONE SET HALF WAY  
UP A HILL WHICH  
SLOPES DOWN TO THE  
NORTH WEST

20

SET 14-15

EAST

NORTH

AS EVIDENCED BY  
OLD IRON STAKE AND  
BT. 5' FROM EDGE  
OF WATER

W. PINE 7 7<sup>2</sup>° E 15.2  
MAPLE 5 3 73 W 49.2

MOUNDED WITH STONE

21

SET MC BET  
14-23EAST SHARE SEVEN  
ISLAND LAKEAS EVIDENCED BY STAKE  
AND OLD BT

PINE STUMP 25" N 52 E 37.9  
PINE STUMP 26" S 27 E 22.5  
OLD BT PINE STUMP 30"  
N 73 E 50.1

MOUNDED WITH STONE

22

SET  $\frac{1}{4}$  DOR BET  
 14-23 SOUTH OF  
 POINT IN LAKE 80'  
 ALSO SET A STAKE  
 WITH THIS INFORMATION  
 ON IT. FIELD NOTES  
 DO NOT CHECK ORIGINAL  
 NOTES ALL EVIDENCE  
 GONE.

NORTH TO EDGE OF  
 WATER 26'

PINE WEST 5' MARKED  
 WITH A X

SOUTH 70' TO LEAVE  
 SWAMP

23

X  
 SET WOOD POST MC  
 BET 14-23  
 NORTH OFF STA 2370.8  
 165.3' MOUNDED WITH  
 STONE

SET WOOD MC POST  
 BET 14-23 ON WEST  
 SHORE OF SNAKE  
 LAKE IN BOG.  
 NORTH OFF STA,  
 3542.6 179.0'

24

EAST EXPOSURE OF LONG  
LAKE

SET MO BET

15-23 AS

EVIDENCED BY STAKE  
AND IRON PIPE AT  
HIGH WATER MARK

FOOT BRIDGE NORTH 265'  
AT NARROWS IN LAKE  
50' ACROSS

MOUNDED WITH STONE

25

X

SET SEC CORN

15, 16, 21, 52

AS EVIDENCED BY  
SEC. POST OLD  
BLAZE LINE TO IT -  
CORRECT DISTANCE TO LAKE

STONE SETS AT HIGH  
WATER MARK EAST  
WEST LINE RUNS ALONG  
NORTH EDGE OF HIGMAN  
COTTAGE

HEMLOCK 8" (OLD ST.)  
N 65 W 11' 0 NO NEW  
MARKS INSCRIBED

MOUNDED WITH STONE

26

X

K4 STONE BET  
21-25

AS EVIDENCED BY  
ORIGINAL BT AND:  
STAKE AND BLAZES  
BALSAM 7" N  $10^{\circ}$  W 11.6  
BIRCH ORIGINAL ROTTED  
<sup>UPROOTED</sup> S  $68^{\circ}$  W 25.0

WEST TO E OLD RR GRADE  
PROPOSED FIRE LANE 73'

MAUNDED WITH STONE

27

SET K BET  
25-27

SOUTH OFF STA 25-27.  
 $48.7^{\circ}$  BLAZES INDICATE  
THAT CORNER IS N.  
HEMLOCK 11" S  $19^{\circ}$  E 71.5'  
W PINE 10 N  $39^{\circ}$  W 94.0

NORTH TO INTER SWAMP  
68'

MAUNDED WITH STONE

28

NW<sup>1/4</sup> NE<sup>1/4</sup> SE<sup>1/4</sup> 15SET MC BET SEC  
15 - 22NORTH OFF RANDOM  
AT STA 3355.6 3.9'  
5' NORTH OFF A BOAT  
DOCKNOTHING TO WITNESS  
MOUNDED WITH SMALL STONE

29

K  
SET SE COR TO  
37-28-33, 84 EAST  
OF STA 64.2 - 31.0'  
ON SOUTH SIDE OF  
HILL NEAR TOP OF  
HILLTWIN MAPLE 5" N 45 W 61.4'  
BASSWOOD 5" S 17 E 19.5'

MOUNDED WITH STONE

30

X

SET  $\frac{1}{4}$  COR BET  
S3 - S4

EAST OFF STA 3707.0  
45.0

ASPEN 4" N 41 E 5.6  
ASPEN 4" S 62 W 5.1

INSCRIBED IN BARK ONLY

SOUTH TO NARROWS OF  
OPEN SWAMP 31' (HIGH WATER)  
OLD LOGGING ROAD THROUGH  
NARROWS

EAST TO OPEN SWAMP  
130 NEAR CENTER

MOUNDED WITH STONE

31

X

SET  $\frac{1}{4}$  COR BET  
27-28

WEST OFF RANDON 93,8  
AT STA 2671.3

BLACK  
ASH 6" DUE WEST 49.7"  
BIRCH 6" S 45 E 36.5"

MOUNDED WITH STONE

32

X

SET 4 STONE  
BET 20-29

NORTH OF STA 2674.5-  
13.1 BY PROP MEASURE  
MENT

NOTHING TO WITNESS  
MOUNDED WITH STONE

NORTH BY PACING TO  
BOGGY EDGE OF POND  
575

SET A WOOD POST  
ON EAST SHORE OF  
LAKE BET SEC COR  
20, 21, 28, 29, AND 4  
BET 20-29  
NORTH 22.4 AT  
STA 1505.7

33

X

SET SEC COR  
20, 21, 28, 29

AS EVIDENCED BY ORIG.  
BIRCH BT. SP. MARKS DISTING.<sup>INC.</sup>  
VISIBLE. TWO VERY OLD  
STAKES TO IT.

BIRCH 24" S 80. E 132.5  
MAPLE 11" N 15' W 144.6

NORTH 35' TO ENTER  
WEST END OF LONG  
SWAMP 200' ACROSS  
AT THIS POINT

TERRACED AND MOUNDED  
WITH STONE

34

~~SET MC ON WEST  
SHORE OF TURTLE  
LAKE NORTH OF  
2752.3 - 14.2'~~  
AT HIGH WATER  
MARK OF LAKE. LAKE  
BECOMES VERY LOW IN  
DRY YEARS

~~1/4 COR IS EAST OF  
MC 55.5 IN LAKE~~

MOUNDED WITH SAND -  
NO WITNESS.

~~CENTER  
A SMALL  
ISLAND BRS  
S 61° E ABOUT 3-400'~~

LOOK OUT MT. JOYER  
BRS S 46° 30' E.

35

SET ~~1/4~~ STONE

BET 29-28

~~AS EVIDENCED BY OLD  
STAKE OR BLAZE LINE  
TO IT~~

NOTHING TO WITNESS  
MOUNDED WITH STONE

(36) 28, 29, 32, 33

SET WOOD POST  
IN OPEN SWAMP  
AS EVIDENCE BY  
OLD STAKES

SET A WITNESS  
STONE MARKED W.E.  
MAGNETIC NORTH 99.0'  
MOUNDED WITH STONE

SET A WITNESS MAGNETIC  
EAST 177.0'  
MOUNDED WITH STONE

SET 4 STONES  
BET 32 - 33

AS EVIDENCED BY ORIGINAL  
BY END STAKES,

ASH 6" N 6° E 33.4'  
ASH 5" N 60° W 26.0'

50' SOUTH TO LEMUE  
SWAMP  
30' WEST TO LEMUE  
SWAMP

MOUNDED WITH  
STONE

(38)

✓  
SET  $\frac{1}{4}$  STONE BET  
20-21

AS EVIDENCED BY  
OLD STAKE AND BLAZE  
LINE TO IT.

MAPLE 15" N 15° E 48.0

MOUNDED WITH STONE

39

X  
SET  $\frac{1}{4}$  STONE BET  
16-17 IN SWAMP

WEST OF STA. 2677.8  
15.7'

EAST TO LEAVE SWAMP  
25

NORTH TO CREEK 40.0

SOUTH TO OLD RR GRADE  
62.0'

W PINE 16" S 83° W 67.5  
Y BIRCH 9" N 48° E 25.9

MOUNDED WITH SAND AND  
STONE

40

SET SEC CORNERS TO  
19, 20, 29, 30  
AS EVIDENCED BY ORIG  
BT AND OLD STAKE  
IN SWAMPY HOLE  
40' ACROSS  
NOTHING TO WITNESS

41

SET SEC CORNS  
29, 30, 31, 32  
AS EVIDENCED BY  
AN OLD POINT OF STAKE  
AND AN OLD BT. DIST.  
GOOD STONE SETS  
BET. TWO <sup>SMALL</sup> STAKES  
NOTHING NEAR TO WITNESS  
MOUNDED WITH STONE

TURNED RT NNE OF  
STA 0+00 BET 29-30  
STA 0+00 5479.8 BET  
30, 31 11° 14' 23.2

42

T 34 N R 7 E

SET SEC CORS 70  
25, 26, 35, 36

AS EVIDENCE BY OLD  
STAKE AND BT.  
AT THE SOUTH EDGE  
OF A SMALL WATER  
HOLE 150' X 90'  
MOUNDED WITH STONE

ASH 4 $\frac{1}{2}$ " N 30° W 30.6  
ASH 4 $\frac{1}{2}$ " S 70° W 19.4  
ASH 4" S 44° E 9.3

43

TXN R7E

SET SEC CORS  
23, 24, 25, 26 AS  
EVIDENCE BY STAKE  
AND OLD BT. IN SWAMP  
SPRUCE  
EAST TO LEAVE SWAMP  
20'  
SPRUCE 9", S 31° E 24.2  
" 5 $\frac{1}{2}$  " S 14° W 36.8  
" 6 " N 7° W 13.0

MOUNDED WITH STONE

44

29 20 1  
2SET 1 STONE  
BET 26-35

AS EVIDENCED BY THE  
INTERSECTION OF ROADS  
TURNED RT. OF FORD, TAN.  
AT STA 26 71.3  
 $19^{\circ} 15' 23.3'$

BURIED 8" BELOW TOP  
OF OIL SURFACE ROAD

OFF SET A STAKE  
MAGNETIC S 45 W

45

X  
SET 4 BET 35-36  
BY PROP MEASUREMENT

MOUNTED WITH SAND AND  
STONE - 33' SOUTH TO  
FENCE LINE IN SWAMP

P  
25' NORTH TO LEAVE SWAMP  
272 EAST PRATIC RIVER  
380 WEST TO LEAVE SWAMP  
NORTH TO ROAD 90'

PINE 7" S. 4° E. 120.6

46

SET 4 BET 37.  
 24 SOOTH OF  
 RANDOM 10.0' LT 27.0'  
 2675.4 -  
 FROM POND AT HIGH  
 WATER STAGE FROM  
 HEAVY RAINS NOTHING  
 TO WITNESS EXCEPT  
 BOULDER 4" X 3" 18"  
 ABOVE GROUND.  
 N 40° W 32 :  
 TO NEAREST EDGE

MOUNDED WITH STONE

R7-R8

47

X  
 SET 4 STONE  
 BET 13-18 WEST  
 OFF STA 2623.5  
 22.15 IN CLEARING  
 OF OLD CAMP SITE.

NOTHING TO WITNESS  
 MOUNDED WITH SAND  
 AND STONE

AS NORTH TO E OF RELOCATED  
 FIRE LANE SOUTH TO OLD  
 FIRE LANE 28'

48

X

SET 4  
17-18  
ON TOP  
OF HIGH  
HILL  
OFF HIGHEST POINT  
WEST TO OLD LOGGING  
ROAD.  
EAST OF RANDOM  
AT STA 7956.8 39,65.  
NOTHING TO WITNESS

49

X

SET SEC COR STONE  
17, 18, 19, 20  
BY PROP MEASUREMENT  
EAST 39,5' AT STA.  
10635.3  
(NOTHING TO WITNESS.)  
MOUNDED WITH SAND  
AND STONE  
AREA FLAT AROUND STONE

X

SET 15 STONE  
 BET 17-30,  
 NORTH 45.45 AT  
 STA 26 65 85  
 OLD BLAZED TO LINE CO-  
 INCIDES WITH CORNER  
 STONE  
 NOTHING TO WITNESS  
 MOUNTED WITH STONE

SET 14 STONE  
 BET 13-14  
 AS EVIDENCED BY FENCE  
 COR. AND OLD  
 NOTHING TO WITNESS  
 MOUNTED WITH STONE

52

X

SET  $\frac{1}{4}$  STONE  
BET 18-19

NORTH 69.8 AT STA  
3594.0

AT TOP OF HIGH  
HILL - THE VERY  
PEAK  
NOTHING TO WITNESS

MOUNDED WITH STONE.

53

X

SET  $\frac{1}{4}$  STONE  
BET 19-20

EAST 9F STA 13319.6  
34.75

ON NORTH SIDE OF  
HILL TERRACED  
AND MOUNDED WITH STONE

54

R 7-X

SET 34 C STONE  
13, 18, 19, 34  
AS EVIDENCED BY  
OLD STAKE.

MOUNDED WITH STONE

55

T 34 - R X

SET 4 STONE  
BET 13-34

NORTH 17.2 AT STA.  
3564.45

NOTHING TO WITNESS  
MOUNDED WITH STONE

56

R74 8

SET 4 BCT  
19-24  
EAST OF STA 3637.9  
3.5  
MOUNDED WITH STONE

57

  
SET SEC CORNERS  
31, 22, 27, 28  
AS EVIDENCED BY  
OLD ORIGINAL BT STOMP  
(BIRCH HD) BLAZE LINE  
TO IT

BUILT A POINT INTO  
SWAMP - LARGE BARREL  
PIT NORTH SIDE OF  
SWAMP STONE SETS  
10' IN SWAMP

OAK 6'	N71E	36.8
OAK 7'	E26E	31.3
OAK 10'	N53W	46.4

STONE SUBJECT TO  
FLOODING

X

SET IN SET

19-30

AS EVIDENCED BY

VERY OLD STAK

(OAK BT)

NOTHING TO WITNESS

MOUNDED WITH ROCK

ON SOUTH SIDE OF  
HILL 100' FROM BOTTOM  
OF VALLEY RUNNING  
NW-SE

X

29-30

AS EVIDENCED BY

IRON PIPE AND OLD

STAK

- EAST SIDE OF HILL
- NOTHING TO WITNESS
- MOUNDED WITH ROCK
- 250 DUE EAST TO  
CENTER OF LAKE

60

30-~~31~~

AS EVIDENCED BY  
OLD STAKE

NORTH TO SCOUR IN HOLE 40  
EAST " " " 55

MOUNTED WITH STONE

61

31-32

AS EVIDENCED BY  
OLD STAKE

MOUNTED HIGA WITH  
SAND. NO STONE.  
36' NORTH TO SWAMP

62

~~T 30 R 7-8~~

19, 24, 25, 30

AS EVIDENCED BY OLD  
STAKE

MOUNDED WITH ROCK

R 7- R 8

~~S 1, 36~~

AS EVIDENCED BY  
OLD STAKE

ELM 8" S 3° E 34, 0'

MAPLE 10" S 34 W 36, 0'

MOUNDED WITH ROCK

63

64

25, 30, 31, 36

AN OLD STAKE.

OAK 4" S 56° E 40.4'  
OAK 4" S 12° W 30.3'MOUNDED WITH STONE  
WEST TO SWAMP 38.0'

T 32 - R 7

65

BET X 24 - 35

AT STA. 3588.5  
OFF SET NORTH 87.5  
AT OLD CAMP SITEW. PINE (ONLY PINE NEAR)  
10" N 20° E 113.3  
MAPLE 12" S 60° E 80.0'

67

T 34 R 7

SET 4 BL 1 23-24

OFF STA 3631.0

WEST 203'

FOUNA REMAINS OF SH  
STAKS

MAPLE 7" S 45 W 15.1

MAPLE 13" N 28 E 59.3

MOUNDED WITH STONE

T ~~X~~ R 7

67

SET 4 BET.

30 - 36 WEST 67.5

OFF STA 2838.0

PROP. MEAS. NOT ACCESSI  
BLE BECAUSE IT LINDSIN POND WHICH ORIGINAL  
NOTES SAY IS NORTH OF

STONE 2 CHAINS SINCE

MILE OVER RUNS TO

SET STONE 40 CHAINS

NORTH OF SECTION

CORE, 25, 24, 35, 36

ON LINE BET. CORN.

NORTH 90' TO POND

MOUNDED WITH STONE

69

KODAK RIC  
55-26

AS EVIDENCED BY  
OLD BUTTERNUT BT.  
AND STAKE.

OAK d' S 73 W 32.6'

NORTH TO ROAD 90'  
BY FACING.

MOUNDED WITH STONE

70

~~SET~~ X STONE  
BET 25-30 BE  
274 R.R.

TURNED PT N.E. OF

LAND TAN AT SIZA  
5641.9 - 73° 35'  
30.0 TO POINT ON  
OLD STAKE AND  
ORIGINAL BT. MAPLE  
S.E.

MOUNDED WITH STONE

MAPLE 11" S 62 E 55.8  
Y.BIRCH 14 N 30 W 87.7

71

T 34 N R 8 E

X  
1/4 BET 39-31MORTAR IN SWAMP 13.65'  
OFF STA 3615 1EAST 3' TO LEAVE  
SWAMPMOUNTED WITH  
STONE ASH  
GROWTH 3'-3"-4"

72

T 34 N

R 8 E

X  
SET STONE

BET 38-33

SOUTH OFF STA 3611.9  
45.8' AT EDGE POND  
(SOUTH 6' TO POND)

MOUNTED WITH STONE

73

X

SET ~~X~~ BET 15-16  
AS EVIDENCED BY  
OLD STAKE AND  
ST. IN STREAM BET  
BASS R.D. LONG LAKE

PINE STUE N 26 E 53.6

MOUNTED WITH STONE

DURING NORMAL WATER  
LEVEL STONE TOP  
OF STONE IS 6" ABOVE  
WATER LEVEL

74

CUT ~~X~~ BET 15-16  
EAST OFF RD 43-39.9  
53.1'

HEMLOCK 7' 3 3/4 E 18.7  
HEMLOCK 10" PUSOUTH 12.8

LOT STAKE NO. 36-57  
N 98 E 32.0

50' SOUTH OF PRESENT  
WATER LINE AT ONE  
HIGH WATER MARK

MOUNTED WITH STONE

25

T34N R7E

X

BET 35-36

SET SLOPE AT STA.  
3803.6 BY PROP,  
MEASURE AT END  
ROAD ACCEPTED AS  
SECTION LINE FOR  
TAXES. NO DIFFER-  
ENT RANDOM LINE

OFFSET SET IN LOCATION  
MARKER POST WEST  
20.0'  
0" BELOW TOP OF ROAD



