

REVISION	DATE	PROJECT I.D.	SHEET NUMBER
10-1-79		1173-3-21	4-14
2-14-80		FEDERAL PROJECT DESIGNATION	
1-28-82		DP 05 (20)	
		Pat. of Right of Way Required	
		C.T.H. S.H. - U.S.H. 8	
		L.S.H. 51	
		County	
		DATE	APRIL 4, 1979



**SCHEDULE OF LANDS & INTEREST REQUIRED**

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED	TOTAL R/W REMAINING	OPERATIONS PROJECT NO.
33	WILLIAM PITHL, JR.	FEE	2.76	25.16	0.86	25.16	201.44	1173-3-21
36	RALPH L. ANDERSON	FEE	5.65	10.71	0.88	11.60	4.76	1173-3-21
37	CITY OF TOMAHAWK	FEE	1.05	0.49	0.73	1.22	10.88	1173-3-42
60	ILLINOIS GLASS CO (M.T. & W.R.R.)	HIGHWAY EASEMENT	1.05	0.05	0.21	0.30	13.70	1173-3-21
62	TERNS	FEE						
65	DAVID K. ANDERSON	FEE						



REVISION DATE	PROJECT I.D.	SHEET NUMBER
10-1-79	1173 3 21	415
2-14-80 NC	FEDERAL PROJECT DESIGNATION	
1-26-82 NC	DP 05 (20)	
	P. 2.0 R. 1.0 V. 1.0 R. 1.0	
	C. H. S. U.S.H. 8	
	L. O. C. U.S.H. 51	
	County	
	DATE	
	APRIL 4, 1979	


SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED	TOTAL REMAINING ACRES	OPERATIONS PROJECT NO.
38	CARL L. SLATER-ESTATE	FEE	1.11	10.50	0.51	11.01	83.89	1173-3-21
39	JAMES H. ERICKSON ET AL.	FEE	42.12	2.09	44.21	115.79	1173-3-21	
37	CITY OF TOMAHAWK	FEE	0.88	10.71	0.88	11.60	---	1173-3-21

2" IRON PIPE SET BY NORTHWOODS SURVEYORS  
 N 603.840.52  
 E 2,076.141.50



Point of Beginning...  
 The Wisconsin coordinate system...  
 Distances are given in feet...  
 Bearings are given in degrees, minutes and seconds...  
 Distances are given in feet...  
 Bearings are given in degrees, minutes and seconds...  
 Distances are given in feet...  
 Bearings are given in degrees, minutes and seconds...



REVISION PROJECT I.D SHEET NUMBER  
 DATE 1173-3-21 4.16  
 FEDERAL PROJECT DESIGNATION  
 NP 05(20)  
 PLAT OF RIGHT OF WAY REQUIRED  
 CTH "S" - USH 8  
 LINCOLN COUNTY  
 DATE APRIL 4, 1979

GN  
 SW-SE SE-SE NW-NE NE-NE  
 NAIL IN BITUMINOUS SURFACE OVER MONUMENT  
 SET BY TIMBERLANDS SURVEYORS  
 N 60° 43' 51" E  
 E 2,076.32± 88  
 MATCH LINE TO INSERT  
 N 14° 14' 41" W 570.52  
 N 40° 23' 21" W 670.78  
 N 7° 49' 23" W 1570  
 N 8° 35' 51" E 1750.61  
 N 89° 47' 40" E PL 110° K  
 N 89° 31' 13" W 695.66  
 N 3° 50' 14" E 1028.21  
 N 107° 04' 56" E 680.54  
 N 60° 504.71  
 E 2,078.83± 30  
 181° 49' 12" D  
 1° 49' 12" I  
 36° 15' 06" P  
 728.05 L  
 2.89 E  
 2298.31 R



MATCH LINE STA. 93+43.63  
 GENERAL TELEPHONE CO. EASEMENT  
 INSERT  
 SCALE: 1" = 100'

SCHEDULE OF LANDS & INTERESTS REQUIRED


INTEREST REQUIRED	L.H.E. ACRES	ACRES REQUIRED	TOTAL REMAINING ACRES	OPERATIONS PROJECT
FEE	9.18	2.09	44.21	1173-3-21
FEE & L.H.E.	2.82	0.50	162.27	1173-3-21
RELEASE OF RIGHTS	---	---	56.73	1173-3-21
	---	---	1173.3-42	1173-3-42

OWNER

PARCEL NO.	OWNER
39	JAMES H. ERICKSON ET AL.
41	DUANE L. KRULL ET AL.
63	GENERAL TELEPHONE CO.

SCHEDULE OF LANDS & INTERESTS REQUIRED (continued)


INTEREST REQUIRED	L.H.E. ACRES	ACRES REQUIRED	TOTAL REMAINING ACRES	OPERATIONS PROJECT
FEE	9.18	2.09	44.21	1173-3-21
FEE & L.H.E.	2.82	0.50	162.27	1173-3-21
RELEASE OF RIGHTS	---	---	56.73	1173-3-21
	---	---	1173.3-42	1173-3-42



CURVE 20  
 P.I. 38° 11' 39" 51  
 I. 2° 01' 18" 26' 3" 57  
 D. 166° 08' 42"  
 P. 4° 00'  
 L. 203.20'  
 E. 405.70'  
 R. 432.39'

"BEARING ORIENTATION AND GRID CONVERSION"  
 Right of Way Plat Bearings are oriented to the Wisconsin Coordinate System with 0 degrees 0 minutes 0 seconds being "GRID NORTH". The difference between project plat bearings represent plane angles in degrees, minutes and seconds to the observed second and may be converted to ground lengths by multiplying plant distances by 1.000627.

REVISION DATE	PROJECT I.D.	SHEET NUMBER
10-1-79 2-14-80 1-28-82	1173-3-21	4,17
FEDERAL PROJECT DESIGNATION		
DP 05 (20)		
Plat of Right of Way Required		
C.T.H. 'S' - U.S.H. 8		
U.S.H. 51		
County		
L ncon		
Scale		DATE
0 100 200+		APRIL 4, 1979



SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED R/W	EXISTING R/W	TOTAL R/W REQUIRED ACRES	TOTAL ACRES	OPERATIONS PROJECT NO.
40	ALICE REDMOND ET AL.	FEE & L.H.E.	2.18	34.73	3.00	162.27	162.27	1173-3-21
41	DUANE L. KRULL	FEE & L.H.E.	2.82	0.50	56.21	638.79	638.79	1173-3-21

BEARINGS ORIENTATION AND DISTANCES TO  
 Right of Way Plat Bearings are oriented to the U.S. Geodetic Coordinate System with 0 degree 00' 00" as the meridian. The difference between project plat bearings and U.S. Geodetic bearings in degrees, minutes and seconds is shown in the adjacent column. Distances are Grid lengths unless otherwise indicated. All bearings are verted to Ground lengths by the U.S. Geodetic datum of 1983.

P 1 1578 26.75  
 A 600 200.26  
 I 2 077 401.76  
 Δ 224°06'11"  
 D 0 2°00'  
 T 1160 45  
 L 2205 16  
 E 226 11  
 R 2864 79

HERITSEM ALUMINUM MONUMENT SET BY NORTHWOOD SURVEYORS 1-28-73  
 N611.785 61  
 E2 078.802 10

HERITSEM ALUMINUM MONUMENT SET BY NORTHWOOD SURVEYORS 1-28-73  
 N628.4 38  
 E2 078.821 31

2" IRON PIPE BURNED IN GRAVEL UNDER BITUMINOUS SURFACE  
 N 80° 50' 28"  
 E 2 078.619 16

2" IRON PIPE REFERENCE MONUMENT SCRIBED SC. 35 SO.

P.T. 1568+71.47

REVISION DATE	PROJECT I.D.	SHEET NUMBER
10-1-79	1173-3-21	4.18
2-14-80 NC	FEDERAL PROJECT DESIGNATION	
1-26-82	DP 05 (20)	
	PLAT OF RIGHT OF WAY REQUIRED	
	C.T.H. "S"-U.S.H. 8	
	U.S.H. 51	
	LINCOLN COUNTY	
	DATE	
	APRIL 4, 1979	



TOWN

NW-NE

SW-NE



CURVE 225  
 616.7470  
 4.610.060.67  
 E 2.080.130.96  
 187.45.49  
 1.44.46  
 0° 10'  
 525.98  
 1.04.159  
 3.99  
 34.177.47

DUANE L. KRULL  
 N 220 P 37  
 895.0 ACTUAL

RED SPIRE IN BRUNNENUS SURFACE  
 N 606.482.31  
 E 2.081.477.86

CONCRETE MONUMENT SET BY  
 MUMFORD & SUTHERLAND  
 N 621.745.14  
 E 2.081.427.43

5" X 8" CEDAR POST 84-112  
 IRON PIPE  
 N 611.724.37  
 E 2.081.050.09

SE-ARING ORIENTATION AND GRID CONVERSION  
 Survey of my field. Boardman was obtained to the base station coordinates  
 See also the topographic project plat bearing, course, length, plane angle  
 The bearings were taken from the monument to the R.W. point  
 and the course was taken from the monument to the R.W. point  
 and the plane angle was taken from the monument to the R.W. point


SCHEDULE OF LANDS & INTEREST REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING TOTAL R/W REQUIRED	TOTAL R/W REQUIRED	OPERATIONS PROJECT NO.
41	DUANE L. KRULL	FEE & L.H.E.	2.82	55.71	56.21	638.79	1173-3-21

REVISION DATE	PROJECT I.D.	SHEET NUMBER
10-1-79 2-14-80 NC 1-26-82	1173-3-21	4-19
FEDERAL PROJECT DESIGNATION DP 05 (20)		
Plat of Right of Way Required C.T.H.'S. U.S.H. 8 Lincoln County DATE APRIL 4, 1979		

TOWN

SCHEDULE OF LAND & INTERESTS REQUIRED			
PARCEL NO.	OWNER	INTEREST REQUIRED	L & E ACRES
41	DUANE L. KRULL	FEE & L & E	2.82
42	ARNOLD H. HOLTZ	FEE & L & E	0.19
		ACRES REQUIRED	TOTAL R/W REMAINING
		NEW R/W REQUIRED	PROJECT NO.
		EXISTING R/W	1173-3-21
		REQUIRED	1173-3-21
		TOTAL R/W REQUIRED	
		56.21	638.79
		0.50	40.35
		0.64	



PROJECT I.D. 1173 3-21  
 SHEET NUMBER 4.20  
 FEDERAL PROJECT DESIGNATION DP 05 (20)  
 REVISION DATE 10-1-79  
 2-14-80  
 1-20-82  
 P at "R" of Hwy Rebuilt  
 C.T.H. S. U.S.H. 8  
 U.S.H. 51  
 County  
 SCALE 1" = 100'  
 DATE APRIL 4, 1979



ADDITIONAL DATA FOR CURVE 235

PI	1669.0288
PC	1669.0288
PT	1669.0288
EA	138° 24' 47"
EA	41° 35' 13'
EA	1° 30'
EA	1450.48'
EA	272.46'
EA	266.12'
EA	3819.72'

BEARING OPERATIONS AND GRID COORDINATES  
 ALL BEARINGS ARE TRUE BEARINGS  
 ALL DISTANCES ARE IN FEET  
 ALL DISTANCES ARE TO THE CENTER OF THE ROAD  
 ALL DISTANCES ARE TO THE CENTER OF THE ROAD  
 ALL DISTANCES ARE TO THE CENTER OF THE ROAD

SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED	TOTAL R/W REMAINING	OPERATIONS PROJECT NO.
41	DUANE L. KRILL	FEE & L.H.E.	2.82	55.71	0.50	56.21	638.79	1173-3-21
43	GORDON DANSEY	FEE & L.H.E.	1.98	32.81	1.62	34.43	85.57	1173-3-21
46	OWENS ILLINOIS GLASS CO.	FEE & L.H.E.	1.02	78.13	0.56	78.69	942.57	1173-3-21
44	JAYE H. SCHMIDTBAUER	FEE	---	9.56	---	9.56	30.52	1173-3-21

REVISION	DATE	PROJECT I.D.	SHEET NUMBER
0-1-79		1173-3-21	4, 21
2-14-80		FEDERAL PROJECT DESIGNATION	
1-26-82		DP 05 (20)	
Plat of Right of Way Required		County DATE	
C.T.H. 5 - U.S.H. 8		Linn County APRIL 4, 1979	
U.S.H. 51			
Linn County			
Scale: 0 100 200 Feet			



"BEARING ORIENTATION AND GRID CONVERSION"  
 Right of Way Plat Bearings are oriented to the Wisconsin Coordinate System with 0 degrees 0 minutes 0 seconds bearing "GRID NORTH". The difference between project plat bearings represent plane angles in degrees, minutes and seconds to the nearest second. R/W plat distances are Grid lengths unless otherwise noted and may be converted to Ground lengths by multiplying Plat distances by 1.0000697.

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED	TOTAL R/W REMAINING	OPERATIONS PROJECT NO.
41	DAIANE L. KRULL	FEE & L.H.E.	2.92	55.71	0.50	56.21	638.79	1173-3-21
44	JAKE SCHMIDTBALER	FEE	-	9.56	-	9.56	30.52	1173-3-21
45	WILLIAM G. SCHMIDTBALER	FEE	-	8.63	-	8.63	23.54	1173-3-21
46	FRANK A. SCHMIDTBALER	FEE	-	7.27	-	7.27	25.38	1173-3-21
47	PAUL JOHN SCHMIDTBALER	FEE	-	15.82	-	15.82	48.78	1173-3-21
43	GORDON DANSE	FEE & L.H.E.	1.59	32.81	1.62	34.43	85.57	1173-3-21





REVISION DATE	PROJECT I.D.	SHEET NUMBER
10-1-79	1173-3-21	
2-14-80 NC	FEDERAL PROJECT DESIGNATION	4, 22
1-26-82	DP 05 (20)	
	P. of Right of Way Required	
	C.T.H. S.H. - U.S.H. 8	
	U.S.H. 51	
	Lincoln County	
	SCALE 200'	DATE APRIL 4, 1979



SCHEDULE OF LAND INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	ACRES REQUIRED	TOTAL R/W REQUIRED	TOTAL R/W REMAINING	OPERATIONS PROJECT NO.
48	OWENS-ILLINOIS GLASS CO.	FEE & L.H.E.	1.02	0.56	78.69	942.97	1173-3-21

"BEARING, ORIENTATION AND GRID CONVERSION"  
 Right of Way Plat bearings are referred to the Wisconsin Coordinate System. The difference between the project plat bearings and Wisconsin bearings in degrees, minutes and seconds to the nearest second; R/W that distances are Grid Length unless otherwise noted and may be equal to Ground Length by multiplying Plat distance by 1.0000597.

OWENS-ILLINOIS GLASS CO.  
 V. 108 P. 151  
 1721.56 AC. TOTAL

WOOD POOL  
 E 263' 9 1/2" x 37' 8 1/2" x 68'

WOOD POOL  
 E 263' 9 1/2" x 37' 8 1/2" x 68'



PROJECT I. D. 1173 3-21  
 SHEET NUMBER 4.23  
 FEDERAL PROJECT DESIGNATION DP 05 (20)  
 Plaf. of Right of Way Required  
 C.T.H. S. - U.S.H. 8  
 Lincoln County  
 U.S.H. 51  
 DATE APRIL 4, 1979

REVISION DATE  
 10-1-79  
 2-14-80  
 1-26-82

BERNSTEIN ALUMINUM MONUMENT SET BY  
 NORTHWOODS SURVEYORS 1-25-73  
 N 82° 28' 34" W  
 E 2,081.393 70' CURVE 3' RADIUS  
 174° 31' 57" 20'  
 E 2,083.478 03'  
 185° 30' 40"  
 59 30' 70"  
 201 17'  
 200 11'  
 200 11'  
 200 11'  
 200 11'  
 200 11'  
 200 11'  
 200 11'


WOOD POST  
 N 61° 54' 40"  
 E 2,082.933 68'



SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	ACRES REQUIRED	TOTAL R/W EXISTING	TOTAL R/W REMAINING	OPERATIONS PROJECT NO.
48	OWENS ILLINOIS GLASS CO.	FEE & L.H.E.	1.02	78.13	0.56	78.69	342.97	1173-3-21
49	EVELYN ROBERTS	FEE	-	21.75	4.98	26.73	55.51	1173-3-21
50	RONALD L. FISH	FEE	-	3.66	-	3.66	18.81	1173-3-21
51	LAWRENCE LADYOK INC.	FEE	-	11.41	-	11.41	40.67	1173-3-21

10/1/79 2-14-80 1-26-82	1173-3-21	4.24
DP 05(20)		
PLAT OF RIGHT OF WAY REQUIRED C.T.H. "S" - U.S.H. 8 LINCOLN COUNTY		
APRIL 4, 1979		
0 100 200		



CURVE 1" N  
 P.I. 77°N+92.26  
 I. 165° 22' 18"  
 A. 14° 37' 22"  
 D. 294.17'  
 T. 585.13'  
 E. 18.18'  
 R. 2,231.83'  
 N 623 461.61  
 E 2 082 244.38  
 227° 35' 00"  
 47° 35' 00"  
 166 000  
 167 88  
 358 10

BEARING ORIENTATION AND GRID CONVERSION  
 Point of May Plat bearings are oriented to the Wisconsin Coordinate System with 0 distance. 0 meters. 0 seconds by the "GEO NORTH". The difference between present plat bearings, important plane angles, distances, and "stamps" to the nearest second R/W Plat bearings are stated, lengths, angles, observations noted and used as converted for required lengths by multiplying Plat Distances by 1.000696.

NOTE: Bearings and Distances from Recorded Plats are identified by being enclosed in parentheses.

SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	ACRES REQUIRED	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W	TOTAL REMAINING	OPERATIONS PROJECT NO.
50	ROLAND L. FISH	FEE		3.66	3.66	18.81	22.47	1173-3-21	1173-3-21
51	LAWRENCE LADICK, INC.	FEE		11.41	11.41	40.67	52.08	1173-3-21	1173-3-21
52	HERMAN KLAD ET AL.	FEE	0.20	1.33	1.33	0.63	1.70	1173-3-21	1173-3-21
54	WISCONSIN VALLEY IMPROVEMENT CO.	FEE & L.H.E.	0.20	19.05	19.05	68.57	87.62	1173-3-21	1173-3-21

BEERMEN ALUMINUM MINE SET BY  
 NORTHWOODS SURVEYORS 1/26/73  
 N 622 297.94  
 E 2 081 393.70

LAWRENCE LADICK, INC.  
 V. 277 P. 418  
 52.08 AC. TOTAL  
 88° NE + 00' 00"  
 140'

HERMAN KLAD ET AL.  
 V. 151 P. 244  
 96 AC. TOTAL  
 87° NE + 00' 00"  
 140'

WISCONSIN VALLEY IMPROVEMENT CO.  
 V. 142 P. 619  
 87.62 AC. TOTAL  
 81° N + 53.16'  
 40'

PROJECT I. D.		1173-3-21	SHEET NUMBER	4.25
REVISION DATE	-FEDERAL PROJECT DESIGNATION			
10-1-79				
2-14-80				
1-28-82				
Plat of Right of Way Required C.T.H. 51 - U.S.H. 8				
Lincoln County				
DATE			APRIL 5, 1979	
SCALE			200 FT	
0 100 200				



Align of U.S. Hwy. 8, Section 31, Township 17N, Range 10E, is shown to the 1/4-section boundaries. The right of way is shown to the 1/4-section corners. The center line of the road is shown to the 1/4-section corners. The right of way is shown to the 1/4-section corners. The center line of the road is shown to the 1/4-section corners. The right of way is shown to the 1/4-section corners. The center line of the road is shown to the 1/4-section corners.

SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W ACRES REQUIRED	EXISTING R/W ACRES	TOTAL R/W ACRES REQUIRED	TOTAL ACRES	OPERATIONS PROJECT NO.
48	OWENS ILLINOIS GLASS CO.	FEE & L.H.E. FEE	1.02	78.13	0.56	78.69	942.57	1173-3-21
51	LAWRENCE LADICK INC.	FEE	---	11.41	---	11.41	40.67	1173-3-21
54	WISCONSIN VALLEY IMPROVEMENT CO.	FEE & L.H.E. FEE	0.20	19.05	---	19.05	68.57	1173-3-21
148	OWENS ILLINOIS GLASS CO.	FEE	---	4.05	---	4.05	33.45	1173-3-21
				6.68		6.68		

REVISION DATE	PROJECT I. D.	SHEET NUMBER
10-1-79	1173-3-21	
2-14-80	FEDERAL PROJECT DESIGNATION	4.26
1-26-82	DP 05 (20)	
Plat of Right of Way Required C. T. H. "S" - U. S. H. 8 U. S. H. 51		
Lincoln County	DATE	
SCALE 0 100 200 ft.	APRIL 4, 1979	



CURVE 3 N

P. I.	142° N 45.44
N	626.15072
E	2,1087.77937
Δ	133° 24' 33"
D	138° 25' 33"
L	28° 50'
T	269.75'
U	537.64'
E	14.82'
R	2291.83'

CURVE 2 N

P. I.	137° N 47.11
N	624.17855
E	2,108.29983
Δ	136° 00' 00"
D	149.00' 00"
L	28° 50'
T	271.00'
U	165.00'
E	172.90'
R	6231.83'

"BEARING ORIENTATION AND GRID CONVERSION"  
Right of Way Plat Bearings are oriented to the Wisconsin Coordinate System with 0 degree 0 minutes 0 seconds being "GRID NORTH" and difference between project plat bearings represent plane angles in degrees minutes and seconds to the nearest second. R/W Plat Distances are also shown unless otherwise noted and may be converted to Ground Lengths by multiplying Plat Distances by 1.0000697

SCHEDULE OF LANDS & INTEREST REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L. H. E. ACRES	ACRES REQUIRED			TOTAL REMAINING ACRES	OPERATIONS PROJECT NO.
				NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED		
48	OWENS ILLINOIS GLASS CO.	FEE & L.H.E.	1.02	78.13	0.56	78.69	942.97	1173-3-21
57	VALENTINE B. HAGAR	FEE	---	1.76	---	1.76	96.24	1173-3-21

PROJECT I D 1173-3-21  
 FEDERAL PROJECT DESIGNATION 4.27  
 DP 05 (20)  
 PLAT OF RIGHT OF WAY REQUIRED  
 C.T.H."S.V. - U.S.H-8  
 LINCOLN COUNTY


REVISION DATE  
 10-1-79  
 2-14-80  
 1-28-82

SHEET NUMBER  
 4.27

DATE  
 APRIL 4, 1979



BEARING ORIENTATION - GRID CONVERSION  
 Right of way Plat. Bearings were converted to true bearings. Ground lines  
 were also converted to true bearings. Coordinates were also converted to  
 true coordinates. All bearings and distances are in degrees, minutes, seconds. R.W. Plat.  
 Distances are given in feet. All distances are rounded to the nearest foot.  
 Distances are given in feet. All distances are rounded to the nearest foot.  
 Distances are given in feet. All distances are rounded to the nearest foot.



SCHEDULE OF LANDS & INTERESTS REQUIRED

PARCEL NO.	OWNER	INTEREST REQUIRED	L.H.E. ACRES	NEW R/W REQUIRED	EXISTING R/W	TOTAL R/W REQUIRED	TOTAL REMAINING ACRES	OPERATIONS PROJECT NO.
48	OWENS ILLINOIS GLASS CO. INC.	FEE & L.H.E.	1.02	78.13	0.56	78.69	942.97	1173-3-21
54	WISCONSIN VALLEY IMPROVEMENT CO.	FEE B L.H.E.	0.20	19.05	....	19.05	68.57	1173-3-21