


NOTE: THIS FORM IS INTENDED AND DESIGNED TO FULFILL ALL REQUIREMENTS OF WISCONSIN ADMINISTRATIVE CODE CHAPTER A-E 7.08 U.S. PUBLIC LAND SURVEY MONUMENT RECORD (3) (a)(b)(c)(d)(e)(f)(g)(h)(f). AN ADDITIONAL SHEET MAY BE ADDED IF NECESSARY TO CONFIRM WITH SAID REQUIREMENTS.

(a) CORNER LOCATION:

NW CORNER OF SECTION 14 TOWNSHIP 32 NORTH RANGE 5 EAST TOWN OF HARDING COUNTY OF LINCOLN



(b) HISTORY OF ORIGINAL CORNER:

ORIGINAL SURVEYOR: RICHARD O. CHANEY

DATE OF SURVEY: NOVEMBER, 1852


ORIGINAL BEARING TREES: 10" HEMLOCK - N77°E, 21 LKS 12" TAMARACK - \$80°E, 26 LKS

(f)(g)(h) DESCRIPTION OF MONUMENT FOUND AT THIS CORNER AND IF IT WAS ACCEPTED STATE ALL EVIDENCE (MATERIAL, TESTIMONIAL, OCCUPATIONAL, PLATS, RECORDS, OTHER MONUMENTS) USED AS A BASIS FOR ESTABLISHING LOCATION. IF REESTABLISHING THROUGH LOST CORNER PROPORTIONATE METHODS, INDICATE ALL MONUMENTS, DISTANCES, AND DIRECTIONS USED TO ESTABLISH. INDICATE TYPE OF MONUMENT AND SIGN POST FOUND OR SET.

1852: RICHARD O. CHANEY SET THE ORIGINAL SECTION CORNER POST.

11/17/2010: I FOUND NO EVIDENCE OF THE ORIGINAL CORNER. I POSITIONED THE CORNER BY DOUBLE PROPORTION USING THE CENTERLINE OF BURMA ROAD TO THE EAST, THE NORTH 1/4 CORNER OF SECTION 15 TO THE WEST, THE WEST 1/4 CORNER OF SECTION 11 TO THE NORTH, AND THE WEST 1/4 CORNER OF SECTION 14 TO THE SOUTH. I REFERENCED THE CORNERS AS SHOWN BELOW.


(c)(d)(e) PLAN VIEW OF CORNER WITH TIES TO AT LEAST FOUR WITNESSES. IF IN DISAGREEMENT WITH PREVIOUSLY ESTABLISHED CORNER, SHOW THE DISTANCES BETWEEN THE TWO CORNERS AND ALSO INDICATE THE TIE TO THE DISPUTED CORNER.



NORTHWEST CORNER OF SECTION 14, T32N, R05E LINCOLN COUNTY BERNTSEN MONUMENT SET



FACING NORTH



FACING SOUTH



FACING EAST



FACING WEST

