
U.S. PUBLIC	LAND SURVEY MOI	NUMENT RECORD
Note: This form is intended and des	igned to fulfill all requirements of Wiscont Record (3) (a) (b) (c) (d) (e) (f) (a) (h) (i)	nsin Administrative Code, Chapter A-E 5.02, U.S An additional sheet may be added if necessary to
(a) Corner location: Township	North	
	6_East	24
, , , , , , , , , , , , , , , , , , , ,	DF MERRILL	
CountyLINCOL	.N	Section 24
original corner was wood original information. Fou Included corner local	post. Set in 1852 by Alber & Frind ½" X 18" iron rod no other et tion in our Section traverse.  The NE and SE Section 24 corner County berntsen monument and a	C-+
		n.
(c) (d) (e) Plan view of corner with established corner, show the disputed corner.	ties to at least 4 witness monume distances between the two corr	ents. If in disagreement with previously ners and also indicate the ties to the
N		NO°45
	0 N67°5812	'W 2* //2



RECEIVED AT LINCOLN COUNTY COURTHQUSE THIS.

Edwin R. Abendroth

(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

8-6-96

Signature

Date







