U.S. PUBLIC LAND SURVEY MONUMENT RECORD

Public Land Survey Mor	id designed to fulfill all nument Record (3) (a)	I requirements of Wiscons (b) (c) (d) (e) (f) (g) (h) (i). A	in Administrative Code in additional sheet may	e, Chapter A-E 5.02 y be added if neces	2, U.S sary to
Public Land Survey Mor conform with said requi (a) Corner location: Tow	nship_32_Nor	rth			JE
	geEast				
	ā.			*	4
	ERRILL				
County	0 2 14			1 1	╝,
(b) (f) (a) (b) Description	of			Section 27	_
(b) (f) (g) (h) Description of (material, testimonial, of not accepted or if not reestablished through directions used to established	hing was found, lost corner propo	state evidence used	nents) used as a b	asis for accepting	ng. If
Dug for co	orner using co	ounty backhole. H	ole 6 feet v 6	feet	
x 3 feet o	deep. evidence of mo		ore o recorr	, 1660	
		n center of road	in line with	fence west.	
			RECEIVED AT LI		
			COURTHOUSET	HIS 2310 DA	Y
			OF april	19 78	
			TAX DESCRI	PTION OFFICE	E
(c) (d) (e) Plan view of corne established corner, show disputed corner.	r with ties to at least the distances be	st 4 witness monumer etween the two corne	nts. If in disagreemers and also indic	ent with previou ate the ties to	sly the
		10			
	100	4	H POWER	POLE	
	* x Fo	i a	02'		
	7.\	N58 23.74	9	7/8 x 30" PIH	
	IDLE	DRI	VE.		
	Wo.	10	Name and Association and Assoc		
	23422	300			
	7 52 66.	m 0.6			
MAPLE	-₩3.	N N			
0		13 20	PARTIES CONTRACTOR OF THE PARTIES OF	134000	
		Power	Ballo M. J. Comment	SINA	
Dohout V	D	2	ROBERT FERGO	K. 1	
(i) I,Robert K.			S-1072 WAUSA	5 5 42	T
(type or print name) certify was determined by me or	y that the corner lo	cation on this record	ROBERT FERGO S-1072 WAVSA Wisconsin	0	1
this U.S. Public Land Sur complete to the best of m	rvey Monument R	ecord is correct and	CONTRACTOR SUR	JE SON	Index No.5-/3
Robert K. Fe	0	April 22,1998			2
Signature	7	Date		1	

Date







