U.S. PUBLIC LAND SURVEY MONUMENT RECORD

Note: This form is intended and designed to fulfill all requirements of Wisconform With Said requirements. (a) Corner location: Township 32 North	consin Administrative Code, Chapter A-E 5.02, U.S
(a) Corner location: Township 32 North	ti). An additional sheet may be added if necessary to
Range 6 East	
Town/City/Village MERRIL	
County LINCOLN	
	Section_28
(b) (f) (g) (h) Description of monument found at this corner a (material, testimonial, occupational, plats, records, other mo not accepted or if nothing was found, state evidence us reestablished through lost corner proportionate methods, directions used to establish.	and if it was accepted, state all evidence onuments) used as a basis for accepting. If
Dug for corner with county backhoe. Ho	ole 6 feet x 6 feet.
3 feet deep. Found no evidence of mon	
monument in center of road in line wit	
	RECEIVED AT LINCOLN COUNTY
	COURTHOUSE THIS 23Ld DAY
	OF <u>april</u> 1998
	Pat Priebe
	TAX DESCRIPTION OFFICE
•	
c) (d) (e) Plan view of corner with ties to at least 4 witness monur established corner, show the distances between the two co- disputed corner.	orners and also indicate the ties to the
	· 7/8 + 36 PIN
* - 2. o.N.	_ ^ _
. 25.26	24 E 0 2
82. 367	1.50
1 2	>.
FONE DINE	ROAD 589°44'26 E
33.	
70	6
550/35.	/
550 25.	
- 1 - 55° 25	2 d POWER POLE
350 25.	2 D POWER POLE
Robert K. Fergot	ord SHANNER POLE

Signature







