## U.S. PUBLIC LAND SURVEY MONUMENT RECORD


NOTE: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 7.08 U.S. Public Land Survey Monument Record (3)(a)(b)(c)(d)(e)(f)(g)(h)(i). An additional sheet may be added if necessary to conform with said requirements.

(a) Corner location: Township 33 North

Range 06 East

Town of ROCK FALLS

LINCOLN County, Wisconsin



(b)(f)(g)(h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish. Indicate type of monument found or set and sign post.

1943 - FRANCIS X. FOX SURVEY OF T33N, R6E.

1988 - LINCOLN CO. BERNSTEN MONUMENT SET BY CO. HWY. DEPT. AT TIME OF HWY "E" RECONSTRUCTION. TIE INFORMATION SUPPLIED BY RAY KLOSS.

2000 - IFIND LINCOLN CO. BERNSTEN MONUMENT, AND WITNESS AS SHOWN IN SKETCH BELOW.

RECEIVED AT LINCOLN COUNTY COURTHOUSE THIS 10 TH DAY

OF August 20 00

CONSIMILI

HISCONS


DENNIS B.

LAND INFORMATION OFFICE

(c)(d)(e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.

LINCOLN COUNTY ALUMINUM MONUMENT, FOUND

WITNESS MONUMENT  $7_8$ " IRON ROD WITH ALUMINUM TABLET, SET



(i) I, Dennis B. Roberts, Registered Land Surveyor \*S-1863, hereby certify that the corner location on this record was RHINE WI 5450. determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

PLASTIC

enne Signature Date Index No. 2

conform with said	ded and designed to fulfill all requesty Monument Record (3) (a) (b) (c) if requirements.		ninistrative Code, Citional sheet may be	
(a) Corner location:	Township <u> </u>		8	
7	Range 6 East			
Town Rock	FallS			*
County hinc	ala		ţ	Section 18
not accepted or reestablished thredirections used to hincoln Set By Hwy E	otion of monument found a nial, occupational, plats, recipit nothing was found, state ough lost corner proportion o establish.  Co Reconstructed by Rey Decay by Rey Decay Rey	e evidence used as to hate methods, indicate the company of the co	was accepted, s) used as a bas basis for estable all monumen	state all evidence sis for accepting. If ishing location. If ts, distances and
October	of ital	K1095 /	23-88	
c) (d) (e) Plan view of established corner disputed corner.	corner with ties to at least 4 r, show the distances betw	witness monuments. I een the two corners a	If in disagreeme and also indica	nt with previously te the ties to the
				1
				N
this U.S. Public La	e) certify that the corner local me or under my direction are and Survey Monument Recest of my knowledge and be	nd control and that		Index No. X - S
Signature		Date	, a	

U.S. PUBLIC LAND SURVEY MONUMENT RECORD





