## LINCOLN COUNTY U.S. PUBLIC LAND TIE SHEET RECORD

LANDMARK

CORNER INDENTITY: BERNSTEN MONUMENT

LINCOLN COUNTY COORDINATE:

N: 103385.4350

E: 300761.6270

DATE OF SURVEY:

September 28, 2006

SURVEY PARTY: Rutzen/Rehfeldt

FOUND SET RE-SET

RE-TIED

SECTION

RANGE

CORNING HTY, VILLAGE, TOWN

X 31

31N

**Z** 

313144

Description of monument found at this corner and if was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

## BASIS FOR MONUMENT LOCATION:

(DESCRIBE METHOD OF SURVEY AND CORNER AUTHENTICATION)

Monument was set based on parcel line evidence, fence lines, and roadway evidence found in the field.

SURVEYOR THIS 29 DAY
OF September 20 06

Tony Dall

COMPANY: Central Wisconsin Engineers & Architects

5707 Schofield Ave.

Weston, Wisconsin 54476

(715) 359-3400



CERTIFIED CORRECT:

20 Ell

Ronald Jacobson RLS 2059-008

DATE: September 29, 2006

TIE SKETCH:

SHOW MINIMUM OF FOUR (4) HORIZONTAL TIE DISTANCES TO FIXED WITNESS MONUMENTS. DESCRIBE ALL MONUMENTS FOUND OR SET. ALL DISTANCES SHOWN IN US SURVEY FEET.











