LINCOLN COUNTY U.S. PUBLIC LAND TIE SHEET RECORD

LANDMARK

CORNER INDENTITY: BERNSTEN MONUMENT

N: 100645.0319 LINCOLN COUNTY COORDINATE:

E: 308957.4690

DATE OF SURVEY:

August 25, 2006

SURVEY PARTY: Rutzen/Jacobson

SECTION TOWNSHIP 31N 323147 RANGE CORNING NO. CITY, VILLAGE, TOWN

FOUND SET RE-SET \boxtimes RE-TIED

SECTION



Description of monument found at this corner and if was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all manufactures and dispersional descriptions and the proportional dispersions are proportional dispersions. indicate all monuments, distances and directions used to establish.

BASIS FOR MONUMENT LOCATION:

(DESCRIBE METHOD OF SURVEY AND CONER AUTHENTICATION)


Monument was set based on found Marathon County corners, comparison of original notes, 1923 retracement notes from Marathon County and roadway evidence found in the field.

RECEIVED BY LINCOLN COUNTY SURVEYOR THIS 29 TH DAY OF <u>September</u> 20 06 Zones Dall COUNTY SURVEYOR

COMPANY: Central Wisconsin Engineers & Architects

5707 Schofield Ave. Weston, Wisconsin 54476

(715) 359-3400



CERTIFIED CORRECT:

RLS 2059-008 Ronald Jacobson

DATE: September 26, 2006

TIE SKETCH:

SHOW MINIMUM OF FOUR (4) HORIZONTAL TIE DISTANCES TO FIXED WITNESS MONUMENTS. DESCRIBE ALL MONUMENTS FOUND OR SET. ALL DISTANCES SHOWN IN US SURVEY FEET.

