U.S. PUBLIC LAND SURVEY MONUMENT RECORD

NOTE: THIS FORM IS INTENDED AND DESIGNED TO FULFILL ALL REQUIREMENTS OF WISCONSIN ADMINISTRATIVE CODE, CHAPTER A-E 7.08, U.S. PUBLIC LAND SURVEY MONUMENT RECORD (3)(a)(b)(c)(d)(e)(f)(g)(h)(i). ADDITIONAL SHEETS MAY BE NECESSARY TO CONFORM TO SAID REQUIREMENTS.

(a) CORNER LOCATION:

WISCONSIN

CENTER 1/4 CORNER, SECTION 15
TOWNSHIP 31 NORTH
RANGE 6 EAST
TOWN OF SCOTT
LINCOLN COUNTY


(b) HISTORY OF ORIGINAL CORNER:

ORIGINAL SURVEYOR: LOUIS KLEINSCHMIDT

COMMENCING DATE:

COMPLETION DATE: JUNE 20, 1903

ORIGINAL BEARING TREES:



(f)(g)(h) DESCRIPTION OF MONUMENT FOUND AT THIS CORNER AND IF IT WAS ACCEPTED. STATE ALL EVIDENCE (MATERIAL, TESTIMONIAL, OCCUPATIONAL, PLATS, RECORDS, OTHER MONUMENTS) USED AS A BASIS FOR ESTABLISHING LOCATION. IF RE-ESTABLISHING THROUGH LOST CORNER PROPORTIONATE METHODS, INDICATE ALL MONUMENTS, DISTANCES, AND DIRECTIONS USED TO ESTABLISH. INDICATE TYPE OF MONUMENTS FOUND OR SET.

11/28/1979, 11/--/1979 & 4/30/1980, Charles Offerman accepted Granite Monument for a property survey.

2/27/2006. David Goslin accepted Granite Monument as shown on his tie sheet.

5/01/2012, Keith Walkowski accepted Granite Monument for a property survey.

10/19/2016 & 8/24/2022, Charles Oleinik accepted Granite Monument for a property survey.

4/19/2023, Jason Pflieger accepted Granite Monument for a property survey.

7/20/2023, I, Anthony R. Dallman, PLS-2405, found an 8"x8" Granite Monument 4' in an unamed creek. I accepted this location and set witness monuments, as shown in the sketch below, to further perpetuate the corner location.

(c)(d)(e) PLAN VIEW OF THE CORNER WITH TIES TO AT LEAST FOUR WITNESSES. IF IN DISAGREEMENT WITH PREVIOUSLY ESTABLISHED CORNER, SHOW THE DISTANCES BETWEEN THE TWO CORNERS AND ALSO THE TIES TO THE DISPUTED CORNER.

- Tie bearings by hand-held compass.
- Tie distances by steel tape.
- Not to scale.




Set 3/4" Capped Rebar


___ - Set Vinyl Post

I, ANTHONY R. DALLMAN, WISCONSIN PROFESSIONAL LAND SURVEYOR, S-2405, HEREBY CERTIFY THAT THE CORNER LOCATION ON THIS RECORD WAS REFERENCED BY ME OR UNDER MY DIRECTION AND CONTROL AND THAT THIS U.S. PUBLIC LAND SURVEY MONUMENT RECORD IS COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

ANTHONY R. DALLMAN, PLS S-2405




INDEX NO. K-16












Note: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 5.02, U.S. Public Land Survey Monument Record (3) (a) (b) (c) (d) (e) (f) (g) (h) (l). An additional sheet may be added if necessary to conform with said requirements. (a) Corner location: Township 31 North



(b) (f) (g) (h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

AT CENTER $\frac{1}{4}$ CORNER LOCATION WE FOUND A 6" X 8" WHITE STONE MONUMENT. THIS IS THE SAME KIND OF MONUMENT FOUND BY OTHER SURVEYORS IN THE AREA THAT WERE SET BY LOUIS KLEINSCHMIDT IN 1903.

(c) (d) (e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner. N 1/4 COR. LEGEND EXISTING NAIL S0°49 EXISTING LINCOLN COUNTY BERNTSEN MONUMENT ☐ EXISTING 6" X 8" WHITE STONE MONUMENT WITH DRILL HOLE 20 S 89 ° 38 23 "E 2653.05 S 89°52'15"E 2636.28 C 1/4 COR. E 1/4 COR. S0°45'44 RECEIVED BY LINCOLN COUNT 2641.57 SURVEYOR THIS /3T (1) I, DAVID J. GOSLIN

(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete the best of my knowledge and belief.

David J. Dolin Signature

DAVID J. GOSLIN S-2280 WAUSAU,

Date

2-27-06

× No.