Attachment to Tie Sheet O-09, T31N, R7E 43107202000

I visited the corner on 10/10/2023 to verify the corner and reference tie monumentation. I found a Berntsen SNM-1 Monument, 4.5' West of centerline, and all 4 of David Goslin's ties(10/31/2001). All ties check well.

Mothing R. Dall 24/16/24

Anthony R. Dallman, PLS-2405

Lincoln County Surveyor

U.S. PUBLIC LAND SURVEY MONUMENT RECORD

Note: This form is intended and designed to full	fill all requirements of Wisconsin Administrative Code	
Chapter A-E 5.02, U.S. Public Land Surv	ey Monument Record (3) (a) (b) (c) (d) (e) (f) (g) (h)	
(I). An additional sheet may be added if	necessary to conform with said requirements.	
(a) Corner location: Township 31 No	orth	
7		
Range 7 East	*	
Town/ City/Village PINE RIVER		
Town only vinage		
County Lincoln		
	Section 2I	
(b) (f) (a) (h) Description of manument found at	this corner and if it was accepted, state all evidence	
(material, testimonial, occupational, plats	, records, other monuments) used as a basis for	
accepting. If not acceptted or if nothing v	vas found, state evidence used as basis for	
establishing location. If reestablished thr	ough lost corner proportionate methods, indicate all	
monuments, distances and directions use	ed to establish.	
Corner was found and tind out by William	iam Schereron June 18, 1970. Corner found was	
a 6" x 6" Granite Monument 8" below ro	pad surface. On July 18, 2001 at corner location	
we found no ties remaining. We redug b	by hand at surveyed location for the Granite	
Monument and found that Monument and r	re-fied as shown below.	
	IIIII'S CONSIIII	
	DAVID I VI	
	GOSLIN	
	S-2280 WAUSAU	
	WI WI	
	SURVE WITH	
	Management of the second of th	
(c) (d) (e) Plan view of corner with ties to at leas	t 4 witness monuments. If in disagreement with	
the ties to the disputed corner.	listances between the two corners and also indicate NE Corner Sec. 21	
. 1	THE COUNCIL SEC. 21	
• Set 7/8"x30" re-bar with	2620 11°15	
The state of the s	DEER RUN 19130'191	
witness cap ■ 6"x6" Granite Monument		
● Berntsen Monument	46' → * I.B. is 2' W of 12" Red Pine	
RECEIVED AT LINCOLN COUNTY	35 - 1 TE	
COURTHOUSE THIS BITH DAY	WEST \$\frac{1}{4}CORNER SEC. 21	
OF Volember 20 01	\$ 500 p. 56,	
James Dallace	1.B. is 2' W of 9" Red Pine	
LAND INFORMATION OFFICE	nn+	
1/2	78.00 5.00	
I.B. is .5' NE of white	7 7 7 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	
	SW Corner Sec. 21	
(I) I, David J. Goslin RLS No. s-2280		
(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey		
Monument Record is correct and complete to	hat this U.S. Public Land Survey the best of my knowledge and belief.	
Comparison of the		
Cinneture	10-31-01	
Signature	Date	

(revised 2/97)

1		0 0 16
	- REFERENCES -	731N R7E June 18,1970
	39.00 Steel Fence Post	14 Cise 19 19 19 19 19 19 19 19 19 19 19 19 19 1
	E. 203 Sic. Steel Free Post Project I.D. 1.4Mi. N.Me Preeway Linc	1173-2-00 So. Co.Line rrill U.S.H. 51 oln County Wm. Scherer eived from Division of .1973