U.S. PUBLIC LAND SURVEY MONUMENT RECORD


Note: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A—E 7.08, U.S. Public Land Survey Monument Record (3) (a) (b) (c) (d) (e) (f) (g) (h) (i). An additional sheet may be added if necessary to conform with said requirements.

			Township _	31	
(a)	Corner	location:	Township _	<u> </u>	_ North
. ,			and the second of the second o		

Range 8 East

Town/City/ Village Pine River

County Lincoln






(b) (f) (g) (h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial. occupational, plats, records, other monuments) used as basis for accepting. If not accepted of if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

Feb. 1852 - Ellis, A. G; Ellis, F. S. "For 1/4 Section Post a Pine 21 inches is marked."

Aug. 1992 — Mosher, LaVerne H. "Excavated with backhoe. At depth of 16 inches we recovered the bottom 18 inches of a 6"x6" Granite monument tipped slightly toward the Northwest. We then straightened up stone and took temporary ties to restore position. Removed the stone, backfilled hole and reset stone closer to road surface such that top of stone was about 6 inches below surface. Set a 1"x24" iron pipe along North and South faces of stone to aid in future location. Chiseled new "x" on top center of stone and tied out same."

April 2012 — Dallman, Anthony R. Found Mag Nail in CL of Alder Road, fit Mosher's ties. Southwest tie was missing. Set new Southwest tie and held Mosher's existing ties as shown below:

(c) (d) (e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distance between the two corners and also indicate the ties to the disputed corner.



(i) 1, Anthony R. Dallman

(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

Anthorny R. Oall
Signature

12/18/12



U.S. P	OBLIC LA	ND SURV	EY MOI	NUMENT	RECORD
	ey Monument Reco d requirements.	ord (3) (a) (b) (c) (d)			Code, Chapter A-E 5.02, U.S. It may be added if necessary to
	Range 8	_East			6
Town/ City/Villinge	PINE	RIVER			
County	LINC	DLN	Variance and the second		Section 6
(material, testimo not accepted or reestablished thr directions used to Excavated witt of a 6" x 6" straightened stone, backfistone was about	nial, occupation if nothing was ough lost corne o establish. h backhoe. A Red Granite up stone and lled hole and to inches es of stone	al, plats, records found, state ever proportionate t depth of 1 monument tip took tempor d reset ston below surfac to aid futur	s, other mone vidence use methods, i 6 inches w ped slight ary ties t e closer t e. Set a 1	uments) used as d as basis for ndicate all more re recovered ely toward the co restore po- co road surfa- " x 24" iron	epted, state all evidence is a basis for accepting. If establishing location. If numents, distances and the bottom 18 inches in Northwest. We the osition. Removed the acce such that top of a pipe along North new "X" on top
(c) (d) (e) Plan view of established corner disputed corner.	corner with ties , show the dist	to at least 4 with ances between	Tess monum the two cor NORTH 1/4 COR	ners and also	reement with previously indicate the ties to the
		2" IRON PIPE ** ** ** ** ** ** ** ** **	1/260 5326.15' 37.53',2"	IRON PIPE W/CAP	
ALDER		\$ 02°22'22'8	24.63 - 24.63	37'26" E 263	ROAD
2" (RON PIPE W/CAP (SQUARE NAIL IN	PLAQUE N		N PIPE W/CAP
				2	

(i) | LaVerne H. Mosher (type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

AUGUST 7, 1992

S-1.
SCHOFIEL
WIS.

SURVEYOR

SURVEY

Signature

Date









