## LINCOLN COUNTY U.S. PUBLIC LAND TIE SHEET RECORD

LANDMARK CORNER INDENTITY: 1" IRON PIPE

E: 300536.2590

N: 132759.9930

DATE OF SURVEY: October 31, 2006 SURVEY PARTY: Rutzen/Broten

LINCOLN COUNTY COORDINATE:

Description of monument found at this corner and if was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments distances that the state of indicate all monuments, distances and directions used to establish.

SECTION TOWNSHIP 063141 RANGE CORNING Y, VILLAGE, TOWN NO.

FOUND SET RE-SET RE-TIED [] SECTION



## BASIS FOR MONUMENT LOCATION:

(DESCRIBE METHOD OF SURVEY AND CORNER AUTHENTICATION)

Found cedar wood post and 1" iron pipe at the base of wood post. Held the 1" iron pipe as the corner.



CERTIFIED CORRECT:

COMPANY: Central Wisconsin Engineers & Architects

5707 Schofield Ave. Weston, Wisconsin 54476

(715) 359-9400

Ronald Jacobson

RLS 2059-008

DATE: November 3, 2006

TIE SKETCH:

SHOW MINIMUM OF FOUR (4) HORIZONTAL TIE DISTANCES TO FIXED WITNESS MONUMENTS. DESCRIBE ALL MONUMENTS FOUND OR SET. ALL DISTANCES SHOWN IN US SURVEY FEET.

RECEIVED BY LINCOLN COUNTY SURVEYOR THIS 8 TH SET 7/8"x30" IRON ROD WITH MARSH AREA LINCOLN COUNTY ALUM. CAP SET 7/8"x30" IRON ROD WITH

SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP

NORTH LINE SECTION 1-T31N-R3E

LINCOLN COUNTY ALUM. CAP

NORTH LINE SECTION 6

FOUND 1" IRON PIPE w/WOOD POST AND SIGN

SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP

COORDINATES ARE REFERENCED TO LINCOLN COUNTY COORDINATE SYSTEM AS DEVELOPED BY THE WI. DEPARTMENT OF TRANSPORTATION AND ARE BASED ON GPS OBSERVATIONS TO CONTROL POINTS AS SUPPLIED BY LINCOLN COUNTY.

NOT TO SCALE **BEARINGS REFERENCED** TO MAGNETIC NORTH









