LINCOLN COUNTY U.S. PUBLIC LAND TIE SHEET RECORD

LANDMARK

CORNER INDENTITY: BERNSTEN MONUMENT

LINCOLN COUNTY COORDINATE:

N: 161414.5930

E: 327661.2300

DATE OF SURVEY: SURVEY PARTY: Eron/Dahlvig

JUNE 14, 2007

FOUND SET ☒ RE-SET ☐

RE-TIED

SECTION

13244

NO

(material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

Description of monument found at this corner and if was accepted, state all evidence

BASIS FOR MONUMENT LOCATION:

(DESCRIBE METHOD OF SURVEY AND CORNER AUTHENTICATION)

No evidence remained of the corner. Corner was set by single proportionate measurement.



SECTION

RANGE

TOWNSHIP

CORNING

CITY, VILLAGE, TOWN

CERTIFIED CORRECT:

COMPANY: Central Wisconsin Engineers & Architects

5707 Schofield Ave. Weston, Wisconsin 54476

(715) 359-9400

Ronald Jacobson RLS 2059-008

TIE SKETCH:

SHOW MINIMUM OF FOUR (4) HORIZONTAL TIE DISTANCES TO FIXED WITNESS MONUMENTS. DESCRIBE ALL MONUMENTS FOUND OR SET. ALL DISTANCES SHOWN IN US SURVEY FEET.

LOGGING ROAD 200' +/-SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP SET LINCOLN COUNTY BERNSTEN MOMUMENT QUARTER LINE SECTION 2 SET SIGN QUARTER LINE SECTION 1 SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP SET 7/8"x30" IRON ROD WITH LINCOLN COUNTY ALUM. CAP

RECEIVED BY LINCOLN COUNTY SURVEYOR THIS 22ND DAY

COORDINATES ARE REFERENCED TO LINCOLN COUNTY COORDINATE SYSTEM AS DEVELOPED BY THE WI. DEPARTMENT OF TRANSPORTATION AND ARE BASED ON GPS OBSERVATIONS

TO CONTROL POINTS AS SUPPLIED BY LINCOLN COUNTY.

NOT TO SCALE **BEARINGS REFERENCED** TO MAGNETIC NORTH









