
## U.S. PUBLIC LAND SURVEY MONUMENT RECORD

HISTORY OF ORIGINAL CORNER ESTABLISHMENT AND SUBSEQUENT RESTORATION AND DESCRIPTION OF ANY RECORD, MONUMENT OCCUPATIONAL, TESTIMONIAL OR OTHER EVIDENCE CONSIDERED:

DURING EXTENSIVE RESEARCH IN THIS AREA WE FOUND A LINCOLN COUNTY MONUMENT AT THIS LOCATION NO TIES REMAINED.




CORNER WAS: (CHECK ALL THAT APPLY)

- ☐ RESTORED THROUGH ACCEPTANCE OF AN OBLITERATED EVIDENCE LOCATION
- RESTORED THROUGH ACCEPTANCE OF A FOUND PERPETUATED LOCATION
- CONSIDERED A LOST CORNER AND REESTABLISHED THROUGH LOST CORNER PROPORTIONATE METHODS (INCLUDE A PLAN VIEW DRAWING SHOWING DISTANCES AND DIRECTIONS TO OTHER PUBLIC LAND SURVEY CORNERS USED FOR PROPORTIONING AND DETERMINING THE CORNER LOCATION)
- RESTORED OR REESTABLISHED IN A LOCATION THAT DIFFERS FROM A PREVIOUS RESTORATION OR REESTABLISHMENT (INCLUDE A PLAN VIEW DRAWING AND INDICATE WHAT WAS SET AND/OR FOUND)
- ☐ CHECK IF THERE IS ADDITIONAL INFORMATION ON BACK

DESCRIBE THE MONUMENT AND ACCESSORIES USED TO PERPETUATE THE LOCATION OF THE CORNER. (INCLUDE A PLAN VIEW DRAWING AND INDICATE WHAT WAS SET AND/OR FOUND) ALSO INCLUDE FOUR TIES TO THE SECTION CORNER AND DESCRIPTION OF THE TIES.

SET LINCOLN CO. WIT. CAPS AT ALL TIES



DANIEL E. HIGGINBOTHAM

(type or print name) CERTIFY THAT THE CORNER LOCATION SHOWN ON THIS RECORD WAS DETERMINED BY ME OR UNDER MY DIRECTION AND CONTROL AND THAT THIS U.S. PUBLIC LAND SURVEY MONUMENT RECORD IS CORRECT AND COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

SIGNATURE Hygurbolka

11/25/97 DATE DANIEL E.
HIGGINBOTHAM
S-1935
BIRNAMWOOD,
WI

SURVEYOR: SFAL

## State of Wisconsin County of LINCOLN I WILLIAM F. KELLY, do hereby certify that on the 2/57 of JANUARY , 1975, I found evidence of the SECTION corner of SECTIONS 15, 14,22, \$23 Township 32 , North, Range 4 EAST Fourth, Principal Meridian, as described hereon; and that from this evidence I established a new monument and accessories as described hereon to perpetuate the original location of this corner. Resident witnesses:

T32NR4E
1 1 1
 1 1
i i
i F-3 i
i i i
 Ţ j

O = Corner monument restored.

## CERTIFIED LAND CORNER RESTORATION

History of original corner establishment:

CORNER SET BY GENISOT AND ASSOCIATES IN FEB. 1968 OF SURVEY FOR OWENS-ILLINOIS.

Index No SCONS

WILLIAM F.

KELLY

S1098

ELCHO,

WIS.

Description of corner evidence found:

LOCATED SQUARED WOOD POST MARKED S 5 5 5 AND 1/4" I.P. MIN

Description of monument and accessories I established to perpetuate the original location of this corner.

SET NEW MON. AND RESET I.P.

NEW MON. FLUSH	A	ET NEW MON. AND RESET I.P. UND POST AS WITNESS MONUMENTS  NEW MONUMENT MARKED;
SENT TO SELM - POST NOTE:	+ MARK O OF ALL B	N TRUNK 3.T.

SCRIBED COLL I ELIT BLAZED & B.I.
Dated at ELCHO, Wis., this 2/5† day of JANUARY, 19.75.
Signature William H. Killy Title REGISTERED LAND SURVEYOR Registration No. 5 1098 (County Surveyor, Registered Land Surveyor, or other duly authorized official)
Office of Register of Deeds, County of, I hereby certify that the within instrument was filed in this office for record on the
(Register of Deeds)





