## U.S. PUBLIC LAND SURVEY MONUMENT RECORD


Note: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 5.02, U.S. Public Land Survey Monument Record (3) (a) (b) (c) (d) (e) (f) (g) (h) (i). An additional sheet may be added if necessary to conform with said requirements.

(a) Corner location: Township\_ \_North

Range 5 East

Town/City/Village \_ TOWN OF HARDING

County \_\_ LINCOLN



NOº 05'30"

0


S 0° 25' 40" W

(b) (f) (g) (h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

An extensive search was completed for original or secondary evidence of this corner location. The use of the West 1/4 to Center of Section bearing in the Section to the West was considered then dismissed. I felt the best evidence for the location of this corner was centerline-centerline. That location fits well with distance and bearing between Northwest and Southwest Section corners.

(c) (d) (e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.

I" I. PIPE SET AS TIES



A = N 48° 59' 33" W - 36.47' B=\$89°53'41"E - 33.00 C=S110 43'20"W - 22.94" D=\$ 58°49'41"W - 81.11

DAN HIGGINBOTHAM

(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

2-09-94

Signature

Date

ECEIVED AT LINCOLN





