U.S. PUBLIC LAND SURVEY MONUMENT RECORD

Note: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code,

Chapter A-E 5.0	02, U.S. Public L	and Survey Monu	ment Record	d (3) (a) (b) (c) (d) (d) (d) (d) (d) (d) (d) (d) (d) (d	e) (f) (a) (h)
(a) Corner location: To	ownship 32	North			N
R	ange5	East			
Town/City/Village	HARDING				
County Lincoln			,		
				Section 21	
establishing loc	nonial, occupation of accepthed or if ation. If reestable	nal, plats, records nothing was foun	s, other monu d, state evide st corner prop	as accepted, state auments) used as a lence used as basis portionate methods,	pasis for for
Original corner wo Ties set out ar Birch 9", S39°E Birch 11", N31°	re as follows: E, 6 links	Chaney, Deputy Surve	eyor, in Novemb	per of 1852.	
evidence of the at the interse	Vest End Drive. Section corne ction of the C	We dug 5' down r. We then set	and an 8': a Lincoln (est End Dri	ine to the North square area and founty Berntsen Make and the fence location.	ound no
			,		
DAVID J. GOSLIN S-2280 WAUSAU, WI	sputed corner, st	now the distances 2643.521 Land	between the	ats. If in disagreement two corners and a 7/8" x 30" rebar wit County cap Old fence line mo Record original i	th Lincoln estly down
N90°00'00"E	2634.30	\$00, 27± \$20±	50	WEST END DRIVE	
00 +h	R 2634.90' prange carsonite	10.57 mm 20.57	Sout Set	heast corner Lincoln County Be ment 1' below roa	
°	f rebar	etland	area		
(I) I, David J. Gostin	Account to the second s	ornar lagation on t	L: 1		=
(type or print name) of by me or under my de Monument Record is	irection and conf	trol and that this L	J.S. Public La	and Survey	index No.
David 1	Morlin	piece to the best		edge and beller.	V
Signature	RECEIVED A	T LINCOLN COU			
(revised 2/37)	OF Du	SE THIS leth 19 99	DAY		13

LAND INFORMATION OFFICE









