U.S. PUBLIC LAND SURVEY MONUMENT RECORD

(a) Corner location: Township 32 North Range 6 East Town/City/Village Rock Falls	N
Town/City/Village Rock Falls	
	1
CountyLincoln	
Section4	
(b) (f) (g) (h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis accepting. If not acceptted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indic monuments, distances and directions used to establish.	for
Found existing granite stone. Tied corner to PK nails in stof blazed trees and to capped iron rebar.	ides
(c) (d) (e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also in the ties to the disputed corner.	ith dicate
9" Maple &	
RECEIVED AT LINCOLN COLUMN	
COURTHOUSE THIS 3/24 DAY	
OF Orly 19 97	
TAX DESCRIPTION OFFICE	
36. 7	-lar
4" Maple & ir	on rebar FIELD
(I) I, William W. Nutter RLS-No.2299	
(type or print name) certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.	Index No.
	ام
Signature Date	13

(revised 2/97)





