U.S. PUBLIC LAND SURVEY MONUMENT RECORD


NOTE: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 7.08 U.S. Public Land Survey Monument Record (3)(a)(b)(c)(d)(e)(f)(g)(h)(i). An additional sheet may be added if necessary to conform with said requirements.

(a) Corner location: Township 32 North

Range 05 East

Town of HARDING

LINCOLN County, Wisconsin



Section 06

(b)(f)(g)(h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish. Indicate type of monument found or set and sign post.

1937 - FRANCIS X. FOCHS (NOW FOX) FOUND STONE MONUMENT AND ACCEPTS AS NORTH WEST CORNER OF SECTION 6. FIELD NOTES ON FILE IN LINCOLN COUNTY FOREST, LAND AND PARK DEPARTMENT.

05-01 - IFIND 6" X 6" RED GRANITE MONUMENT AND SET BEARING TREES AS SHOWN BELOW:

RECEIVED AT LINCOLN COUNTY COURTHOUSE THIS 8 THE DAY

OF January

20 02

LAND INFORMATION OFFICE

(c)(d)(e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.

WITNESS MONUMENT

WITH ALUMINUM CAP

NAIL IN SIDE OF 10" HEMLOCK

(i) I, EUGENE C. UTTECH, Registered Land Surveyor *S-1451, hereby certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

Eugene C Uttech

12.20.01

Date



Index No. H





