U.S. PUBLIC LAND SURVE	Y MONUMENT RE	:CORD
Note: This form is intended and designed to fulfill all requirement Public Land Survey Monument Record (3) (a) (b) (c) (d) (e) conform with said requirements.	its of Wisconsin Administrative Cod (f) (g) (h) (i). An additional sheet ma	le, Chapter A-E 5.02, U.S. ly be added if necessary to
(a) Corner location: Township 33 North		7-
Range7East		
Town/ <del>City/Village</del> BIRCH		
CountyLINCOLN		Section 19
(b) (f) (g) (h) Description of monument found at this of (material, testimonial, occupational, plats, records, of not accepted or if nothing was found, state evidence reestablished through lost corner proportionate medirections used to establish.	other monuments) used as a tence used as a tence used as basis for estable	d, state all evidence basis for accepting. If
Original Corner - Wood Post (1854?) No be found per records at County Surveyor This corner falls on centerline of C.T. about 7 feet deep. Did not dig for corn Highway Commissioner and County Surveyor to North 1/4 to Northeast corner to apply was ran to determine corner position at fence lines running to East and West occupation lines and other Government cevidence of corner. Set a 7/8" x 30" Rettop. Top of monument is recessed about 1 A section summary sheet placed on file was	"s Office. H. "H" in area where reer after consultation was a substituted on the state of the st	oadway fill is with Lincoln Co. 1/4 to West 1/4 ner, all in Section to center of road in harmony with the accepted as bestamped 19 20 on ay surface.
(c) (d) (e) Plan view of corner with ties to at least 4 witnes established corner, show the distances between the disputed corner.	e two corners and also indic	nent with previously cate the ties to the
WOODS	3/3	woods
W1/4 005	2 2 2	
W I/4 COR S 88° 55' 38" W 5696.52'	4	
	3.5	Υ · · · · · · · · · · · · · · · · · · ·
*	3560	
NOTE: ALL TIES ARE TO 7/8" X 30" REBAR WITH WITNESS CAP. ORANGE WITNESS POST SET AT NORTHWEST TIE.	5 4 4 5 5 5 8 FI S 5 5 8 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 5 8 5 8 5 5 5 8 5 5 5 8 5 5 5 5 8 5 5 5 5 5 8 5	45" [
WOODS		WOODS
(i) I, LAVERNE H. MOSHER	A STATE OF THE PARTY OF THE PAR	mmm, H
(type or print name) certify that the corner location on was determined by me or under my direction and contr this U.S. Public Land Survey Monument Record is c complete to the best of my knowledge and belief.	rol and that	Index No. O
La Verne H. Mosher JUNE 9,	1995 SCHOFIE	5
Signature Date	SUF SUF	27 ETUINIMINITALITA









