Note: This for Public I conform	rm is intended and des Land Survey Monumen n with said requiremen	nis.	le of Wiesonsle Administra	ive Code, Chapter A-E 5.02, U.S neet may be added if necessary to
(a) Corner Id	ocation: Township	1 <u>34</u> North		
	Range	5_East		
Town	Tomahawk			
County	Lincoln	t	# *	
bounty				Section 16
not acce reestablis directions set wood N 13° E	pled or if nothing shed through lost in used to establish. I post for corn 25 links. I f	was found, state evidence or proportionate me Original Gov't. er with bearings, found a 3/4" iron p	ence used as basis for the survey: Jan. 18 pine 16 south of the survey of the survey of the survey of the 16 south of the survey of the surv	ccepted, state all evidence d as a basis for accepting. It or establishing location. It nonuments, distances and 55 by Jackson Prenti links & tamarac 10 f the centre-line of
outilly.	T UIIA TITELIWAY	0" for the corner. ted Sep. 1972 & re	Compan got har R	obert H. Winat
	v 101 Sulvey da	ved sep. 1972 & re	vised van. 1975.	9 9 9 9 8 9 9
×				
			,	T.
		P.K. NAL IN		11"u SPI
1		P.K. NAL IN Q POWER POLE		
1		45 V Fr.	N 65° 47'	
Н		22/6	126.	7
14	Replaced 3 with Bernt	/4" iron pipe	COUNTY	TRUNK HIGHWAY "O
	2 - 13	To.	v	
	E C .	3/S 3/S	Sec.	
	1 1 40	300	3/4"IRON PIPE	
		7		
	-A 13	JII" BAI	LSM	
1	Lester J. Schm	i+		ISCON-
was netell	nt name) certify tha nined by me or unde Jublic Land Survey	at the corner location on er my direction and contr Monument Becord is a	this record	AFE IX SEALER IN THE REMIT
complete t	o the best of my kr	nowledge and belief.		3-1192
complete t	o the best of my Kr	nowledge and belief.		S-1192 BOMAHAWK
complete t	3. Schmit	nowledge and belief. 9 Sep 85 Date		S-1192 TOMAHAWR. WIS.





