U.S. PUBLIC LAND SURVEY MONUMENT RECORD


This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 5.02, U.S. Public Land Survey Monument Record (3)(a)(b)(c)(d)(e)(f)(g)(h)(i). An additional sheet may be added if necessary to conform with said requirements.

Township 34 North (a) Corner location:

Range_7_East

SKANAWAN Town/City/Village_


County ____LINCOLN



(b)(f)(a)(h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments)used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish.

> I found no evidence of the corner's original marker or witness trees. I found a scribed 6-in. x 6-in. stone similar to those set by Fuchs in the 1930's in thei Township to perpetuate the orginal coner monumentation. I Accepted the stone as the best available evidence of the corner's original location and tied as shown below.

(c)(d)(e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.



COORDINATES ARE REFERENCED TO THE LINCOLN COUNTY COORDINATE SYSTEM AS DEVELOPED BY THE WISCONSIN DEPARTMENT OF TRANSPORTATION AND WERE DETERMINED BY GPS OBSERVATIONS ON CONTROL POINTS AS SUPPLIED BY LINCOLN COUNTY.

BEARINGS ARE REFERENCED TO MAGNETIC NORTH.

O - SET 3/4" x 30" REBAR W/ ALUM CAP

☐ - SOUTH 1/4 CORNER FOUND 6X6 GRANITE STONE

RECEIVED BY LINCOLN COUNTY SURVEYOR THIS 19 TH

SURVEYOR THIS 1974 DAY

OF Necember 20 05

COUNTY SURVEYOR

I, David A. Renaud, RLS S-2142, certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

SURVEYOR THIS 1974

DAY

OF Necember 20 05

DAVID

RENAUD

S-2142

MERRILL

WILL

SURVEYOR

DAVID

A.

RENAUD

S-2142

MERRILL

WILL

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

SOLUTION

SURVEYOR

DAVID

DAVID

A.

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

A.

SURVEYOR

DAVID

SURVEYOR

DAVID

SOLUTION

DAVID

SURVEYOR

DAVID

SURVEY I, David A. Renaud, RLS S-2142, certify that the corner location on

Signature













