NOTE: THIS FORM IS INTENDED AND DESIGNED TO FULFILL ALL REQUIREMENTS OF WISCONSIN ADMINISTRATIVE CODE CHAPTER A-E 7.08 U.S. PUBLIC LAND SURVEY MONUMENT RECORD (3) (a)(b)(c)(d)(a)(f)(g)(h)(f). AN ADDITIONAL SHEET MAY BE ADDED IF NECESSARY TO CONFIRM WITH SAID REQUIREMENTS.

(a) CORNER LOCATION: NW CORNER SECTION 12, TOWNSHIP 35 NORTH, RANGE 4 EAST TOWN OF SOMO, LINCOLN COUNTY LINCOLN COUNTY COORDINATES:

NORTHING: 253914.045 EASTING: 328016.444


PREVIOUSLY MEASURED COORDINATES BY OTHERS

N: 253913.985 E: 328016.395

(b) HISTORY OF ORIGINAL CORNER:

DARREN B. KRZANOWSKI RLS 2663 DATED THIS 8TH DAY OF FEBRUARY, 2012


ORIGINAL SURVEYOR: EDWARD D. PALMER APR. 1865 — MAY 1865
HEMLOCK 7 N 36° W 7 LINKS
HEMLOCK 8 N 22° E 5 LINKS
HEMLOCK 3 S 61° E 16 LINKS
FIR S 10° W 25 LINKS



21 SEPT., 1923: D.S. BURNETT FOUND A 2" X 2" X 18" IRON PIN, AND SET MONUMENT. (D.S. BURNETT SURVEY NOTES OF T35N R4E PAGE 37)

7 FEB.. 2012: FOUND A 5" X 5" IRON PLATE \pm 1' BELOW GRADE THAT IS CONSISTENT WITH THOSE SET BY D.S. BURNETT IN 1923. ACCEPTED MONUMENT AND SET FOUR NEW WITNESS MONUMENTS.

(c)(d)(e) PLAN VIEW OF CORNER WITH TIES TO AT LEAST FOUR WITNESSES. IF IN DISAGREEMENT WITH PREVIOUSLY ESTABLISHED CORNER, SHOW THE DISTANCE BETWEEN THE TWO CORNERS AND ALSO INDICATED THE TIE TO THE DISPUTED CORNER.



NDEX NO. T35N R4E 円2

SURV









