U.S. PUBLIC LAND SURVEY MONUMENT RECORD


NOTE: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 7.08 U.S. Public Land Survey Monument Record (3)(a)(b)(c)(d)(e)(f)(g)(h)(i). An additional sheet may be added if necessary to conform with said requirements.

(a) Corner location: Township 35 North

Range 07 East

Town of KING

LINCOLN County, Wisconsin




(b)(f)(g)(h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish. Indicate type of monument found or set and sign post.

1861 - Original corner set by Alfred Millard

1980- Bill Stuth O-I found corner by others, accepts as same

2003 - Ifound $1^{1}\!\!/_{2}$ " dia.iron pipe, old fence South. Replaced pipe with Lincoln Co.Bernsten monument.

Witnessed as shown below.



(c)(d)(e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.

RECEIVED BY LINCOLN COUNTY SURVEYOR THIS 26 TH DAY

COUNTY SURVEYOR

N80°E

A8.22'

M. PINE NAIL IN SIDE

24" W. PINE NAIL IN SIDE

SCONS

DENNIS B. ROBERTS

SURV

SET LINCOLN COUNTY BERNSTEN MONUMENT

♦ SET 3/4" DIA. ROD WITH ALUMINUM CAP

T PLASTIC "T" SIGN POST NORTH, 1

(i) I, Dennis Roberts, Registered Land Surveyor *S-1863, hereby certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

Dennis B. Kaferts Signature

7/02/03

Date



U.S. PUBLIC LAND SURVEY MONUMENT RECORD


NOTE: This form is intended and designed to fulfill all requirements of Wisconsin Administrative Code, Chapter A-E 7.08 U.S. Public Land Survey Monument Record (3%a)(b)(c)(d)(e)(f)(g)(h)(i). An additional sheet may be added if necessary to conform with said requirements.

(a) Corner location: Township 35 North

Range 07 East

Town of KING

LINCOLN County, Wisconsin




(b)f)(g)(h) Description of monument found at this corner and if it was accepted, state all evidence (material, testimonial, occupational, plats, records, other monuments) used as a basis for accepting. If not accepted or if nothing was found, state evidence used as basis for establishing location. If reestablished through lost corner proportionate methods, indicate all monuments, distances and directions used to establish. Indicate type of monument found or set and sign post.

1861 - Original corner set by Alfred Millard

1980- Bill Stuth O-I found corner by others, accepts as same

2003 - Ifound $1\frac{1}{2}$ " dia.iron pipe, old fence South. Replaced pipe with Lincoln Co. Bernsten monument.

Witnessed as shown below.



(c)(d)(e) Plan view of corner with ties to at least 4 witness monuments. If in disagreement with previously established corner, show the distances between the two corners and also indicate the ties to the disputed corner.

COURTHOUSE THIS 17 DAY
OF July 20 03

LAND INFORMATION OFFICE

SET LINCOLN COUNTY BERNSTEN MONUMENT

♦ SET ¾" DIA. ROD WITH ALUMINUM CAP

T PLASTIC "T" SIGN POST NORTH, 1

(i) I, Dennis Roberts, Registered Land Surveyor @S-1863, hereby certify that the corner location on this record was determined by me or under my direction and control and that this U.S. Public Land Survey Monument Record is correct and complete to the best of my knowledge and belief.

disagreement with previously ate the ties to the

10" W. PINE NAIL IN SIDE

N80°E

48.22'

N80°E

AB.22'

N80°E

AB.22'

7/02/03 Date Index No. ********

DENNIS B. ROBERTS S-1863

SURV

