

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|--------|-----|----|----|----|----|---|-----|-----|-----|----|-----|---|--------|------|------|------|--|
| Abraham Ct | | 0.41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Termini | Highlander Ct | 0.18 (971) | N | 2 | 40 | 26 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Highlander Ct | Hill Ct | 0.07 (393) | N | 2 | 40 | 26 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Hill Ct | Wilderness Dr | 0.14 (714) | N | 2 | 40 | 26 | 2003 | | | | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Big Hill Dr | | 0.74 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| STH 107 | South End Rd | 0.74 (3907) | N | 2 | 35 | 20 | 2022 | 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Bill Lee Rd | | 2.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| South End Rd | Fau Fau Ave | 0.52 (2746) | N | 2 | 35 | 26 | 1997 | | | 4 | 0 | 0 | 000 | 000 | | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Fau Fau Ave | Woodenware Rd | 1.50 (7920) | N | 2 | 35 | 26 | 2023 | | | 4 | 0 | 0 | 000 | 000 | | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Black Bear Ln | | 0.05 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Wilderness Dr | Termini | 0.05 (245) | N | 2 | 40 | 26 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | | |
| Blum Rd | | 0.47 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| CTH E (1) | Aley Rd (0.47) | 0.47 (2482) | N | 2 | 35 | 18 | 1997 | | | 4 | 0 | 0 | 000 | 000 | | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Cottrell Ave | | 1.24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH J | Hightower Rd | 0.99 (5227) | N | 2 | 35 | 22 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Hightower Rd | Schooley Rd | 0.25 (1320) | N | 2 | 35 | 22 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

| CTH E (1) | | 6.76 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Burma Rd (1.51) | CTH E (2) (2.00) | 0.49 (2587) | N | 2 | 70 | 22 | 2006 | 7 | 2018 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Burma Rd (2.00) | CTH E (2) | 0.45 (2376) | N | 2 | 70 | 22 | 2006 | 7 | 2018 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| CTH E (2) | Grunning Rd | 0.97 (5122) | N | 2 | 70 | 22 | 2006 | 7 | 2018 | 4 | 0 | 0 | 204 | 204 | | | T | 000170 | 2019 | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Grunning Rd | Blum Rd | 3.38 (17846) | N | 2 | 70 | 22 | 2006 | 7 | 2018 | 4 | 0 | 0 | 204 | 204 | | | E | 000075 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Blum Rd | Greil Rd | 0.49 (2587) | N | 2 | 70 | 22 | 2006 | 7 | 2018 | 4 | 0 | 0 | 204 | 204 | | | E | 000075 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Greil Rd | Mistwood Rd | 0.49 (2569) | N | 2 | 70 | 24 | 2003 | 7 | 2018 | 4 | 0 | 0 | 203 | 203 | | | E | 000075 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Mistwood Rd | Aley Rd (0.49) | 0.49 (2605) | N | 2 | 70 | 24 | 2003 | 7 | 2018 | 4 | 0 | 0 | 203 | 203 | | | E | 000075 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |

| CTH E (2) | | 0.18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | CTH E (1) | 0.18 (950) | N | 2 | 70 | 22 | 2007 | | | 4 | 0 | 0 | 205 | 205 | | | E | 000100 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|---------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| CTH H (1) | | 1.02 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH JJ | CTH H (2) | 0.12 (634) | N | 2 | 70 | 22 | 1995 | 7 | 2015 | 4 | 0 | 0 | 204 | 204 | | | A | 000075 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| CTH H (2) | Unknown | 0.28 (1478) | N | 2 | 70 | 22 | 1995 | 7 | 2015 | 4 | 0 | 0 | 204 | 204 | | | T | 000190 | 2019 | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Unknown | CTH H (0.62) | 0.62 (3274) | N | 2 | 70 | 22 | 1995 | 7 | 2015 | 4 | 0 | 0 | 204 | 204 | | | T | 000140 | 2014 | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| CTH H (2) | | 0.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH JJ | CTH H (1) | 0.10 (528) | N | 2 | 70 | 18 | 1977 | | | 4 | 0 | 0 | 102 | 102 | | | A | 000035 | | E | 66 | 40 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| CTH J | | 2.55 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Cottrell Ave | 1.55 (8184) | N | 2 | 65 | 22 | 2013 | 1, 4, 7 | 2019 | 4 | 0 | 0 | 203 | 203 | | | T | 000160 | 2019 | E | 80 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| Cottrell Ave | Schooley Rd | 1.00 (5280) | N | 2 | 65 | 22 | 2013 | 1, 4, 7 | 2019 | 4 | 0 | 0 | 203 | 203 | | | T | 000260 | 2019 | E | 80 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| CTH JJ | | 4.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Olivotti Lake Dr | Walsh Rd | 0.53 (2798) | N | 2 | 70 | 24 | 1996 | 1 | 2012 | 4 | 0 | 0 | 202 | 202 | | | A | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Walsh Rd | Woodpecker Ln | 0.30 (1584) | N | 2 | 70 | 24 | 1996 | 1 | 2012 | 4 | 0 | 0 | 202 | 202 | | | A | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Woodpecker Ln | Tug Lake Ave | 0.17 (898) | N | 2 | 70 | 24 | 1996 | 1 | 2012 | 4 | 0 | 0 | 202 | 202 | | | A | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Tug Lake Ave | CTH H (2) | 0.39 (2059) | N | 2 | 70 | 24 | 1997 | 1 | 2012 | 4 | 0 | 0 | 202 | 202 | | | A | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| CTH H (2) | CTH H (1) | 0.11 (581) | N | 2 | 70 | 24 | 1997 | 1 | 2012 | 4 | 0 | 0 | 202 | 202 | | | A | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| CTH H (1) | Rock Falls Dr | 1.50 (7920) | N | 2 | 70 | 23 | 1997 | 1 | 2012 | 4 | 0 | 0 | 204 | 204 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Rock Falls Dr | Winkleman Ave | 0.25 (1320) | N | 2 | 70 | 23 | 1997 | 1 | 2012 | 4 | 0 | 0 | 204 | 204 | | | E | 000075 | | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Winkleman Ave | Cottrell Ave | 0.75 (3960) | N | 2 | 70 | 23 | 1997 | 1 | 2012 | 4 | 0 | 0 | 204 | 204 | | | T | 000140 | 2019 | E | 66 | 30 | 4 | | 3 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |

| Eggert Dr | | 2.56 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Woodenware Rd (0.75) | 0.75 (3960) | N | 2 | 35 | 20 | 2002 | 13 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| STH 107 (0.75) | Woodenware Rd | 0.83 (4382) | N | 2 | 35 | 20 | 1991 | 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Woodenware Rd | Fillet | 0.85 (4488) | N | 2 | 55 | 22 | 1967 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Fillet | Rock Falls Dr | 0.13 (686) | N | 2 | 55 | 22 | 1967 | | | 4 | 0 | 0 | 102 | 102 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|--------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Fau Fau Ave | | 1.41 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Bill Lee Rd (0.50) | 0.50 (2640) | N | 2 | 35 | 20 | 2002 | 13 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| STH 107 (0.50) | Bill Lee Rd | 0.91 (4805) | N | 2 | 35 | 20 | 2022 | 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Fillet | | 0.08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Eggert Dr | Rock Falls Dr | 0.08 (422) | N | 2 | 55 | 18 | 1966 | 1 | 2020 | 4 | 0 | 0 | 201 | 201 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| Gibson Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Mathews Rd | Termini | 0.25 (1320) | N | 2 | 55 | 22 | 2001 | 1 | 2020 | 4 | 0 | 0 | 203 | 203 | | | E | 000020 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 2 | 2025 | |
| Greil Rd | | 1.95 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Woodchuck Ln | 1.45 (7656) | N | 2 | 35 | 20 | 2022 | 11, 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Woodchuck Ln | CTH E (1) | 0.50 (2640) | N | 2 | 35 | 20 | 2002 | 11, 13 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Grunning Rd | | 0.66 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH E (1) | Termini | 0.66 (3485) | N | 2 | 55 | 22 | 2001 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000020 | | A | 82 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|--------|-----|----|----|----|----|---|-----|-----|-----|----|-----|---|--------|------|------|------|--|
| Highlander Ct | | 0.10 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Termini | Abraham Ct | 0.08 (448) | N | 2 | 40 | 26 | 2003 | | | | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Hightower Rd | | 0.25 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Cottrell Ave | Termini | 0.25 (1320) | N | 2 | 35 | 16 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| Hill Ct | | 0.12 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Abraham Ct | Termini | 0.10 (502) | N | 3 | 40 | 26 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Lawson Rd | | 0.24 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Tug Lake Ave | Termini | 0.24 (1267) | N | 1 | 30 | 8 | 1966 | 10 | 2020 | 4 | 0 | 0 | 000 | 000 | | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 2 | 2025 | |
| Little Lakes Rd | | 0.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Termini | Winkleman Ave | 0.13 (687) | N | 2 | 35 | 16 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| Mary Todd Ct | | 0.61 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW | |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | | |
| Termini | Wilderness Dr | 0.11 (597) | N | 2 | 40 | 25 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |
| Wilderness Dr | Termini | 0.48 (2535) | N | 2 | 40 | 25 | 2003 | | | 4 | | | 00 | 00 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Mathews Rd | | 0.73 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Gibson Rd | 0.51 (2693) | N | 2 | 70 | 20 | 2022 | 3 | 2022 | 4 | 0 | 0 | 201 | 201 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Gibson Rd | STH 107 (0.05) | 0.05 (264) | N | 2 | 70 | 20 | 2022 | 3 | 2022 | 4 | 0 | 0 | 201 | 201 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Gibson Rd (0.22) | STH 107 (0.37) | 0.15 (798) | N | 2 | 70 | 20 | 2022 | 3 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |
| Gibson Rd (0.37) | STH 107 | 0.02 (100) | N | 2 | 70 | 20 | 2020 | 3 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 9 | 2025 | |
| Mistwood Rd | | 1.20 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Westward Rd | 0.33 (1742) | N | 2 | 70 | 22 | 2003 | | | 4 | | | 203 | 203 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Westward Rd | CTH E (1) | 0.87 (4594) | N | 2 | 70 | 22 | 2003 | | | 4 | | | 203 | 203 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| North Shore Dr | | 0.13 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Tug Lake Ave | Termini | 0.13 (686) | N | 2 | 35 | 30 | 1991 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| North Star Dr | | 0.17 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini (0.17) | North Star Rd | 0.17 (898) | N | 2 | 35 | 16 | 1966 | 12 | 2019 | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Olivotti Lake Dr | | 1.06 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini (0.63) | Wilderness Shore Ln | 0.11 (598) | N | 2 | 55 | 24 | 1991 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Wilderness Shore Ln | Unknown | 0.24 (1250) | N | 2 | 55 | 24 | 1991 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Unknown | CTH JJ | 0.27 (1426) | N | 2 | 55 | 24 | 1991 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| CTH JJ (0.23) | Termini | 0.23 (1215) | N | 2 | 35 | 22 | 1974 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Termini (0.21) | Larson Lake Rd (0.42) | 0.21 (1109) | N | 2 | 35 | 22 | 1974 | 12 | 2020 | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |
| Resort Ln | | 0.54 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Wulf Rd | 0.12 (634) | N | 2 | 55 | 22 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | A | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |
| Wulf Rd | Tug Lake Ave | 0.42 (2218) | N | 2 | 55 | 22 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | A | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |
| Rick's Rd | | 0.23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Wilderness Shore Ln | Termini | 0.24 (1242) | N | 2 | 55 | 20 | 2006 | 1 | 2020 | | | | 102 | 102 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Rock Falls Dr | | 2.23 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Eggert Dr | 0.71 (3749) | N | 2 | 40 | 20 | 2025 | 4 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | | | |
| Eggert Dr | Fillet | 0.13 (686) | N | 2 | 40 | 20 | 2025 | 4 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | | | |
| Fillet | CTH JJ (0.87) | 0.87 (4594) | N | 2 | 40 | 20 | 2025 | 4 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | | | |
| Fillet (0.87) | CTH JJ | 0.52 (2745) | N | 2 | 40 | 20 | 2025 | 4 | 2022 | 4 | 0 | 0 | 101 | 101 | | | E | 000075 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | | | |
| Schooley Rd | | 0.48 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini (0.13) | CTH J | 0.13 (686) | N | 2 | 35 | 20 | 1973 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Schooley Rd (0.11) | Termini | 0.35 (1848) | N | 1 | 35 | 8 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| Schulz Spur Dr | | 0.99 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| South End Rd | Poplar Rd (0.99) | 0.99 (5227) | N | 2 | 35 | 22 | 1998 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| South End Rd | | 6.08 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 (1.02) | Big Hill Dr | 1.00 (5280) | N | 2 | 65 | 24 | 1966 | 1 | 2020 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 8 | 2025 | |
| Big Hill Dr | Schulz Spur Dr | 3.00 (15840) | N | 2 | 35 | 22 | 2022 | 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Schulz Spur Dr | Bill Lee Rd | 2.08 (10982) | N | 2 | 35 | 22 | 2022 | 13 | 2022 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

**STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS**

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Tamarack Rd | | 0.18 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Tamarack Ln | 0.18 (950) | N | 1 | 35 | 22 | 2023 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 33 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |

| Tug Lake Ave | | 4.68 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Bill Lee Rd | 1.27 (6706) | N | 2 | 70 | 22 | 2022 | 3 | 2022 | 4 | 0 | 0 | 102 | 102 | | | E | 000150 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |
| Bill Lee Rd | Woodenware Rd (1.01) | 1.01 (5349) | N | 2 | 65 | 22 | 2024 | 3 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000275 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 9 | 2025 | |
| Bill Lee Rd (1.01) | Woodenware Rd | 0.04 (195) | N | 2 | 70 | 22 | 2022 | 3 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000275 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 9 | 2025 | |
| Woodenware Rd | Lawson Rd | 0.57 (3010) | N | 2 | 70 | 22 | 2024 | 3 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000275 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Lawson Rd | Resort Ln | 0.69 (3643) | N | 2 | 70 | 22 | 2024 | 3 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000275 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Resort Ln | North Shore Dr (0.21) | 0.21 (1109) | N | 2 | 70 | 22 | 2022 | 3 | 2022 | 4 | 0 | 0 | 203 | 203 | | | E | 000275 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| Resort Ln (0.21) | North Shore Dr | 0.16 (845) | N | 2 | 70 | 22 | 2022 | 3 | 2022 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| North Shore Dr | CTH JJ | 0.38 (2006) | N | 2 | 70 | 22 | 2022 | 3 | 2022 | 4 | 0 | 0 | 102 | 102 | | | E | 000075 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| CTH JJ | Termini | 0.35 (1848) | N | 1 | 55 | 8 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |

| Walsh Rd | | 0.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH JJ | Termini (0.11) | 0.11 (581) | N | 1 | 57 | 10 | 1966 | | | 4 | 0 | 0 | 203 | 203 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |

STATE OF WISCONSIN
DEPARTMENT OF TRANSPORTATION
WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|----|---|------|----|----------|-----|--------|----|-----|--------|------|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Westward Rd | | 0.29 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Mistwood Rd | 0.29 (1531) | N | 2 | 70 | 22 | 2003 | | | 4 | | | 203 | 203 | | | | 000000 | | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| Wilderness Dr | | 0.88 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| STH 107 | Mary Todd Ct (0.14) | 0.14 (739) | N | 2 | 70 | 27 | 2003 | | | 4 | | | 00 | 00 | | | E | 000035 | 2022 | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| STH 107 (0.14) | Mary Todd Ct | 0.17 (885) | N | 2 | 70 | 20 | 2022 | | | 4 | | | 203 | 203 | | | E | 000035 | 2022 | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Mary Todd Ct | Abraham Ct | 0.30 (1596) | N | 2 | 70 | 20 | 2022 | | | 4 | | | 203 | 203 | | | E | 000035 | 2022 | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Abraham Ct | Black Bear Ln | 0.18 (946) | N | 2 | 70 | 20 | 2022 | | | 4 | | | 203 | 203 | | | E | 000035 | 2022 | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Black Bear Ln | Termini | 0.07 (383) | N | 2 | 70 | 20 | 2022 | | | 4 | | | 203 | 203 | | | E | 000035 | 2022 | A | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 10 | 2025 | |
| Wilderness Shore Ln | | 0.36 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Olivotti Lake Dr | Rick's Rd | 0.18 (969) | N | 2 | 55 | 16 | 1980 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 7 | 2025 | |
| Rick's Rd | Termini | 0.18 (932) | N | 2 | 55 | 16 | 1980 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| Winkleman Ave | | 1.00 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| CTH JJ | Little Lakes Rd | 1.00 (5280) | N | 2 | 35 | 22 | 1997 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |

STATE OF WISCONSIN
 DEPARTMENT OF TRANSPORTATION
 WISCONSIN INFORMATION SYSTEM FOR LOCAL ROADS

Inventory Listing With Maintenance (R-20)
 1-1-2026 Certification

TOWN OF ROCK FALLS (018)

| Rd/St Name | | Certified Miles | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
|-----------------------|---------------------------|---------------------|----|---|---------|----|------|-------|------|---|------|----|----------|-----|--------|----|-----|--------|----|-----|----|----|----|----|---|-----|-----|---|----|-----|---|--------|-----|------|----|
| Woodchuck Ln | | 0.50 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Greil Rd | 0.50 (2640) | N | 1 | 35 | 12 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 3 | 2025 | |
| Woodenware Rd | | 2.11 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Tug Lake Ave | 0.61 (3221) | N | 2 | 35 | 16 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000005 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Tug Lake Ave | Bill Lee Rd | 1.00 (5280) | N | 2 | 35 | 26 | 1967 | 12 | 2020 | 4 | 0 | 0 | 000 | 000 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Bill Lee Rd | Eggert Dr | 0.50 (2640) | N | 2 | 55 | 20 | 1990 | 1 | 2020 | 4 | 0 | 0 | 101 | 101 | | | E | 000035 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 6 | 2025 | |
| Woodpecker Ln | | 0.09 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | CTH JJ | 0.09 (475) | N | 1 | 35 | 10 | 1966 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 50 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 4 | 2025 | |
| Wulf Rd | | 0.15 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| AT RD/ST OFFSET MILES | TO ROAD NAME OFFSET MILES | LENGTH MILES (FEET) | OW | L | SURFACE | | | MAINT | | P | CURB | | SHOULDER | | MEDIAN | | ADT | | | ROW | | FC | RC | SC | O | U/A | NHS | H | AC | ALN | | INV YR | PVT | | SW |
| | | | | | Type | WD | YR | Type | YR | | LT | RT | LT | RT | TYPE | WD | I | CNT | YR | I | W | | | | | | | | | H | V | | R | YR | |
| Termini | Resort Ln | 0.15 (792) | N | 2 | 55 | 24 | 1993 | | | 4 | 0 | 0 | 000 | 000 | | | E | 000015 | | E | 66 | 45 | 5 | | 4 | 000 | NON | | 00 | | | 2026 | 5 | 2025 | |