

Misc.

6-32-8

7 JUN 74

NORTH FROM THE
SW SEC COR OF 6-32-8
TO W/4 6-32-8

G. SPIRITEST
S. HUTH
B. WENTZLER

000 SW SEC COR (10' BELOW SURFACE)
(B.T.)

1321.90' FENCE WEST

2648.90' W/4 B.T. (8" BELOW SURFACE)

MARK 24" S33°W 88.00'

FLM 8" N54°W 54.60'

G.W. POST 90° WEST 25.00'

TRAVEL STOPS SPINDS

NORTH FROM THE
SW SEC COR 6-32-8

000 SW SEC COR G.W. POST S44°E 49.85'

B.T. POWER POLE N44°W 38.0'

POWER POLE S53°W 36.5'

313.90' OFFSET I.P. 90° EAST 33'

THENCE EAST 204.55 ~~FEET~~ FROM CENTER

of Rd. TO H.R. TOTAL TO L. POINT 305.00'

TRENCH TURNED ^(LT) DEP L 41°31'
To HUB 269.29 TOTAL To L POINT
835.80'

TRENCH TURNED DEP L LT 48°23'
To HUB 309.14' TOTAL To L POINT
ON NORTH FENCE LINE 555.52'

TRENCH South West ^{57°59'} along
fence line 1166.11' to center line
of rd. then
thence south 405.72' to
Point of Beginning

Bearing on fence line
S 52° 50' W

Dist. 1166.11'

FEB 21 87

START AT SRC Core	11 25 87
3536 32-4 4' 1-2 31-8 North	
000	3 March To 13-14-23-24
247.10	32-4
1001.50'	ASH Sump across river
1738.40	in Dip South of large bed
2430.14	about 100' south of top of
3109.88	Just before Black Spine Sump
4059.70'	in Sp Sump
4681.45	in Sp Sump back bank
5612.80	South of Big line ridge
6409.05	Hill by Ridge line
7102.78	South of peak 150'
7280.00	Center Toppo
7707.98	First Hill North on River
8369.40	Just North of top Round 6'
8843.30	Just South of top End of Ridge
9006.43	in Sump Sump
9400.37	Ridge
9807.80	
10530.45	SW of CABIN
10638.00	Red No. 100
11021.18	NW of CABIN
11283.94	SW Sump SW of CABIN

11,397.60'	Ridge		
11,748.50	By A Trench	To NE	
12,248.49	North of Row		
12,730.77			
13,027.04	By Big Box		
13,532.10	Just Below Ridge		
13,658.33	Top of Ridge	Pinus trees	
14,345.20	Unsure	Water Hemlock	
15,047.05			
15,514.66			
15,956.60	Turned Def	1.88' 33'	
	A Distance of	660'	To Line

TRUE LINE DIST 15958.42

66' Correction At North 3 Miles

44 " " " 2ND 15
 22 " " " 1ST 15
 B. ASH CUR

IN Rd ABOUT 165' WEST
 OF LOGGING Rd INTERSECTION
 OF SET STAKES 20' NORTH &
 20' SOUTH

MAG N 80° E (TOWNSHIP CORNER)

000' - BACK SITE ON CENTER OF RD

To WEST COMPASS BEARING S 77° W

L DEF RT 5° 00' A DIST OF 235.5'

L DEF RT 31° 15' A DIST OF 108.9'

L DEF RT 66° 35' A DIST OF 317.0'

L DEF RT 84° 00' A DIST OF 600.0'

1323.45
1346.82 → (89-32) 8942 80 1310.72'

~~11-85-8~~ 31-JAN-79 STCUP

000' 10716.50' GRAY

276.00 1.04 SANDY BLUE

418.72 1.23 "

608.95 1.72 "

733.17 2.73

1323.45' 1/6

000 000

165.50' 8.48 C.I.T. 108.29'

464.60' 7.50 947.86'

620.43' 7.00 1293.10 DEF. L

1178.82' 5.25' RT 22° 21' A DIST

1340.82' 1/6 OF 30.20'

19 MAR 75

T32NR4E

B Wagoner & G Street

NORTH FACE THE E/4 OF SEC 5 T32NR4E.

000' - E/4 OFF SET 23' EAST TO STAY IN CENTER OF TOWN ROAD. SITED ON E/4 AND TURNED INT L 90°23' (NORTH) DOWN TOWN RD

850.78' TURNED OFF L 90°23' (RT) 23' TO ROAD

2168.55' NE ON NS RAMP, THEN TURNED OFF L 90°23' (RT)

2490.50 TURNED OFF L 100°02'

(LT.) A DISTANCE OF 149.25'

TO THE NE SEC CORNER OF SEC 5

SEC THE E/4 NE AT 1316.70 FROM E/4 TOWN LINE

BT 1320.76

12" P BIRCH S48°W 3.0'

10" ASH N20°W 44.7'

THIS INT IS CORRECT; TOWN RD WIDE

DIETSEN, N.O.

AUG 9, 71

T SIN RSE

RESET 1/4 COR BET. 19th & 20

BEHIND TREES

SE FOOTING OF SHARK 14" CREOSOT

PAST N 78° W 58.10'

POPAL 7" N 33° E 49.00'

10" BELOW SURFACE OF RD.