

NOTE: THIS FORM IS INTENDED AND DESIGNED TO FULFILL ALL REQUIREMENTS OF WISCONSIN ADMINISTRATIVE CODE CHAPTER A-E 7.08 U.S. PUBLIC LAND SURVEY MONUMENT RECORD (3) (a)(b)(c)(d)(e)(f)(g)(h)(i). AN ADDITIONAL SHEET MAY BE ADDED IF NECESSARY TO CONFIRM WITH SAID REQUIREMENTS

### (a) CORNER LOCATION:

N 1/4 CORNER OF SECTION 14 **TOWNSHIP 32 NORTH RANGE 5 EAST** TOWN OF HARDING COUNTY OF LINCOLN

# 14

<del>-19</del>

## (b) HISTORY OF ORIGINAL CORNER:

ORIGINAL SURVEYOR: RICHARD O. CHANEY DATE OF SURVEY: NOVEMBER, 1852

ORIGINAL BEARING TREES: 16" HEMLOCK - N28°W, 80 LKS 20" WHITE PINE - \$38°W, 70 LKS

(f)(g)(h) DESCRIPTION OF MONUMENT FOUND AT THIS CORNER AND IF IT WAS ACCEPTED STATE ALL EVIDENCE (MATERIAL, TESTIMONIAL, OCCUPATIONAL, PLATS, RECORDS, OTHER MONUMENTS) USED AS A BASIS FOR ESTABLISHING LOCATION. IF REESTABLISHING THROUGH LOST CORNER PROPORTIONATE METHODS, INDICATE ALL MONUMENTS, DISTANCES, AND DIRECTIONS USED TO ESTABLISH. INDICATE TYPE OF MONUMENT AND SIGN POST FOUND OR SET.


1852: RICHARD O. CHANEY SET THE ORIGINAL 1/4 CORNER POST.

I GREGORY S. MAINES, REGISTERED LAND SURVEYOR NO. 2729, HEREBY CERTIFY THAT THE CORNER LOCATION ON THIS RECORD

WAS REFERENCED BY ME OR UNDER MY DIRECTION AND CONTROL AND THAT THIS U.S. PUBLIC LAND SURVEY MONUMENT RECORD IS COMPLETE TO THE BEST OF MY KNOWLEDGE AND BELIEF.

11/17/2010: I FOUND NO EVIDENCE OF THE ORIGINAL CORNER. I SET THE CORNER ON LINE BETWEEN SECTION CORNERS EAST AND WEST AT THE CENTERLINE OF BURMA ROAD. I REFERENCED THE CORNER AS SHOWN BELOW.

(c)(d)(e) PLAN VIEW OF CORNER WITH TIES TO AT LEAST FOUR WITNESSES. IF IN DISAGREEMENT WITH PREVIOUSLY



# NORTH 1/4 CORNER OF SECTION 14, T32N, R05E LINCOLN COUNTY BERNTSEN MONUMENT SET



**FACING NORTH** 



# **FACING SOUTH**



**FACING EAST** 



# **FACING WEST**

